

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\PO120319\
 Data File : PO064306.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 03 Dec 2019 12:40
 Operator : SM/AJ
 Sample : K6094-04DL 10000X
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 ECD_0
 ClientSampleId :
 04-A-04-B-04-CDL2

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 03 13:18:38 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\PO112719.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Nov 28 01:28:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.319	0.000	406	0	0.014	N.D. #
2)	SA Decachlor...	9.985	8.562	779262	22405	19.014	0.548 #
Target Compounds							
3)	L1 AR-1016-1	5.482	0.000	9295	0	7.161	N.D. #
4)	L1 AR-1016-2	5.505	0.000	5510	0	3.022	N.D. #
5)	L1 AR-1016-3	5.544	4.873	480	22797	0.418	29.598 #
6)	L1 AR-1016-4	5.663	4.873	-202	22797	N.D.	35.044 #
7)	L1 AR-1016-5	5.948	5.085	20621	9830	21.191	11.807 #
8)	L2 AR-1221-1	4.521	0.000	385	0	1.084	N.D. #
9)	L2 AR-1221-2	4.604	0.000	2541	0	9.191	N.D. #
10)	L2 AR-1221-3	4.688	0.000	2416	0	2.877	N.D. #
11)	L3 AR-1232-1	4.688	0.000	2416	0	1.884	N.D. #
12)	L3 AR-1232-2	5.220	0.000	7750	0	11.032	N.D. #
13)	L3 AR-1232-3	5.505	4.873	5510	22797	3.979	39.213 #
14)	L3 AR-1232-4	5.663	4.916	-202	7472	N.D.	14.074 #
15)	L3 AR-1232-5	5.747	5.085	13765	9830	24.441	16.788 #
16)	L4 AR-1242-1	5.482	0.000	9295	0	9.762	N.D. #
17)	L4 AR-1242-2	5.505	0.000	5510	0	4.080	N.D. #
18)	L4 AR-1242-3	5.544	4.873	480	22797	0.559	40.678 #
19)	L4 AR-1242-4	5.663	4.916	-202	7472	N.D.	13.173 #
20)	L4 AR-1242-5	6.394	5.434	75153	224187	88.957	285.662 #
21)	L5 AR-1248-1	5.482	0.000	9295	0	16.572	N.D. #
22)	L5 AR-1248-2	5.747	4.873	13765	22797	16.611	36.255 #
23)	L5 AR-1248-3	5.948	4.916	20621	7472	22.418	11.580 #
24)	L5 AR-1248-4	6.353	5.085	107253	9830	96.764	12.470 #
25)	L5 AR-1248-5	6.394	5.434	75153	224187	70.041	185.040 #
26)	L6 AR-1254-1	6.325	5.434	217023	224187	132.970	114.069
27)	L6 AR-1254-2	6.543	5.580	650270	488805	249.447	272.938
28)	L6 AR-1254-3	6.908	5.982	1396751	1541785	483.931	498.182
29)	L6 AR-1254-4	7.194	6.210	1793910	1677662	783.315	813.115
30)	L6 AR-1254-5	7.611	6.626	3290776	4137772	1287.847	1371.851
31)	L7 AR-1260-1	7.071	6.111	835891	1016507	442.933	579.135 #
32)	L7 AR-1260-2	7.327	6.298	1482536	1414789	633.915	635.924
33)	L7 AR-1260-3	7.672	6.451	441034	1336627	238.229	657.393 #
34)	L7 AR-1260-4	7.900	6.922	1526608	233282	696.577	125.775 #
35)	L7 AR-1260-5	8.222	7.162	687551	705898	155.732	145.804
36)	L8 AR-1262-1	7.672	6.715	441034	113722	147.718	90.505 #
37)	L8 AR-1262-2	8.222	7.162	687551	705898	124.698	118.334
38)	L8 AR-1262-3	8.535	7.446	607050	75910	156.891	32.562 #
39)	L8 AR-1262-4	8.582	7.508	157776	1126355	53.972	252.938 #
40)	L8 AR-1262-5	9.235	8.001	273524	53576	130.318	25.367 #
41)	L9 AR-1268-1	8.535	7.446	607050	75910	93.107	10.872 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0120319\
 Data File : P0064306.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 03 Dec 2019 12:40
 Operator : SM/AJ
 Sample : K6094-04DL 10000X
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 04-A-04-B-04-CDL2

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 03 13:18:38 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0112719.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Nov 28 01:28:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.582	7.508	157776	1126355	26.115	175.923 #
43) L9	AR-1268-3	8.828	7.763	4995	128404	1.006	24.517 #
44) L9	AR-1268-4	9.235	8.001	273524	53576	116.907	22.933 #
45) L9	AR-1268-5	0.000	8.280	0	34700	N.D.	2.101 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO120319\
Data File : P0064306.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 03 Dec 2019 12:40
Operator : SM/AJ
Sample : K6094-04DL 10000X
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
04-A-04-B-04-CDL2

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 03 13:18:38 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO112719.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Nov 28 01:28:08 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.319 min
Delta R.T.: 0.006 min
Response: 406
Conc: 0.01 ng/ml

Instrument :
ECD_O
ClientSampleId :
04-A-04-B-04-CDL2




#1 Tetrachloro-m-xylene

R.T.: 0.000 min
Exp R.T. : 3.561 min
Response: 0
Conc: N.D.




#2 Decachlorobiphenyl

R.T.: 9.985 min
Delta R.T.: 0.044 min
Response: 779262
Conc: 19.01 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.562 min
Delta R.T.: 0.036 min
Response: 22405
Conc: 0.55 ng/ml



#3 AR-1016-1


R.T.: 5.482 min
Delta R.T.: 0.007 min
Response: 9295
Conc: 7.16 ng/ml

Instrument :
ECD_O
ClientSampleId :
04-A-04-B-04-CDL2




#3 AR-1016-1

R.T.: 0.000 min
Exp R.T. : 4.638 min
Response: 0
Conc: N.D.




#4 AR-1016-2

R.T.: 5.505 min
Delta R.T.: 0.008 min
Response: 5510
Conc: 3.02 ng/ml



#4 AR-1016-2


R.T.: 0.000 min
Exp R.T. : 4.657 min
Response: 0
Conc: N.D.



#5 AR-1016-3


R.T.: 5.544 min
Delta R.T.: -0.014 min
Response: 480
Conc: 0.42 ng/ml

Instrument :
ECD_O
ClientSampleId :
04-A-04-B-04-CDL2




#5 AR-1016-3

R.T.: 4.873 min
Delta R.T.: 0.042 min
Response: 22797
Conc: 29.60 ng/ml




#6 AR-1016-4

R.T.: 5.663 min
Delta R.T.: 0.007 min
Response: -202
Conc: N.D.



#6 AR-1016-4


R.T.: 4.873 min
Delta R.T.: 0.000 min
Response: 22797
Conc: 35.04 ng/ml



#7 AR-1016-5


R.T.: 5.948 min
Delta R.T.: 0.000 min
Response: 20621
Conc: 21.19 ng/ml

Instrument :
ECD_O
ClientSampleId :
04-A-04-B-04-CDL2




#7 AR-1016-5

R.T.: 5.085 min
Delta R.T.: 0.000 min
Response: 9830
Conc: 11.81 ng/ml




#8 AR-1221-1

R.T.: 4.521 min
Delta R.T.: 0.000 min
Response: 385
Conc: 1.08 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T.: 3.775 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.604 min
Delta R.T.: -0.004 min
Response: 2541
Conc: 9.19 ng/ml

Instrument :
ECD_O
ClientSampleId :
04-A-04-B-04-CDL2




#9 AR-1221-2

R.T.: 0.000 min
Exp R.T. : 3.859 min
Response: 0
Conc: N.D.




#10 AR-1221-3

R.T.: 4.688 min
Delta R.T.: 0.005 min
Response: 2416
Conc: 2.88 ng/ml



#10 AR-1221-3


R.T.: 0.000 min
Exp R.T. : 3.935 min
Response: 0
Conc: N.D.



#11 AR-1232-1


R.T.: 4.688 min
Delta R.T.: 0.004 min
Response: 2416
Conc: 1.88 ng/ml

Instrument :
ECD_O
ClientSampleId :
04-A-04-B-04-CDL2




#11 AR-1232-1

R.T.: 0.000 min
Exp R.T. : 3.935 min
Response: 0
Conc: N.D.




#12 AR-1232-2

R.T.: 5.220 min
Delta R.T.: 0.011 min
Response: 7750
Conc: 11.03 ng/ml



#12 AR-1232-2


R.T.: 0.000 min
Exp R.T. : 4.657 min
Response: 0
Conc: N.D.



#13 AR-1232-3


R.T.: 5.505 min
Delta R.T.: 0.007 min
Response: 5510
Conc: 3.98 ng/ml

Instrument :
ECD_O
ClientSampleId :
04-A-04-B-04-CDL2




#13 AR-1232-3

R.T.: 4.873 min
Delta R.T.: 0.042 min
Response: 22797
Conc: 39.21 ng/ml




#14 AR-1232-4

R.T.: 5.563 min
Delta R.T.: 0.006 min
Response: -202
Conc: N.D.



#14 AR-1232-4


R.T.: 4.916 min
Delta R.T.: 0.001 min
Response: 7472
Conc: 14.07 ng/ml



#15 AR-1232-5


R.T.: 5.747 min
Delta R.T.: 0.000 min
Response: 13765
Conc: 24.44 ng/ml

Instrument :
ECD_O
ClientSampleId :
04-A-04-B-04-CDL2




#15 AR-1232-5

R.T.: 5.085 min
Delta R.T.: 0.000 min
Response: 9830
Conc: 16.79 ng/ml




#16 AR-1242-1

R.T.: 5.482 min
Delta R.T.: 0.006 min
Response: 9295
Conc: 9.76 ng/ml



#16 AR-1242-1


R.T.: 0.000 min
Exp R.T.: 4.639 min
Response: 0
Conc: N.D.



#17 AR-1242-2


R.T.: 5.505 min
Delta R.T.: 0.007 min
Response: 5510
Conc: 4.08 ng/ml

Instrument :
ECD_O
ClientSampleId :
04-A-04-B-04-CDL2




#17 AR-1242-2

R.T.: 0.000 min
Exp R.T. : 4.658 min
Response: 0
Conc: N.D.




#18 AR-1242-3

R.T.: 5.544 min
Delta R.T.: -0.015 min
Response: 480
Conc: 0.56 ng/ml



#18 AR-1242-3


R.T.: 4.873 min
Delta R.T.: 0.041 min
Response: 22797
Conc: 40.68 ng/ml



#19 AR-1242-4


R.T.: 5.663 min
Delta R.T.: 0.006 min
Response: -202
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
04-A-04-B-04-CDL2




#19 AR-1242-4

R.T.: 4.916 min
Delta R.T.: 0.001 min
Response: 7472
Conc: 13.17 ng/ml




#20 AR-1242-5

R.T.: 6.394 min
Delta R.T.: 0.004 min
Response: 75153
Conc: 88.96 ng/ml



#20 AR-1242-5


R.T.: 5.434 min
Delta R.T.: 0.000 min
Response: 224187
Conc: 285.66 ng/ml



#21 AR-1248-1


R.T.: 5.482 min
Delta R.T.: 0.007 min
Response: 9295
Conc: 16.57 ng/ml

Instrument :
ECD_O
ClientSampleId :
04-A-04-B-04-CDL2




#21 AR-1248-1

R.T.: 0.000 min
Exp R.T. : 4.638 min
Response: 0
Conc: N.D.




#22 AR-1248-2

R.T.: 5.747 min
Delta R.T.: 0.000 min
Response: 13765
Conc: 16.61 ng/ml



#22 AR-1248-2


R.T.: 4.873 min
Delta R.T.: 0.001 min
Response: 22797
Conc: 36.26 ng/ml



#23 AR-1248-3


R.T.: 5.948 min
Delta R.T.: -0.002 min
Response: 20621
Conc: 22.42 ng/ml

Instrument :
ECD_O
ClientSampleId :
04-A-04-B-04-CDL2




#23 AR-1248-3

R.T.: 4.916 min
Delta R.T.: 0.002 min
Response: 7472
Conc: 11.58 ng/ml




#24 AR-1248-4

R.T.: 6.353 min
Delta R.T.: 0.001 min
Response: 107253
Conc: 96.76 ng/ml



#24 AR-1248-4


R.T.: 5.085 min
Delta R.T.: 0.000 min
Response: 9830
Conc: 12.47 ng/ml



#25 AR-1248-5


R.T.: 6.394 min
Delta R.T.: 0.005 min
Response: 75153
Conc: 70.04 ng/ml

Instrument :
ECD_O
ClientSampleId :
04-A-04-B-04-CDL2




#25 AR-1248-5

R.T.: 5.434 min
Delta R.T.: 0.000 min
Response: 224187
Conc: 185.04 ng/ml




#26 AR-1254-1

R.T.: 6.325 min
Delta R.T.: 0.000 min
Response: 217023
Conc: 132.97 ng/ml



#26 AR-1254-1


R.T.: 5.434 min
Delta R.T.: 0.000 min
Response: 224187
Conc: 114.07 ng/ml



#27 AR-1254-2


R.T.: 6.543 min
Delta R.T.: 0.000 min
Response: 650270
Conc: 249.45 ng/ml

Instrument :
ECD_O
ClientSampleId :
04-A-04-B-04-CDL2




#27 AR-1254-2

R.T.: 5.580 min
Delta R.T.: 0.000 min
Response: 488805
Conc: 272.94 ng/ml




#28 AR-1254-3

R.T.: 6.908 min
Delta R.T.: 0.000 min
Response: 1396751
Conc: 483.93 ng/ml



#28 AR-1254-3


R.T.: 5.982 min
Delta R.T.: 0.000 min
Response: 1541785
Conc: 498.18 ng/ml



#29 AR-1254-4


R.T.: 7.194 min
Delta R.T.: 0.000 min
Response: 1793910
Conc: 783.32 ng/ml

Instrument :
ECD_O
ClientSampleId :
04-A-04-B-04-CDL2




#29 AR-1254-4

R.T.: 6.210 min
Delta R.T.: 0.000 min
Response: 1677662
Conc: 813.12 ng/ml




#30 AR-1254-5

R.T.: 7.611 min
Delta R.T.: 0.002 min
Response: 3290776
Conc: 1287.85 ng/ml



#30 AR-1254-5


R.T.: 6.626 min
Delta R.T.: 0.000 min
Response: 4137772
Conc: 1371.85 ng/ml



#31 AR-1260-1


R.T.: 7.071 min
Delta R.T.: 0.003 min
Response: 835891
Conc: 442.93 ng/ml

Instrument :
ECD_O
ClientSampleId :
04-A-04-B-04-CDL2




#31 AR-1260-1

R.T.: 6.111 min
Delta R.T.: 0.000 min
Response: 1016507
Conc: 579.13 ng/ml




#32 AR-1260-2

R.T.: 7.327 min
Delta R.T.: 0.002 min
Response: 1482536
Conc: 633.91 ng/ml



#32 AR-1260-2


R.T.: 6.298 min
Delta R.T.: 0.000 min
Response: 1414789
Conc: 635.92 ng/ml



#33 AR-1260-3


R.T.: 7.672 min
Delta R.T.: -0.011 min
Response: 441034
Conc: 238.23 ng/ml

Instrument :
ECD_O
ClientSampleId :
04-A-04-B-04-CDL2




#33 AR-1260-3

R.T.: 6.451 min
Delta R.T.: 0.000 min
Response: 1336627
Conc: 657.39 ng/ml




#34 AR-1260-4

R.T.: 7.900 min
Delta R.T.: -0.007 min
Response: 1526608
Conc: 696.58 ng/ml



#34 AR-1260-4


R.T.: 6.922 min
Delta R.T.: 0.000 min
Response: 233282
Conc: 125.77 ng/ml



#35 AR-1260-5


R.T.: 8.222 min
Delta R.T.: 0.003 min
Response: 687551
Conc: 155.73 ng/ml

Instrument :
ECD_O
ClientSampleId :
04-A-04-B-04-CDL2




#35 AR-1260-5

R.T.: 7.162 min
Delta R.T.: 0.000 min
Response: 705898
Conc: 145.80 ng/ml




#36 AR-1262-1

R.T.: 7.672 min
Delta R.T.: -0.011 min
Response: 441034
Conc: 147.72 ng/ml



#36 AR-1262-1


R.T.: 6.715 min
Delta R.T.: -0.001 min
Response: 113722
Conc: 90.50 ng/ml



#37 AR-1262-2


R.T.: 8.222 min
Delta R.T.: 0.002 min
Response: 687551
Conc: 124.70 ng/ml

Instrument :
ECD_O
ClientSampleId :
04-A-04-B-04-CDL2




#37 AR-1262-2

R.T.: 7.162 min
Delta R.T.: 0.000 min
Response: 705898
Conc: 118.33 ng/ml




#38 AR-1262-3

R.T.: 8.535 min
Delta R.T.: 0.017 min
Response: 607050
Conc: 156.89 ng/ml



#38 AR-1262-3


R.T.: 7.446 min
Delta R.T.: 0.000 min
Response: 75910
Conc: 32.56 ng/ml



#39 AR-1262-4


R.T.: 8.582 min
Delta R.T.: -0.021 min
Response: 157776
Conc: 53.97 ng/ml

Instrument :
ECD_O
ClientSampleId :
04-A-04-B-04-CDL2




#39 AR-1262-4

R.T.: 7.508 min
Delta R.T.: 0.000 min
Response: 112635
Conc: 252.94 ng/ml




#40 AR-1262-5

R.T.: 9.235 min
Delta R.T.: 0.004 min
Response: 273524
Conc: 130.32 ng/ml



#40 AR-1262-5


R.T.: 8.001 min
Delta R.T.: 0.000 min
Response: 53576
Conc: 25.37 ng/ml



#41 AR-1268-1


R.T.: 8.535 min
Delta R.T.: 0.019 min
Response: 607050
Conc: 93.11 ng/ml

Instrument :
ECD_O
ClientSampleId :
04-A-04-B-04-CDL2




#41 AR-1268-1

R.T.: 7.446 min
Delta R.T.: 0.001 min
Response: 75910
Conc: 10.87 ng/ml




#42 AR-1268-2

R.T.: 8.582 min
Delta R.T.: -0.024 min
Response: 157776
Conc: 26.12 ng/ml



#42 AR-1268-2


R.T.: 7.508 min
Delta R.T.: -0.002 min
Response: 1126355
Conc: 175.92 ng/ml



#43 AR-1268-3


R.T.: 8.828 min
Delta R.T.: 0.006 min
Response: 4995
Conc: 1.01 ng/ml

Instrument :
ECD_O
ClientSampleId :
04-A-04-B-04-CDL2




#43 AR-1268-3

R.T.: 7.763 min
Delta R.T.: 0.048 min
Response: 128404
Conc: 24.52 ng/ml




#44 AR-1268-4

R.T.: 9.235 min
Delta R.T.: 0.002 min
Response: 273524
Conc: 116.91 ng/ml



#44 AR-1268-4


R.T.: 8.001 min
Delta R.T.: 0.000 min
Response: 53576
Conc: 22.93 ng/ml



#45 AR-1268-5

R.T.: 0.000 min
Exp R.T.: 9.624 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
04-A-04-B-04-CDL2



#45 AR-1268-5

R.T.: 8.280 min
Delta R.T.: -0.001 min
Response: 34700
Conc: 2.10 ng/ml