

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO120919\
 Data File : PO064479.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 09 Dec 2019 15:00
 Operator : SM/AJ
 Sample : K6111-01
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 09 15:18:32 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO112719.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Nov 28 01:28:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.313	3.561	863866	762542	29.170	32.060
2)	SA Decachlor...	9.935	8.518	709149	724329	17.303	17.731
Target Compounds							
3)	L1 AR-1016-1	5.475	4.707	22351	16049	17.218	15.328
4)	L1 AR-1016-2	5.495	4.707	31960	16049	17.531	11.377 #
5)	L1 AR-1016-3	5.561	4.828	12523	36922	10.911	47.937 #
6)	L1 AR-1016-4	5.629	4.870	75780	75220	80.581	115.631 #
7)	L1 AR-1016-5	5.951	5.078	36992	23990	38.014	28.817
8)	L2 AR-1221-1	4.498	3.778	79930	57476	224.992	219.698
9)	L2 AR-1221-2	4.617	3.860	102473	242603	370.627	1213.901 #
10)	L2 AR-1221-3	4.697	3.939	91161	34034	108.566	52.632 #
11)	L3 AR-1232-1	4.697	3.939	91161	34034	71.104	33.607 #
12)	L3 AR-1232-2	5.213	4.707	58735	16049	83.604	14.721 #
13)	L3 AR-1232-3	5.495	4.828	31960	36922	23.079	63.510 #
14)	L3 AR-1232-4	5.629	4.937	75780	90962	106.510	171.341 #
15)	L3 AR-1232-5	5.745	5.078	49597	23990	88.061	40.973 #
16)	L4 AR-1242-1	5.475	4.707	22351	16049	23.474	20.959
17)	L4 AR-1242-2	5.495	4.707	31960	16049	23.664	15.533 #
18)	L4 AR-1242-3	5.561	4.828	12523	36922	14.593	65.883 #
19)	L4 AR-1242-4	5.629	4.937	75780	90962	108.379	160.378 #
20)	L4 AR-1242-5	6.388	5.435	71102	188863	84.162	240.652 #
21)	L5 AR-1248-1	5.475	4.707	22351	16049	39.849	35.740
22)	L5 AR-1248-2	5.745	4.870	49597	75220	59.849	119.626 #
23)	L5 AR-1248-3	5.951	4.937	36992	90962	40.214	140.977 #
24)	L5 AR-1248-4	6.356	5.078	147287	23990	132.883	30.435 #
25)	L5 AR-1248-5	6.388	5.435	71102	188863	66.266	155.884 #
26)	L6 AR-1254-1	6.326	5.435	217887	188863	133.499	96.096 #
27)	L6 AR-1254-2	6.542	5.577	264179	89502	101.340	49.976 #
28)	L6 AR-1254-3	6.909	5.977	261137	159002	90.476	51.377 #
29)	L6 AR-1254-4	7.188	6.205	89507	91681	39.083	44.435
30)	L6 AR-1254-5	7.605	6.620	117966	158736	46.166	52.628
31)	L7 AR-1260-1	7.065	6.107	140076	93813	74.226	53.448 #
32)	L7 AR-1260-2	7.317	6.294	375783	84616	160.680	38.033 #
33)	L7 AR-1260-3	7.680	6.446	27499	63566	14.854	31.264 #
34)	L7 AR-1260-4	7.896	6.917	112632	31293	51.393	16.872 #
35)	L7 AR-1260-5	8.216	7.156	93347	66391	21.143	13.713 #
36)	L8 AR-1262-1	7.680	6.718	27499	18319	9.211	14.579 #
37)	L8 AR-1262-2	8.216	7.156	93347	66391	16.930	11.130 #
38)	L8 AR-1262-3	8.526	7.440	138667	39316	35.838	16.865 #
39)	L8 AR-1262-4	8.603	7.505	149885	137775	51.273	30.939 #
40)	L8 AR-1262-5	9.222	7.994	132168	18366	62.971	8.696 #
41)	L9 AR-1268-1	8.526	7.440	138667	39316	21.268	5.631 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO120919\
Data File : P0064479.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 09 Dec 2019 15:00
Operator : SM/AJ
Sample : K6111-01
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 09 15:18:32 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO112719.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Nov 28 01:28:08 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.603	7.505	149885	137775	24.809	21.519
43) L9	AR-1268-3	8.817	7.709	54655	33631	11.008	6.421 #
44) L9	AR-1268-4	9.222	7.994	132168	18366	56.490	7.862 #
45) L9	AR-1268-5	9.616	8.274	258054	41891	16.798	2.536 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO120919\
Data File : P0064479.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 09 Dec 2019 15:00
Operator : SM/AJ
Sample : K6111-01
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 09 15:18:32 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO112719.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Nov 28 01:28:08 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.313 min
Delta R.T.: 0.000 min
Response: 863866
Conc: 29.17 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.561 min
Delta R.T.: 0.000 min
Response: 762542
Conc: 32.06 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.935 min
Delta R.T.: -0.006 min
Response: 709149
Conc: 17.30 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.518 min
Delta R.T.: -0.008 min
Response: 724329
Conc: 17.73 ng/ml



#3 AR-1016-1


R.T.: 5.475 min
Delta R.T.: 0.000 min
Response: 22351
Conc: 17.22 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.707 min
Delta R.T.: 0.069 min
Response: 16049
Conc: 15.33 ng/ml




#4 AR-1016-2

R.T.: 5.495 min
Delta R.T.: -0.001 min
Response: 31960
Conc: 17.53 ng/ml



#4 AR-1016-2


R.T.: 4.707 min
Delta R.T.: 0.050 min
Response: 16049
Conc: 11.38 ng/ml



#5 AR-1016-3


R.T.: 5.561 min
Delta R.T.: 0.002 min
Response: 12523
Conc: 10.91 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.828 min
Delta R.T.: -0.004 min
Response: 36922
Conc: 47.94 ng/ml




#6 AR-1016-4

R.T.: 5.629 min
Delta R.T.: -0.027 min
Response: 75780
Conc: 80.58 ng/ml



#6 AR-1016-4


R.T.: 4.870 min
Delta R.T.: -0.002 min
Response: 75220
Conc: 115.63 ng/ml



#7 AR-1016-5


R.T.: 5.951 min
Delta R.T.: 0.003 min
Response: 36992
Conc: 38.01 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.078 min
Delta R.T.: -0.006 min
Response: 23990
Conc: 28.82 ng/ml




#8 AR-1221-1

R.T.: 4.498 min
Delta R.T.: -0.024 min
Response: 79930
Conc: 224.99 ng/ml



#8 AR-1221-1


R.T.: 3.778 min
Delta R.T.: 0.003 min
Response: 57476
Conc: 219.70 ng/ml



#9 AR-1221-2


R.T.: 4.617 min
Delta R.T.: 0.008 min
Response: 102473
Conc: 370.63 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.860 min
Delta R.T.: 0.000 min
Response: 242603
Conc: 1213.90 ng/ml




#10 AR-1221-3

R.T.: 4.697 min
Delta R.T.: 0.014 min
Response: 91161
Conc: 108.57 ng/ml



#10 AR-1221-3


R.T.: 3.939 min
Delta R.T.: 0.004 min
Response: 34034
Conc: 52.63 ng/ml



#11 AR-1232-1


R.T.: 4.697 min
Delta R.T.: 0.013 min
Response: 91161
Conc: 71.10 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 3.939 min
Delta R.T.: 0.004 min
Response: 34034
Conc: 33.61 ng/ml




#12 AR-1232-2

R.T.: 5.213 min
Delta R.T.: 0.004 min
Response: 58735
Conc: 83.60 ng/ml



#12 AR-1232-2


R.T.: 4.707 min
Delta R.T.: 0.050 min
Response: 16049
Conc: 14.72 ng/ml



#13 AR-1232-3


R.T.: 5.495 min
Delta R.T.: -0.003 min
Response: 31960
Conc: 23.08 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.828 min
Delta R.T.: -0.004 min
Response: 36922
Conc: 63.51 ng/ml




#14 AR-1232-4

R.T.: 5.629 min
Delta R.T.: -0.028 min
Response: 75780
Conc: 106.51 ng/ml



#14 AR-1232-4


R.T.: 4.937 min
Delta R.T.: 0.023 min
Response: 90962
Conc: 171.34 ng/ml



#15 AR-1232-5


R.T.: 5.745 min
Delta R.T.: -0.002 min
Response: 49597
Conc: 88.06 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.078 min
Delta R.T.: -0.007 min
Response: 23990
Conc: 40.97 ng/ml




#16 AR-1242-1

R.T.: 5.475 min
Delta R.T.: 0.000 min
Response: 22351
Conc: 23.47 ng/ml



#16 AR-1242-1


R.T.: 4.707 min
Delta R.T.: 0.068 min
Response: 16049
Conc: 20.96 ng/ml



#17 AR-1242-2


R.T.: 5.495 min
Delta R.T.: -0.003 min
Response: 31960
Conc: 23.66 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.707 min
Delta R.T.: 0.049 min
Response: 16049
Conc: 15.53 ng/ml




#18 AR-1242-3

R.T.: 5.561 min
Delta R.T.: 0.002 min
Response: 12523
Conc: 14.59 ng/ml



#18 AR-1242-3


R.T.: 4.828 min
Delta R.T.: -0.005 min
Response: 36922
Conc: 65.88 ng/ml



#19 AR-1242-4


R.T.: 5.629 min
Delta R.T.: -0.028 min
Response: 75780
Conc: 108.38 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 4.937 min
Delta R.T.: 0.023 min
Response: 90962
Conc: 160.38 ng/ml




#20 AR-1242-5

R.T.: 6.388 min
Delta R.T.: -0.002 min
Response: 71102
Conc: 84.16 ng/ml



#20 AR-1242-5


R.T.: 5.435 min
Delta R.T.: 0.000 min
Response: 188863
Conc: 240.65 ng/ml



#21 AR-1248-1


R.T.: 5.475 min
Delta R.T.: 0.000 min
Response: 22351
Conc: 39.85 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.707 min
Delta R.T.: 0.069 min
Response: 16049
Conc: 35.74 ng/ml




#22 AR-1248-2

R.T.: 5.745 min
Delta R.T.: -0.001 min
Response: 49597
Conc: 59.85 ng/ml



#22 AR-1248-2


R.T.: 4.870 min
Delta R.T.: -0.002 min
Response: 75220
Conc: 119.63 ng/ml



#23 AR-1248-3


R.T.: 5.951 min
Delta R.T.: 0.000 min
Response: 36992
Conc: 40.21 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 4.937 min
Delta R.T.: 0.023 min
Response: 90962
Conc: 140.98 ng/ml




#24 AR-1248-4

R.T.: 6.356 min
Delta R.T.: 0.004 min
Response: 147287
Conc: 132.88 ng/ml



#24 AR-1248-4


R.T.: 5.078 min
Delta R.T.: -0.007 min
Response: 23990
Conc: 30.43 ng/ml



#25 AR-1248-5


R.T.: 6.388 min
Delta R.T.: -0.002 min
Response: 71102
Conc: 66.27 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.435 min
Delta R.T.: 0.000 min
Response: 188863
Conc: 155.88 ng/ml




#26 AR-1254-1

R.T.: 6.326 min
Delta R.T.: 0.001 min
Response: 217887
Conc: 133.50 ng/ml



#26 AR-1254-1


R.T.: 5.435 min
Delta R.T.: 0.000 min
Response: 188863
Conc: 96.10 ng/ml



#27 AR-1254-2


R.T.: 6.542 min
Delta R.T.: 0.000 min
Response: 264179
Conc: 101.34 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.577 min
Delta R.T.: -0.003 min
Response: 89502
Conc: 49.98 ng/ml




#28 AR-1254-3

R.T.: 6.909 min
Delta R.T.: 0.001 min
Response: 261137
Conc: 90.48 ng/ml



#28 AR-1254-3


R.T.: 5.977 min
Delta R.T.: -0.006 min
Response: 159002
Conc: 51.38 ng/ml



#29 AR-1254-4


R.T.: 7.188 min
Delta R.T.: -0.005 min
Response: 89507
Conc: 39.08 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.205 min
Delta R.T.: -0.005 min
Response: 91681
Conc: 44.44 ng/ml




#30 AR-1254-5

R.T.: 7.605 min
Delta R.T.: -0.004 min
Response: 117966
Conc: 46.17 ng/ml



#30 AR-1254-5


R.T.: 6.620 min
Delta R.T.: -0.006 min
Response: 158736
Conc: 52.63 ng/ml



#31 AR-1260-1


R.T.: 7.065 min
Delta R.T.: -0.003 min
Response: 140076
Conc: 74.23 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.107 min
Delta R.T.: -0.004 min
Response: 93813
Conc: 53.45 ng/ml




#32 AR-1260-2

R.T.: 7.317 min
Delta R.T.: -0.009 min
Response: 375783
Conc: 160.68 ng/ml



#32 AR-1260-2


R.T.: 6.294 min
Delta R.T.: -0.003 min
Response: 84616
Conc: 38.03 ng/ml



#33 AR-1260-3


R.T.: 7.680 min
Delta R.T.: -0.003 min
Response: 27499
Conc: 14.85 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.446 min
Delta R.T.: -0.005 min
Response: 63566
Conc: 31.26 ng/ml




#34 AR-1260-4

R.T.: 7.896 min
Delta R.T.: -0.011 min
Response: 112632
Conc: 51.39 ng/ml



#34 AR-1260-4


R.T.: 6.917 min
Delta R.T.: -0.005 min
Response: 31293
Conc: 16.87 ng/ml



#35 AR-1260-5


R.T.: 8.216 min
Delta R.T.: -0.003 min
Response: 93347
Conc: 21.14 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.156 min
Delta R.T.: -0.005 min
Response: 66391
Conc: 13.71 ng/ml




#36 AR-1262-1

R.T.: 7.680 min
Delta R.T.: -0.004 min
Response: 27499
Conc: 9.21 ng/ml



#36 AR-1262-1


R.T.: 6.718 min
Delta R.T.: 0.002 min
Response: 18319
Conc: 14.58 ng/ml



#37 AR-1262-2


R.T.: 8.216 min
Delta R.T.: -0.004 min
Response: 93347
Conc: 16.93 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 7.156 min
Delta R.T.: -0.006 min
Response: 66391
Conc: 11.13 ng/ml




#38 AR-1262-3

R.T.: 8.526 min
Delta R.T.: 0.009 min
Response: 138667
Conc: 35.84 ng/ml



#38 AR-1262-3


R.T.: 7.440 min
Delta R.T.: -0.005 min
Response: 39316
Conc: 16.86 ng/ml



#39 AR-1262-4


R.T.: 8.603 min
Delta R.T.: 0.000 min
Response: 149885
Conc: 51.27 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.505 min
Delta R.T.: -0.004 min
Response: 137775
Conc: 30.94 ng/ml




#40 AR-1262-5

R.T.: 9.222 min
Delta R.T.: -0.009 min
Response: 132168
Conc: 62.97 ng/ml



#40 AR-1262-5


R.T.: 7.994 min
Delta R.T.: -0.007 min
Response: 18366
Conc: 8.70 ng/ml



#41 AR-1268-1


R.T.: 8.526 min
Delta R.T.: 0.010 min
Response: 138667
Conc: 21.27 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.440 min
Delta R.T.: -0.005 min
Response: 39316
Conc: 5.63 ng/ml




#42 AR-1268-2

R.T.: 8.603 min
Delta R.T.: -0.003 min
Response: 149885
Conc: 24.81 ng/ml



#42 AR-1268-2


R.T.: 7.505 min
Delta R.T.: -0.005 min
Response: 137775
Conc: 21.52 ng/ml



#43 AR-1268-3


R.T.: 8.817 min
Delta R.T.: -0.006 min
Response: 54655
Conc: 11.01 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.709 min
Delta R.T.: -0.007 min
Response: 33631
Conc: 6.42 ng/ml




#44 AR-1268-4

R.T.: 9.222 min
Delta R.T.: -0.010 min
Response: 132168
Conc: 56.49 ng/ml



#44 AR-1268-4


R.T.: 7.994 min
Delta R.T.: -0.006 min
Response: 18366
Conc: 7.86 ng/ml



#45 AR-1268-5

R.T.: 9.616 min
Delta R.T.: -0.009 min
Response: 258054
Conc: 16.80 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.274 min
Delta R.T.: -0.008 min
Response: 41891
Conc: 2.54 ng/ml