

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO121423\
 Data File : PO100474.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Dec 2023 09:04
 Operator : YP/AJ
 Sample : HEXANE
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 HEXANE

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 14 12:40:47 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO121323.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Dec 14 05:06:46 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.463	3.694	15961	78986	0.010	0.053 #
2)	SA Decachlor...	10.264f	8.792	20412	57499	0.022	0.054 #
Target Compounds							
3)	L1 AR-1016-1	5.656	4.801	91993	91491	2.304	3.131 #
4)	L1 AR-1016-2	5.686	4.801	193450	91491	3.172	2.237 #
5)	L1 AR-1016-3	5.734	4.952f	159687	232	4.218	0.011 #
6)	L1 AR-1016-4	5.848	5.046	74363	219450	2.552	11.532 #
7)	L1 AR-1016-5	6.152	5.250	81263	269539	2.468	11.909 #
8)	L2 AR-1221-1	4.680	3.929	28390	126488	1.757	7.837 #
9)	L2 AR-1221-2	4.765	3.980	127735	44292	10.818	3.762 #
10)	L2 AR-1221-3	4.856	4.086	160184	13165	4.252	0.386 #
11)	L3 AR-1232-1	4.856	4.086	160184	13165	5.428	0.481 #
12)	L3 AR-1232-2	5.373	4.801	854981	91491	49.391	4.952 #
13)	L3 AR-1232-3	5.686	4.952f	193450	232	7.433	0.025 #
14)	L3 AR-1232-4	5.848	5.097	74363	444314	6.147	47.627 #
15)	L3 AR-1232-5	5.936	5.250	136472	269539	11.857	28.841 #
16)	L4 AR-1242-1	5.656	4.801	91993	91491	2.905	3.909 #
17)	L4 AR-1242-2	5.686	4.801	193450	91491	4.039	2.806 #
18)	L4 AR-1242-3	5.734	4.952f	159687	232	5.361	0.013 #
19)	L4 AR-1242-4	5.848	5.097	74363	444314	3.318	23.586 #
20)	L4 AR-1242-5	6.578	5.607	348025	248121	16.622	11.289 #
21)	L5 AR-1248-1	5.656	4.801	91993	91491	4.097	5.161 #
22)	L5 AR-1248-2	5.936	5.046	136472	219450	3.315	8.327 #
23)	L5 AR-1248-3	6.152	5.097	81263	444314	1.891	16.357 #
24)	L5 AR-1248-4	6.541	5.250	461222	269539	12.963	9.052 #
25)	L5 AR-1248-5	6.578	5.647	348025	244093	10.239	9.446
26)	L6 AR-1254-1	6.541	5.607	461222	248121	9.719	5.588 #
27)	L6 AR-1254-2	6.784f	5.738	353326	184838	5.251	4.585
28)	L6 AR-1254-3	7.092	6.135	56291	123896	0.917	2.194 #
29)	L6 AR-1254-4	7.383	6.386	132250	1568489	4.180	47.051 #
30)	L6 AR-1254-5	7.830	6.813	27316	297945	0.666	5.186 #
31)	L7 AR-1260-1	7.267	6.273	196774	555667	3.445	10.311 #
32)	L7 AR-1260-2	7.483f	6.476	69002	833786	1.213	13.638 #
33)	L7 AR-1260-3	7.902	6.652	99243	469697	1.978	7.134 #
34)	L7 AR-1260-4	8.142	7.092	46308	114650	0.845	2.124 #
35)	L7 AR-1260-5	8.465	7.365	1348180	1920903	14.973	16.746
36)	L8 AR-1262-1	7.808	6.813	8290	297945	0.235	9.704 #
37)	L8 AR-1262-2	8.442	7.092	500048	114650	5.734	1.768 #
38)	L8 AR-1262-3	8.774	7.638	239639	78729	3.889	1.594 #
39)	L8 AR-1262-4	8.837	7.706	271149	493639	5.612	5.772
40)	L8 AR-1262-5	9.535	8.205	162725	58343	6.227	1.691 #
41)	L9 AR-1268-1	8.774	7.638	239639	78729	2.059	0.568 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO121423\
 Data File : PO100474.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Dec 2023 09:04
 Operator : YP/AJ
 Sample : HEXANE
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 HEXANE

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 14 12:40:47 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO121323.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Dec 14 05:06:46 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.837	7.706	271149	493639	2.701	3.931 #
43) L9	AR-1268-3	9.111	7.926	34136	361766	0.341	2.944 #
44) L9	AR-1268-4	9.535	8.205	162725	58343	5.829	1.530 #
45) L9	AR-1268-5	9.974	8.521	29029	70197	0.120	0.225 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO121423\
Data File : PO100474.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Dec 2023 09:04
Operator : YP/AJ
Sample : HEXANE
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
HEXANE

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 14 12:40:47 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO121323.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Dec 14 05:06:46 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.463 min
Delta R.T.: -0.005 min
Response: 15961
Conc: 0.01 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#1 Tetrachloro-m-xylene

R.T.: 3.694 min
Delta R.T.: 0.000 min
Response: 78986
Conc: 0.05 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.264 min
Delta R.T.: -0.066 min
Response: 20412
Conc: 0.02 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.792 min
Delta R.T.: 0.018 min
Response: 57499
Conc: 0.05 ng/ml



#3 AR-1016-1


R.T.: 5.656 min
Delta R.T.: 0.003 min
Response: 91993
Conc: 2.30 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#3 AR-1016-1

R.T.: 4.801 min
Delta R.T.: 0.004 min
Response: 91491
Conc: 3.13 ng/ml




#4 AR-1016-2

R.T.: 5.686 min
Delta R.T.: 0.010 min
Response: 193450
Conc: 3.17 ng/ml



#4 AR-1016-2


R.T.: 4.801 min
Delta R.T.: -0.016 min
Response: 91491
Conc: 2.24 ng/ml



#5 AR-1016-3


R.T.: 5.734 min
Delta R.T.: -0.005 min
Response: 159687
Conc: 4.22 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#5 AR-1016-3

R.T.: 4.952 min
Delta R.T.: -0.043 min
Response: 232
Conc: 0.01 ng/ml




#6 AR-1016-4

R.T.: 5.848 min
Delta R.T.: 0.010 min
Response: 74363
Conc: 2.55 ng/ml



#6 AR-1016-4


R.T.: 5.046 min
Delta R.T.: 0.009 min
Response: 219450
Conc: 11.53 ng/ml



#7 AR-1016-5


R.T.: 6.152 min
Delta R.T.: 0.015 min
Response: 81263
Conc: 2.47 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#7 AR-1016-5

R.T.: 5.250 min
Delta R.T.: -0.004 min
Response: 269539
Conc: 11.91 ng/ml




#8 AR-1221-1

R.T.: 4.680 min
Delta R.T.: 0.000 min
Response: 28390
Conc: 1.76 ng/ml



#8 AR-1221-1


R.T.: 3.929 min
Delta R.T.: 0.017 min
Response: 126488
Conc: 7.84 ng/ml



#9 AR-1221-2


R.T.: 4.765 min
Delta R.T.: -0.003 min
Response: 127735
Conc: 10.82 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#9 AR-1221-2

R.T.: 3.980 min
Delta R.T.: -0.019 min
Response: 44292
Conc: 3.76 ng/ml




#10 AR-1221-3

R.T.: 4.856 min
Delta R.T.: 0.011 min
Response: 160184
Conc: 4.25 ng/ml



#10 AR-1221-3


R.T.: 4.086 min
Delta R.T.: 0.010 min
Response: 13165
Conc: 0.39 ng/ml



#11 AR-1232-1


R.T.: 4.856 min
Delta R.T.: 0.011 min
Response: 160184
Conc: 5.43 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#11 AR-1232-1

R.T.: 4.086 min
Delta R.T.: 0.010 min
Response: 13165
Conc: 0.48 ng/ml




#12 AR-1232-2

R.T.: 5.373 min
Delta R.T.: -0.008 min
Response: 854981
Conc: 49.39 ng/ml



#12 AR-1232-2


R.T.: 4.801 min
Delta R.T.: -0.016 min
Response: 91491
Conc: 4.95 ng/ml



#13 AR-1232-3


R.T.: 5.686 min
Delta R.T.: 0.010 min
Response: 193450
Conc: 7.43 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#13 AR-1232-3

R.T.: 4.952 min
Delta R.T.: -0.043 min
Response: 232
Conc: 0.02 ng/ml




#14 AR-1232-4

R.T.: 5.848 min
Delta R.T.: 0.010 min
Response: 74363
Conc: 6.15 ng/ml



#14 AR-1232-4


R.T.: 5.097 min
Delta R.T.: 0.017 min
Response: 444314
Conc: 47.63 ng/ml



#15 AR-1232-5


R.T.: 5.936 min
Delta R.T.: 0.005 min
Response: 136472
Conc: 11.86 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#15 AR-1232-5

R.T.: 5.250 min
Delta R.T.: -0.004 min
Response: 269539
Conc: 28.84 ng/ml




#16 AR-1242-1

R.T.: 5.656 min
Delta R.T.: 0.003 min
Response: 91993
Conc: 2.90 ng/ml



#16 AR-1242-1


R.T.: 4.801 min
Delta R.T.: 0.004 min
Response: 91491
Conc: 3.91 ng/ml



#17 AR-1242-2


R.T.: 5.686 min
Delta R.T.: 0.010 min
Response: 193450
Conc: 4.04 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#17 AR-1242-2

R.T.: 4.801 min
Delta R.T.: -0.016 min
Response: 91491
Conc: 2.81 ng/ml




#18 AR-1242-3

R.T.: 5.734 min
Delta R.T.: -0.004 min
Response: 159687
Conc: 5.36 ng/ml



#18 AR-1242-3


R.T.: 4.952 min
Delta R.T.: -0.043 min
Response: 232
Conc: 0.01 ng/ml



#19 AR-1242-4


R.T.: 5.848 min
Delta R.T.: 0.010 min
Response: 74363
Conc: 3.32 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#19 AR-1242-4

R.T.: 5.097 min
Delta R.T.: 0.017 min
Response: 444314
Conc: 23.59 ng/ml




#20 AR-1242-5

R.T.: 6.578 min
Delta R.T.: -0.006 min
Response: 348025
Conc: 16.62 ng/ml



#20 AR-1242-5


R.T.: 5.607 min
Delta R.T.: -0.002 min
Response: 248121
Conc: 11.29 ng/ml



#21 AR-1248-1


R.T.: 5.656 min
Delta R.T.: 0.003 min
Response: 91993
Conc: 4.10 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#21 AR-1248-1

R.T.: 4.801 min
Delta R.T.: 0.004 min
Response: 91491
Conc: 5.16 ng/ml




#22 AR-1248-2

R.T.: 5.936 min
Delta R.T.: 0.006 min
Response: 136472
Conc: 3.31 ng/ml



#22 AR-1248-2


R.T.: 5.046 min
Delta R.T.: 0.009 min
Response: 219450
Conc: 8.33 ng/ml



#23 AR-1248-3


R.T.: 6.152 min
Delta R.T.: 0.016 min
Response: 81263
Conc: 1.89 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#23 AR-1248-3

R.T.: 5.097 min
Delta R.T.: 0.017 min
Response: 444314
Conc: 16.36 ng/ml




#24 AR-1248-4

R.T.: 6.541 min
Delta R.T.: -0.004 min
Response: 461222
Conc: 12.96 ng/ml



#24 AR-1248-4


R.T.: 5.250 min
Delta R.T.: -0.003 min
Response: 269539
Conc: 9.05 ng/ml



#25 AR-1248-5


R.T.: 6.578 min
Delta R.T.: -0.006 min
Response: 348025
Conc: 10.24 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#25 AR-1248-5

R.T.: 5.647 min
Delta R.T.: -0.003 min
Response: 244093
Conc: 9.45 ng/ml




#26 AR-1254-1

R.T.: 6.541 min
Delta R.T.: 0.023 min
Response: 461222
Conc: 9.72 ng/ml



#26 AR-1254-1


R.T.: 5.607 min
Delta R.T.: -0.003 min
Response: 248121
Conc: 5.59 ng/ml



#27 AR-1254-2


R.T.: 6.784 min
Delta R.T.: 0.045 min
Response: 353326
Conc: 5.25 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#27 AR-1254-2

R.T.: 5.738 min
Delta R.T.: -0.019 min
Response: 184838
Conc: 4.59 ng/ml




#28 AR-1254-3

R.T.: 7.092 min
Delta R.T.: -0.016 min
Response: 56291
Conc: 0.92 ng/ml



#28 AR-1254-3


R.T.: 6.135 min
Delta R.T.: -0.031 min
Response: 123896
Conc: 2.19 ng/ml



#29 AR-1254-4


R.T.: 7.383 min
Delta R.T.: -0.015 min
Response: 132250
Conc: 4.18 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#29 AR-1254-4

R.T.: 6.386 min
Delta R.T.: -0.009 min
Response: 1568489
Conc: 47.05 ng/ml




#30 AR-1254-5

R.T.: 7.830 min
Delta R.T.: 0.009 min
Response: 27316
Conc: 0.67 ng/ml



#30 AR-1254-5


R.T.: 6.813 min
Delta R.T.: -0.004 min
Response: 297945
Conc: 5.19 ng/ml



#31 AR-1260-1


R.T.: 7.267 min
Delta R.T.: -0.009 min
Response: 196774
Conc: 3.44 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#31 AR-1260-1

R.T.: 6.273 min
Delta R.T.: -0.025 min
Response: 555667
Conc: 10.31 ng/ml




#32 AR-1260-2

R.T.: 7.483 min
Delta R.T.: -0.054 min
Response: 69002
Conc: 1.21 ng/ml



#32 AR-1260-2


R.T.: 6.476 min
Delta R.T.: -0.010 min
Response: 833786
Conc: 13.64 ng/ml



#33 AR-1260-3


R.T.: 7.902 min
Delta R.T.: 0.003 min
Response: 99243
Conc: 1.98 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#33 AR-1260-3

R.T.: 6.652 min
Delta R.T.: 0.011 min
Response: 469697
Conc: 7.13 ng/ml




#34 AR-1260-4

R.T.: 8.142 min
Delta R.T.: 0.013 min
Response: 46308
Conc: 0.85 ng/ml



#34 AR-1260-4


R.T.: 7.092 min
Delta R.T.: -0.025 min
Response: 114650
Conc: 2.12 ng/ml



#35 AR-1260-5


R.T.: 8.465 min
Delta R.T.: 0.009 min
Response: 1348180
Conc: 14.97 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#35 AR-1260-5

R.T.: 7.365 min
Delta R.T.: 0.007 min
Response: 1920903
Conc: 16.75 ng/ml




#36 AR-1262-1

R.T.: 7.808 min
Delta R.T.: -0.009 min
Response: 8290
Conc: 0.24 ng/ml



#36 AR-1262-1


R.T.: 6.813 min
Delta R.T.: -0.003 min
Response: 297945
Conc: 9.70 ng/ml



#37 AR-1262-2


R.T.: 8.442 min
Delta R.T.: -0.010 min
Response: 500048
Conc: 5.73 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#37 AR-1262-2

R.T.: 7.092 min
Delta R.T.: -0.023 min
Response: 114650
Conc: 1.77 ng/ml




#38 AR-1262-3

R.T.: 8.774 min
Delta R.T.: 0.000 min
Response: 239639
Conc: 3.89 ng/ml



#38 AR-1262-3


R.T.: 7.638 min
Delta R.T.: -0.005 min
Response: 78729
Conc: 1.59 ng/ml



#39 AR-1262-4


R.T.: 8.837 min
Delta R.T.: -0.030 min
Response: 271149
Conc: 5.61 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#39 AR-1262-4

R.T.: 7.706 min
Delta R.T.: -0.002 min
Response: 493639
Conc: 5.77 ng/ml




#40 AR-1262-5

R.T.: 9.535 min
Delta R.T.: -0.009 min
Response: 162725
Conc: 6.23 ng/ml



#40 AR-1262-5


R.T.: 8.205 min
Delta R.T.: -0.004 min
Response: 58343
Conc: 1.69 ng/ml



#41 AR-1268-1


R.T.: 8.774 min
Delta R.T.: 0.002 min
Response: 239639
Conc: 2.06 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#41 AR-1268-1

R.T.: 7.638 min
Delta R.T.: -0.005 min
Response: 78729
Conc: 0.57 ng/ml




#42 AR-1268-2

R.T.: 8.837 min
Delta R.T.: -0.030 min
Response: 271149
Conc: 2.70 ng/ml



#42 AR-1268-2


R.T.: 7.706 min
Delta R.T.: -0.002 min
Response: 493639
Conc: 3.93 ng/ml



#43 AR-1268-3


R.T.: 9.111 min
Delta R.T.: 0.007 min
Response: 34136
Conc: 0.34 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#43 AR-1268-3

R.T.: 7.926 min
Delta R.T.: 0.010 min
Response: 361766
Conc: 2.94 ng/ml




#44 AR-1268-4

R.T.: 9.535 min
Delta R.T.: -0.009 min
Response: 162725
Conc: 5.83 ng/ml



#44 AR-1268-4


R.T.: 8.205 min
Delta R.T.: -0.004 min
Response: 58343
Conc: 1.53 ng/ml



#45 AR-1268-5

R.T.: 9.974 min
Delta R.T.: 0.001 min
Response: 29029
Conc: 0.12 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE



#45 AR-1268-5

R.T.: 8.521 min
Delta R.T.: 0.013 min
Response: 70197
Conc: 0.23 ng/ml