

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0122123\
 Data File : P0100671.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 22 Dec 2023 03:28
 Operator : YP/AJ
 Sample : 05900-05
 Misc :
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 22 05:24:18 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0122023.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Dec 21 04:28:19 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	4.349	3.646	58825618	38346353	18.853	18.766
2) SA Decachlor...	10.088	8.706	31022546	24025582	14.850	15.918
Target Compounds						
3) L1 AR-1016-1	5.508	4.747	686605	133381	8.000	2.155 #
4) L1 AR-1016-2	5.536	4.770	509346	87982	3.990	0.998 #
5) L1 AR-1016-3	5.606	4.930	450706	322954	5.715	6.913
6) L1 AR-1016-4	5.703	4.987	91809	440550	1.507	10.735 #
7) L1 AR-1016-5	6.007	5.206	74277	96620	1.213	1.860 #
8) L2 AR-1221-1	4.556	3.862	1407449	205077	38.073	8.167 #
9) L2 AR-1221-2	4.654	3.946	638774	1856785	23.001	96.695 #
10) L2 AR-1221-3	4.712	4.022	23612	170070	0.283	2.890 #
11) L3 AR-1232-1	4.712	4.022	23612	170070	0.354	3.597 #
12) L3 AR-1232-2	5.214f	4.770	4191560	87982	119.558	2.109 #
13) L3 AR-1232-3	5.536	4.930	509346	322954	8.537	15.054 #
14) L3 AR-1232-4	5.703	5.017	91809	351970	3.348	16.566 #
15) L3 AR-1232-5	5.793	5.206	104318	96620	4.339	4.421
16) L4 AR-1242-1	5.508	4.747	686605	133381	9.735	2.554 #
17) L4 AR-1242-2	5.536	4.770	509346	87982	4.853	1.214 #
18) L4 AR-1242-3	5.606	4.930	450706	322954	6.933	8.429
19) L4 AR-1242-4	5.703	5.017	91809	351970	1.833	8.444 #
20) L4 AR-1242-5	6.448	5.540	490664	563964	9.480	12.288 #
21) L5 AR-1248-1	5.508	4.747	686605	133381	12.516	3.335 #
22) L5 AR-1248-2	5.793	4.987	104318	440550	1.208	7.323 #
23) L5 AR-1248-3	6.007	5.017	74277	351970	0.846	5.631 #
24) L5 AR-1248-4	6.402	5.206	570989	96620	6.351	1.341 #
25) L5 AR-1248-5	6.448	5.599	490664	124699	5.466	2.021 #
26) L6 AR-1254-1	6.362	5.540	416943	563964	3.966	5.495 #
27) L6 AR-1254-2	6.592	5.695	442549	215217	2.997	2.343
28) L6 AR-1254-3	6.960	6.117	148788	338372	1.063	2.502 #
29) L6 AR-1254-4	7.272	6.367	22515	521968	0.265	7.236 #
30) L6 AR-1254-5	7.662	6.780	3046750	3387218	25.749	29.397
31) L7 AR-1260-1	7.173f	6.237	1752728	357021	12.794	3.748 #
32) L7 AR-1260-2	7.392	6.424	271999	304785	2.163	2.836 #
33) L7 AR-1260-3	7.752	6.590	326802	360284	3.374	3.515
34) L7 AR-1260-4	7.959	7.032	1102382	273488	10.447	3.355 #
35) L7 AR-1260-5	8.250f	7.303	8538967	619648	40.452	3.433 #
36) L8 AR-1262-1	7.662	6.780	3046750	3387218	30.498	54.301 #
37) L8 AR-1262-2	8.250f	7.032	8538967	273488	35.983	2.420 #
38) L8 AR-1262-3	8.628	7.596	3443068	-8526	21.201	N.D. #
39) L8 AR-1262-4	8.689	7.628	1430779	727963	11.097	4.928 #
40) L8 AR-1262-5	9.341	8.148	358654	324014	4.496	5.066
41) L9 AR-1268-1	8.628	7.596	3443068	-8526	12.185	N.D. #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0122123\
 Data File : P0100671.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 22 Dec 2023 03:28
 Operator : YP/AJ
 Sample : 05900-05
 Misc :
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 22 05:24:18 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0122023.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Dec 21 04:28:19 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.689	7.628	1430779	727963	5.662	3.599 #
43) L9	AR-1268-3	8.963f	7.855	181133	668780	0.794	3.545 #
44) L9	AR-1268-4	9.341	8.148	358654	324014	4.580	4.826
45) L9	AR-1268-5	9.755	8.436	55512	347384	0.077	0.670 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO122123\
Data File : PO100671.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 22 Dec 2023 03:28
Operator : YP/AJ
Sample : 05900-05
Misc :
ALS Vial : 40 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 22 05:24:18 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO122023.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Dec 21 04:28:19 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.349 min
Delta R.T.: 0.000 min
Response: 58825618
Conc: 18.85 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.646 min
Delta R.T.: 0.000 min
Response: 38346353
Conc: 18.77 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.088 min
Delta R.T.: -0.004 min
Response: 31022546
Conc: 14.85 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.706 min
Delta R.T.: 0.000 min
Response: 24025582
Conc: 15.92 ng/ml



#3 AR-1016-1


R.T.: 5.508 min
Delta R.T.: -0.009 min
Response: 686605
Conc: 8.00 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.747 min
Delta R.T.: 0.005 min
Response: 133381
Conc: 2.16 ng/ml




#4 AR-1016-2

R.T.: 5.536 min
Delta R.T.: -0.004 min
Response: 509346
Conc: 3.99 ng/ml



#4 AR-1016-2


R.T.: 4.770 min
Delta R.T.: 0.008 min
Response: 87982
Conc: 1.00 ng/ml



#5 AR-1016-3


R.T.: 5.606 min
Delta R.T.: 0.005 min
Response: 450706
Conc: 5.71 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.930 min
Delta R.T.: -0.010 min
Response: 322954
Conc: 6.91 ng/ml




#6 AR-1016-4

R.T.: 5.703 min
Delta R.T.: 0.003 min
Response: 91809
Conc: 1.51 ng/ml



#6 AR-1016-4


R.T.: 4.987 min
Delta R.T.: 0.006 min
Response: 440550
Conc: 10.74 ng/ml



#7 AR-1016-5


R.T.: 6.007 min
Delta R.T.: 0.011 min
Response: 74277
Conc: 1.21 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.206 min
Delta R.T.: 0.009 min
Response: 96620
Conc: 1.86 ng/ml




#8 AR-1221-1

R.T.: 4.556 min
Delta R.T.: -0.002 min
Response: 1407449
Conc: 38.07 ng/ml



#8 AR-1221-1


R.T.: 3.862 min
Delta R.T.: 0.000 min
Response: 205077
Conc: 8.17 ng/ml



#9 AR-1221-2


R.T.: 4.654 min
Delta R.T.: 0.009 min
Response: 638774
Conc: 23.00 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.946 min
Delta R.T.: -0.002 min
Response: 1856785
Conc: 96.70 ng/ml




#10 AR-1221-3

R.T.: 4.712 min
Delta R.T.: -0.009 min
Response: 23612
Conc: 0.28 ng/ml



#10 AR-1221-3


R.T.: 4.022 min
Delta R.T.: -0.003 min
Response: 170070
Conc: 2.89 ng/ml



#11 AR-1232-1


R.T.: 4.712 min
Delta R.T.: -0.009 min
Response: 23612
Conc: 0.35 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 4.022 min
Delta R.T.: -0.004 min
Response: 170070
Conc: 3.60 ng/ml




#12 AR-1232-2

R.T.: 5.214 min
Delta R.T.: -0.036 min
Response: 4191560
Conc: 119.56 ng/ml



#12 AR-1232-2


R.T.: 4.770 min
Delta R.T.: 0.008 min
Response: 87982
Conc: 2.11 ng/ml



#13 AR-1232-3


R.T.: 5.536 min
Delta R.T.: -0.005 min
Response: 509346
Conc: 8.54 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.930 min
Delta R.T.: -0.011 min
Response: 322954
Conc: 15.05 ng/ml




#14 AR-1232-4

R.T.: 5.703 min
Delta R.T.: 0.002 min
Response: 91809
Conc: 3.35 ng/ml



#14 AR-1232-4


R.T.: 5.017 min
Delta R.T.: -0.007 min
Response: 351970
Conc: 16.57 ng/ml



#15 AR-1232-5


R.T.: 5.793 min
Delta R.T.: 0.000 min
Response: 104318
Conc: 4.34 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.206 min
Delta R.T.: 0.008 min
Response: 96620
Conc: 4.42 ng/ml




#16 AR-1242-1

R.T.: 5.508 min
Delta R.T.: -0.011 min
Response: 686605
Conc: 9.73 ng/ml



#16 AR-1242-1


R.T.: 4.747 min
Delta R.T.: 0.004 min
Response: 133381
Conc: 2.55 ng/ml



#17 AR-1242-2


R.T.: 5.536 min
Delta R.T.: -0.004 min
Response: 509346
Conc: 4.85 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.770 min
Delta R.T.: 0.007 min
Response: 87982
Conc: 1.21 ng/ml




#18 AR-1242-3

R.T.: 5.606 min
Delta R.T.: 0.003 min
Response: 450706
Conc: 6.93 ng/ml



#18 AR-1242-3


R.T.: 4.930 min
Delta R.T.: -0.011 min
Response: 322954
Conc: 8.43 ng/ml



#19 AR-1242-4


R.T.: 5.703 min
Delta R.T.: 0.002 min
Response: 91809
Conc: 1.83 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 5.017 min
Delta R.T.: -0.007 min
Response: 351970
Conc: 8.44 ng/ml




#20 AR-1242-5

R.T.: 6.448 min
Delta R.T.: 0.008 min
Response: 490664
Conc: 9.48 ng/ml



#20 AR-1242-5


R.T.: 5.540 min
Delta R.T.: -0.013 min
Response: 563964
Conc: 12.29 ng/ml



#21 AR-1248-1


R.T.: 5.508 min
Delta R.T.: -0.009 min
Response: 686605
Conc: 12.52 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.747 min
Delta R.T.: 0.005 min
Response: 133381
Conc: 3.34 ng/ml




#22 AR-1248-2

R.T.: 5.793 min
Delta R.T.: 0.000 min
Response: 104318
Conc: 1.21 ng/ml



#22 AR-1248-2


R.T.: 4.987 min
Delta R.T.: 0.006 min
Response: 440550
Conc: 7.32 ng/ml



#23 AR-1248-3


R.T.: 6.007 min
Delta R.T.: 0.011 min
Response: 74277
Conc: 0.85 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 5.017 min
Delta R.T.: -0.006 min
Response: 351970
Conc: 5.63 ng/ml




#24 AR-1248-4

R.T.: 6.402 min
Delta R.T.: 0.002 min
Response: 570989
Conc: 6.35 ng/ml



#24 AR-1248-4


R.T.: 5.206 min
Delta R.T.: 0.009 min
Response: 96620
Conc: 1.34 ng/ml



#25 AR-1248-5


R.T.: 6.448 min
Delta R.T.: 0.009 min
Response: 490664
Conc: 5.47 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.599 min
Delta R.T.: 0.004 min
Response: 124699
Conc: 2.02 ng/ml




#26 AR-1254-1

R.T.: 6.362 min
Delta R.T.: -0.013 min
Response: 416943
Conc: 3.97 ng/ml



#26 AR-1254-1


R.T.: 5.540 min
Delta R.T.: -0.012 min
Response: 563964
Conc: 5.50 ng/ml



#27 AR-1254-2


R.T.: 6.592 min
Delta R.T.: -0.002 min
Response: 442549
Conc: 3.00 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.695 min
Delta R.T.: -0.006 min
Response: 215217
Conc: 2.34 ng/ml




#28 AR-1254-3

R.T.: 6.960 min
Delta R.T.: 0.000 min
Response: 148788
Conc: 1.06 ng/ml



#28 AR-1254-3


R.T.: 6.117 min
Delta R.T.: 0.007 min
Response: 338372
Conc: 2.50 ng/ml



#29 AR-1254-4


R.T.: 7.272 min
Delta R.T.: 0.025 min
Response: 22515
Conc: 0.26 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.367 min
Delta R.T.: 0.028 min
Response: 521968
Conc: 7.24 ng/ml




#30 AR-1254-5

R.T.: 7.662 min
Delta R.T.: -0.006 min
Response: 3046750
Conc: 25.75 ng/ml



#30 AR-1254-5


R.T.: 6.780 min
Delta R.T.: 0.021 min
Response: 3387218
Conc: 29.40 ng/ml



#31 AR-1260-1


R.T.: 7.173 min
Delta R.T.: 0.047 min
Response: 1752728
Conc: 12.79 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.237 min
Delta R.T.: -0.003 min
Response: 357021
Conc: 3.75 ng/ml




#32 AR-1260-2

R.T.: 7.392 min
Delta R.T.: 0.008 min
Response: 271999
Conc: 2.16 ng/ml



#32 AR-1260-2


R.T.: 6.424 min
Delta R.T.: -0.004 min
Response: 304785
Conc: 2.84 ng/ml



#33 AR-1260-3


R.T.: 7.752 min
Delta R.T.: 0.007 min
Response: 326802
Conc: 3.37 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.590 min
Delta R.T.: 0.006 min
Response: 360284
Conc: 3.52 ng/ml




#34 AR-1260-4

R.T.: 7.959 min
Delta R.T.: -0.011 min
Response: 1102382
Conc: 10.45 ng/ml



#34 AR-1260-4


R.T.: 7.032 min
Delta R.T.: -0.026 min
Response: 273488
Conc: 3.35 ng/ml



#35 AR-1260-5


R.T.: 8.250 min
Delta R.T.: -0.038 min
Response: 8538967
Conc: 40.45 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.303 min
Delta R.T.: 0.002 min
Response: 619648
Conc: 3.43 ng/ml




#36 AR-1262-1

R.T.: 7.662 min
Delta R.T.: -0.002 min
Response: 3046750
Conc: 30.50 ng/ml



#36 AR-1262-1


R.T.: 6.780 min
Delta R.T.: 0.022 min
Response: 3387218
Conc: 54.30 ng/ml



#37 AR-1262-2


R.T.: 8.250 min
Delta R.T.: -0.038 min
Response: 8538967
Conc: 35.98 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 7.032 min
Delta R.T.: -0.025 min
Response: 273488
Conc: 2.42 ng/ml




#38 AR-1262-3

R.T.: 8.628 min
Delta R.T.: 0.030 min
Response: 3443068
Conc: 21.20 ng/ml



#38 AR-1262-3


R.T.: 7.596 min
Delta R.T.: 0.010 min
Response: -8526
Conc: N.D.



#39 AR-1262-4


R.T.: 8.689 min
Delta R.T.: 0.001 min
Response: 1430779
Conc: 11.10 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.628 min
Delta R.T.: -0.023 min
Response: 727963
Conc: 4.93 ng/ml




#40 AR-1262-5

R.T.: 9.341 min
Delta R.T.: 0.002 min
Response: 358654
Conc: 4.50 ng/ml



#40 AR-1262-5


R.T.: 8.148 min
Delta R.T.: -0.001 min
Response: 324014
Conc: 5.07 ng/ml



#41 AR-1268-1


R.T.: 8.628 min
Delta R.T.: 0.034 min
Response: 3443068
Conc: 12.19 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.596 min
Delta R.T.: 0.010 min
Response: -8526
Conc: N.D.




#42 AR-1268-2

R.T.: 8.689 min
Delta R.T.: 0.000 min
Response: 1430779
Conc: 5.66 ng/ml



#42 AR-1268-2


R.T.: 7.628 min
Delta R.T.: -0.023 min
Response: 727963
Conc: 3.60 ng/ml



#43 AR-1268-3


R.T.: 8.963 min
Delta R.T.: 0.047 min
Response: 181133
Conc: 0.79 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.855 min
Delta R.T.: -0.003 min
Response: 668780
Conc: 3.54 ng/ml




#44 AR-1268-4

R.T.: 9.341 min
Delta R.T.: 0.000 min
Response: 358654
Conc: 4.58 ng/ml



#44 AR-1268-4


R.T.: 8.148 min
Delta R.T.: 0.000 min
Response: 324014
Conc: 4.83 ng/ml



#45 AR-1268-5

R.T.: 9.755 min
Delta R.T.: 0.001 min
Response: 55512
Conc: 0.08 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.436 min
Delta R.T.: -0.010 min
Response: 347384
Conc: 0.67 ng/ml