

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO122623\
 Data File : PO100727.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Dec 2023 08:31
 Operator : YP/AJ
 Sample : HEXANE
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 26 09:48:27 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO122023.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Dec 21 04:28:19 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.342	0.000	21830	0	0.007	N.D. #
2)	SA Decachlor...	10.078	8.708	53661	564775	0.026	0.374 #
Target Compounds							
3)	L1 AR-1016-1	5.520	4.755	328265	227061	3.825	3.669
4)	L1 AR-1016-2	5.529	4.765	83085	44478	0.651	0.504
5)	L1 AR-1016-3	5.595	4.937	255491	10828	3.240	0.232 #
6)	L1 AR-1016-4	5.707	4.986	371749	96683	6.100	2.356 #
7)	L1 AR-1016-5	6.006	5.141f	196090	39040	3.203	0.752 #
8)	L2 AR-1221-1	4.567	3.879	48046	185115	1.300	7.372 #
9)	L2 AR-1221-2	4.640	3.942	40722	96360	1.466	5.018 #
10)	L2 AR-1221-3	4.737	4.029	148937	47178	1.784	0.802 #
11)	L3 AR-1232-1	4.737	4.029	148937	47178	2.234	0.998 #
12)	L3 AR-1232-2	5.205f	4.765	218393	44478	6.229	1.066 #
13)	L3 AR-1232-3	5.529	4.937	83085	10828	1.393	0.505 #
14)	L3 AR-1232-4	5.707	5.020	371749	93616	13.558	4.406 #
15)	L3 AR-1232-5	5.788	5.141f	114935	39040	4.780	1.786 #
16)	L4 AR-1242-1	5.520	4.755	328265	227061	4.654	4.347
17)	L4 AR-1242-2	5.529	4.765	83085	44478	0.792	0.614
18)	L4 AR-1242-3	5.595	4.937	255491	10828	3.930	0.283 #
19)	L4 AR-1242-4	5.707	5.020	371749	93616	7.424	2.246 #
20)	L4 AR-1242-5	6.456	5.526	202734	27905	3.917	0.608 #
21)	L5 AR-1248-1	5.520	4.755	328265	227061	5.984	5.678
22)	L5 AR-1248-2	5.788	4.986	114935	96683	1.331	1.607
23)	L5 AR-1248-3	6.006	5.020	196090	93616	2.234	1.498 #
24)	L5 AR-1248-4	6.409	5.141f	199675	39040	2.221	0.542 #
25)	L5 AR-1248-5	6.456	5.609	202734	474187	2.259	7.686 #
26)	L6 AR-1254-1	6.378	5.526	211105	27905	2.008	0.272 #
27)	L6 AR-1254-2	6.597	5.702	75416	137585	0.511	1.498 #
28)	L6 AR-1254-3	6.984	6.069f	464716	118248	3.319	0.874 #
29)	L6 AR-1254-4	7.259	6.341	118664	1584427	1.396	21.966 #
30)	L6 AR-1254-5	7.685	6.761	1213860	5615741	10.259	48.738 #
31)	L7 AR-1260-1	7.121	0.000	780352	0	5.696	N.D. #
32)	L7 AR-1260-2	7.400	6.428	185746	560661	1.477	5.216 #
33)	L7 AR-1260-3	7.747	6.589	401774	173440	4.148	1.692 #
34)	L7 AR-1260-4	8.003	0.000	2153329	0	20.406	N.D. #
35)	L7 AR-1260-5	8.306	7.310	14481906	4477928	68.605	24.812 #
36)	L8 AR-1262-1	7.645	6.761	847043	5615741	8.479	90.027 #
37)	L8 AR-1262-2	8.306	0.000	14481906	0	61.026	N.D. #
38)	L8 AR-1262-3	8.614	7.653f	103729	665968	0.639	8.648 #
39)	L8 AR-1262-4	8.651f	7.653	598830	665968	4.645	4.508
40)	L8 AR-1262-5	9.385f	0.000	55059	0	0.690	N.D. #
41)	L9 AR-1268-1	8.614	7.653f	103729	665968	0.367	3.004 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO122623\
Data File : PO100727.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Dec 2023 08:31
Operator : YP/AJ
Sample : HEXANE
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 26 09:48:27 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO122023.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Dec 21 04:28:19 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.727f	7.653	112541	665968	0.445	3.293 #
43)	L9 AR-1268-3	8.915	7.844	363223	508100	1.592	2.693 #
44)	L9 AR-1268-4	9.385f	0.000	55059	0	0.703	N.D. #
45)	L9 AR-1268-5	9.752	8.414	95819	1182970	0.134	2.280 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO122623\
 Data File : PO100727.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Dec 2023 08:31
 Operator : YP/AJ
 Sample : HEXANE
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 26 09:48:27 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO122023.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Dec 21 04:28:19 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.342 min
Delta R.T.: -0.007 min
Response: 21830
Conc: 0.01 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 0.000 min
Exp R.T. : 3.646 min
Response: 0
Conc: N.D.




#2 Decachlorobiphenyl

R.T.: 10.078 min
Delta R.T.: -0.014 min
Response: 53661
Conc: 0.03 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.708 min
Delta R.T.: 0.002 min
Response: 564775
Conc: 0.37 ng/ml



#3 AR-1016-1


R.T.: 5.520 min
Delta R.T.: 0.003 min
Response: 328265
Conc: 3.82 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.755 min
Delta R.T.: 0.013 min
Response: 227061
Conc: 3.67 ng/ml




#4 AR-1016-2

R.T.: 5.529 min
Delta R.T.: -0.010 min
Response: 83085
Conc: 0.65 ng/ml



#4 AR-1016-2


R.T.: 4.765 min
Delta R.T.: 0.003 min
Response: 44478
Conc: 0.50 ng/ml



#5 AR-1016-3


R.T.: 5.595 min
Delta R.T.: -0.007 min
Response: 255491
Conc: 3.24 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.937 min
Delta R.T.: -0.003 min
Response: 10828
Conc: 0.23 ng/ml




#6 AR-1016-4

R.T.: 5.707 min
Delta R.T.: 0.007 min
Response: 371749
Conc: 6.10 ng/ml



#6 AR-1016-4


R.T.: 4.986 min
Delta R.T.: 0.005 min
Response: 96683
Conc: 2.36 ng/ml



#7 AR-1016-5


R.T.: 6.006 min
Delta R.T.: 0.010 min
Response: 196090
Conc: 3.20 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.141 min
Delta R.T.: -0.057 min
Response: 39040
Conc: 0.75 ng/ml




#8 AR-1221-1

R.T.: 4.567 min
Delta R.T.: 0.009 min
Response: 48046
Conc: 1.30 ng/ml



#8 AR-1221-1


R.T.: 3.879 min
Delta R.T.: 0.017 min
Response: 185115
Conc: 7.37 ng/ml



#9 AR-1221-2


R.T.: 4.640 min
Delta R.T.: -0.005 min
Response: 40722
Conc: 1.47 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.942 min
Delta R.T.: -0.005 min
Response: 96360
Conc: 5.02 ng/ml




#10 AR-1221-3

R.T.: 4.737 min
Delta R.T.: 0.016 min
Response: 148937
Conc: 1.78 ng/ml



#10 AR-1221-3


R.T.: 4.029 min
Delta R.T.: 0.004 min
Response: 47178
Conc: 0.80 ng/ml



#11 AR-1232-1


R.T.: 4.737 min
Delta R.T.: 0.016 min
Response: 148937
Conc: 2.23 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 4.029 min
Delta R.T.: 0.004 min
Response: 47178
Conc: 1.00 ng/ml




#12 AR-1232-2

R.T.: 5.205 min
Delta R.T.: -0.045 min
Response: 218393
Conc: 6.23 ng/ml



#12 AR-1232-2


R.T.: 4.765 min
Delta R.T.: 0.003 min
Response: 44478
Conc: 1.07 ng/ml



#13 AR-1232-3


R.T.: 5.529 min
Delta R.T.: -0.011 min
Response: 83085
Conc: 1.39 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.937 min
Delta R.T.: -0.003 min
Response: 10828
Conc: 0.50 ng/ml




#14 AR-1232-4

R.T.: 5.707 min
Delta R.T.: 0.005 min
Response: 371749
Conc: 13.56 ng/ml



#14 AR-1232-4


R.T.: 5.020 min
Delta R.T.: -0.003 min
Response: 93616
Conc: 4.41 ng/ml



#15 AR-1232-5


R.T.: 5.788 min
Delta R.T.: -0.005 min
Response: 114935
Conc: 4.78 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.141 min
Delta R.T.: -0.058 min
Response: 39040
Conc: 1.79 ng/ml




#16 AR-1242-1

R.T.: 5.520 min
Delta R.T.: 0.002 min
Response: 328265
Conc: 4.65 ng/ml



#16 AR-1242-1


R.T.: 4.755 min
Delta R.T.: 0.012 min
Response: 227061
Conc: 4.35 ng/ml



#17 AR-1242-2


R.T.: 5.529 min
Delta R.T.: -0.011 min
Response: 83085
Conc: 0.79 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.765 min
Delta R.T.: 0.003 min
Response: 44478
Conc: 0.61 ng/ml




#18 AR-1242-3

R.T.: 5.595 min
Delta R.T.: -0.008 min
Response: 255491
Conc: 3.93 ng/ml



#18 AR-1242-3


R.T.: 4.937 min
Delta R.T.: -0.004 min
Response: 10828
Conc: 0.28 ng/ml



#19 AR-1242-4


R.T.: 5.707 min
Delta R.T.: 0.006 min
Response: 371749
Conc: 7.42 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 5.020 min
Delta R.T.: -0.004 min
Response: 93616
Conc: 2.25 ng/ml




#20 AR-1242-5

R.T.: 6.456 min
Delta R.T.: 0.016 min
Response: 202734
Conc: 3.92 ng/ml



#20 AR-1242-5


R.T.: 5.526 min
Delta R.T.: -0.027 min
Response: 27905
Conc: 0.61 ng/ml



#21 AR-1248-1


R.T.: 5.520 min
Delta R.T.: 0.003 min
Response: 328265
Conc: 5.98 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.755 min
Delta R.T.: 0.013 min
Response: 227061
Conc: 5.68 ng/ml




#22 AR-1248-2

R.T.: 5.788 min
Delta R.T.: -0.004 min
Response: 114935
Conc: 1.33 ng/ml



#22 AR-1248-2


R.T.: 4.986 min
Delta R.T.: 0.004 min
Response: 96683
Conc: 1.61 ng/ml



#23 AR-1248-3


R.T.: 6.006 min
Delta R.T.: 0.010 min
Response: 196090
Conc: 2.23 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 5.020 min
Delta R.T.: -0.003 min
Response: 93616
Conc: 1.50 ng/ml




#24 AR-1248-4

R.T.: 6.409 min
Delta R.T.: 0.008 min
Response: 199675
Conc: 2.22 ng/ml



#24 AR-1248-4


R.T.: 5.141 min
Delta R.T.: -0.057 min
Response: 39040
Conc: 0.54 ng/ml



#25 AR-1248-5


R.T.: 6.456 min
Delta R.T.: 0.017 min
Response: 202734
Conc: 2.26 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.609 min
Delta R.T.: 0.015 min
Response: 474187
Conc: 7.69 ng/ml




#26 AR-1254-1

R.T.: 6.378 min
Delta R.T.: 0.004 min
Response: 211105
Conc: 2.01 ng/ml



#26 AR-1254-1


R.T.: 5.526 min
Delta R.T.: -0.027 min
Response: 27905
Conc: 0.27 ng/ml



#27 AR-1254-2


R.T.: 6.597 min
Delta R.T.: 0.003 min
Response: 75416
Conc: 0.51 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.702 min
Delta R.T.: 0.000 min
Response: 137585
Conc: 1.50 ng/ml




#28 AR-1254-3

R.T.: 6.984 min
Delta R.T.: 0.023 min
Response: 464716
Conc: 3.32 ng/ml



#28 AR-1254-3


R.T.: 6.069 min
Delta R.T.: -0.040 min
Response: 118248
Conc: 0.87 ng/ml



#29 AR-1254-4


R.T.: 7.259 min
Delta R.T.: 0.012 min
Response: 118664
Conc: 1.40 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.341 min
Delta R.T.: 0.002 min
Response: 1584427
Conc: 21.97 ng/ml




#30 AR-1254-5

R.T.: 7.685 min
Delta R.T.: 0.017 min
Response: 1213860
Conc: 10.26 ng/ml



#30 AR-1254-5


R.T.: 6.761 min
Delta R.T.: 0.002 min
Response: 5615741
Conc: 48.74 ng/ml



#31 AR-1260-1


R.T.: 7.121 min
Delta R.T.: -0.005 min
Response: 780352
Conc: 5.70 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 0.000 min
Exp R.T. : 6.239 min
Response: 0
Conc: N.D.




#32 AR-1260-2

R.T.: 7.400 min
Delta R.T.: 0.016 min
Response: 185746
Conc: 1.48 ng/ml



#32 AR-1260-2


R.T.: 6.428 min
Delta R.T.: 0.000 min
Response: 560661
Conc: 5.22 ng/ml



#33 AR-1260-3


R.T.: 7.747 min
Delta R.T.: 0.002 min
Response: 401774
Conc: 4.15 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.589 min
Delta R.T.: 0.006 min
Response: 173440
Conc: 1.69 ng/ml




#34 AR-1260-4

R.T.: 8.003 min
Delta R.T.: 0.032 min
Response: 2153329
Conc: 20.41 ng/ml



#34 AR-1260-4


R.T.: 0.000 min
Exp R.T.: 7.058 min
Response: 0
Conc: N.D.



#35 AR-1260-5


R.T.: 8.306 min
Delta R.T.: 0.018 min
Response: 14481906
Conc: 68.61 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.310 min
Delta R.T.: 0.009 min
Response: 4477928
Conc: 24.81 ng/ml




#36 AR-1262-1

R.T.: 7.645 min
Delta R.T.: -0.019 min
Response: 847043
Conc: 8.48 ng/ml



#36 AR-1262-1


R.T.: 6.761 min
Delta R.T.: 0.003 min
Response: 5615741
Conc: 90.03 ng/ml



#37 AR-1262-2


R.T.: 8.306 min
Delta R.T.: 0.018 min
Response: 14481906
Conc: 61.03 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 0.000 min
Exp R.T. : 7.058 min
Response: 0
Conc: N.D.




#38 AR-1262-3

R.T.: 8.614 min
Delta R.T.: 0.015 min
Response: 103729
Conc: 0.64 ng/ml



#38 AR-1262-3


R.T.: 7.653 min
Delta R.T.: 0.067 min
Response: 665968
Conc: 8.65 ng/ml



#39 AR-1262-4


R.T.: 8.651 min
Delta R.T.: -0.036 min
Response: 598830
Conc: 4.64 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.653 min
Delta R.T.: 0.003 min
Response: 665968
Conc: 4.51 ng/ml




#40 AR-1262-5

R.T.: 9.385 min
Delta R.T.: 0.045 min
Response: 55059
Conc: 0.69 ng/ml



#40 AR-1262-5


R.T.: 0.000 min
Exp R.T.: 8.149 min
Response: 0
Conc: N.D.



#41 AR-1268-1


R.T.: 8.614 min
Delta R.T.: 0.019 min
Response: 103729
Conc: 0.37 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.653 min
Delta R.T.: 0.067 min
Response: 665968
Conc: 3.00 ng/ml




#42 AR-1268-2

R.T.: 8.727 min
Delta R.T.: 0.037 min
Response: 112541
Conc: 0.45 ng/ml



#42 AR-1268-2


R.T.: 7.653 min
Delta R.T.: 0.002 min
Response: 665968
Conc: 3.29 ng/ml



#43 AR-1268-3


R.T.: 8.915 min
Delta R.T.: -0.001 min
Response: 363223
Conc: 1.59 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.844 min
Delta R.T.: -0.014 min
Response: 508100
Conc: 2.69 ng/ml




#44 AR-1268-4

R.T.: 9.385 min
Delta R.T.: 0.044 min
Response: 55059
Conc: 0.70 ng/ml



#44 AR-1268-4


R.T.: 0.000 min
Exp R.T.: 8.149 min
Response: 0
Conc: N.D.



#45 AR-1268-5

R.T.: 9.752 min
Delta R.T.: -0.002 min
Response: 95819
Conc: 0.13 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.414 min
Delta R.T.: -0.032 min
Response: 1182970
Conc: 2.28 ng/ml