

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0013120\
 Data File : P0066173.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 31 Jan 2020 20:09
 Operator : DD\AJ
 Sample : L1310-03RE
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 CTY-SB-10102-0-80

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 01 05:25:18 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0013020.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Jan 31 01:14:46 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.145	3.423	891357	1274809	30.598	31.166
2)	SA Decachlor...	9.632	8.316	611774	820741	15.524	14.003
Target Compounds							
3)	L1 AR-1016-1	5.292	4.498	51708	17526	39.349	10.071 #
4)	L1 AR-1016-2	5.292	4.505	51708	16883	26.332	6.122 #
5)	L1 AR-1016-3	5.446	4.686	61482	123959	51.939	89.041 #
6)	L1 AR-1016-4	5.508	4.712	70633	38577	71.419	33.391 #
7)	L1 AR-1016-5	5.758	4.933	70314	57804	69.503	38.757 #
9)	L2 AR-1221-2	0.000	3.715	0	18399	N.D.	49.413 #
10)	L2 AR-1221-3	0.000	3.831	0	2273	N.D.	1.901 #
11)	L3 AR-1232-1	0.000	3.831	0	2273	N.D.	2.447 #
12)	L3 AR-1232-2	0.000	4.505	0	16883	N.D.	15.240 #
13)	L3 AR-1232-3	5.292	4.686	51708	123959	63.462	222.347 #
14)	L3 AR-1232-4	5.508	4.774	70633	68471	172.560	141.873
15)	L3 AR-1232-5	5.607	4.933	26331	57804	96.155	112.075
16)	L4 AR-1242-1	5.292	4.498	51708	17526	51.054	13.213 #
17)	L4 AR-1242-2	5.292	4.505	51708	16883	34.882	7.962 #
18)	L4 AR-1242-3	5.446	4.686	61482	123959	67.468	116.624 #
19)	L4 AR-1242-4	5.508	4.774	70633	68471	92.563	66.610 #
20)	L4 AR-1242-5	6.219	5.269	42984	97394	46.346	70.432 #
21)	L5 AR-1248-1	5.292	4.498	51708	17526	67.827	16.870 #
22)	L5 AR-1248-2	5.607	4.712	26331	38577	24.284	25.966
23)	L5 AR-1248-3	5.758	4.774	70314	68471	57.583	45.794
24)	L5 AR-1248-4	6.138	4.933	104358	57804	66.118	32.019 #
25)	L5 AR-1248-5	6.219	5.269	42984	97394	28.915	49.802 #
26)	L6 AR-1254-1	6.138	5.269	104358	97394	67.167	30.597 #
27)	L6 AR-1254-2	6.353	5.411	186668	46041	75.122	15.688 #
28)	L6 AR-1254-3	6.716	5.824	163007	70262	61.003	15.300 #
29)	L6 AR-1254-4	6.998	6.037	45492	49889	19.701	15.833
30)	L6 AR-1254-5	7.407	6.448	160894	172797	70.513	40.798 #
31)	L7 AR-1260-1	6.873	5.937	96273	227810	48.018	70.818 #
32)	L7 AR-1260-2	7.171	6.149	32795	117978	11.903	26.184 #
33)	L7 AR-1260-3	7.484	6.305	60746	28695	26.531	7.612 #
34)	L7 AR-1260-4	7.707	6.740	78419	63611	34.402	20.326 #
35)	L7 AR-1260-5	8.014	6.982	105425	297523	21.286	35.927 #
36)	L8 AR-1262-1	7.484	6.539	60746	39078	18.423	18.549
37)	L8 AR-1262-2	8.014	6.982	105425	297523	19.342	31.440 #
38)	L8 AR-1262-3	8.311	7.262	66757	54973	18.551	14.284
39)	L8 AR-1262-4	8.377	7.325	16412	139149	6.031	21.173 #
40)	L8 AR-1262-5	8.970	7.819	24453	26316	12.868	9.330 #
41)	L9 AR-1268-1	8.311	7.262	66757	54973	9.674	4.578 #
42)	L9 AR-1268-2	8.377	7.325	16412	139149	2.725	13.473 #
43)	L9 AR-1268-3	8.620	7.526	22463	13163	4.328	1.511 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0013120\
 Data File : P0066173.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 31 Jan 2020 20:09
 Operator : DD\AJ
 Sample : L1310-03RE
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 CTY-SB-10102-0-80

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 01 05:25:18 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0013020.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Jan 31 01:14:46 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
44) L9	AR-1268-4	8.970	7.819	24453	26316	11.564	7.968 #
45) L9	AR-1268-5	9.338	8.090	26976	21641	1.774	0.874 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO013120\
Data File : PO066173.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 31 Jan 2020 20:09
Operator : DD\AJ
Sample : L1310-03RE
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
CTY-SB-10102-0-80

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 01 05:25:18 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO013020.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Jan 31 01:14:46 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.145 min
Delta R.T.: -0.020 min
Response: 891357
Conc: 30.60 ng/ml

Instrument :
ECD_O
ClientSampleId :
CTY-SB-10102-0-80




#1 Tetrachloro-m-xylene

R.T.: 3.423 min
Delta R.T.: -0.010 min
Response: 1274809
Conc: 31.17 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.632 min
Delta R.T.: -0.030 min
Response: 611774
Conc: 15.52 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.316 min
Delta R.T.: -0.016 min
Response: 820741
Conc: 14.00 ng/ml



#3 AR-1016-1


R.T.: 5.292 min
Delta R.T.: -0.008 min
Response: 51708
Conc: 39.35 ng/ml

Instrument :
ECD_O
ClientSampleId :
CTY-SB-10102-0-80




#3 AR-1016-1

R.T.: 4.498 min
Delta R.T.: 0.005 min
Response: 17526
Conc: 10.07 ng/ml




#4 AR-1016-2

R.T.: 5.292 min
Delta R.T.: -0.046 min
Response: 51708
Conc: 26.33 ng/ml



#4 AR-1016-2


R.T.: 4.505 min
Delta R.T.: -0.004 min
Response: 16883
Conc: 6.12 ng/ml



#5 AR-1016-3


R.T.: 5.446 min
Delta R.T.: 0.048 min
Response: 61482
Conc: 51.94 ng/ml

Instrument :
ECD_O
ClientSampleId :
CTY-SB-10102-0-80




#5 AR-1016-3

R.T.: 4.686 min
Delta R.T.: 0.004 min
Response: 123959
Conc: 89.04 ng/ml




#6 AR-1016-4

R.T.: 5.508 min
Delta R.T.: 0.012 min
Response: 70633
Conc: 71.42 ng/ml



#6 AR-1016-4


R.T.: 4.712 min
Delta R.T.: -0.013 min
Response: 38577
Conc: 33.39 ng/ml



#7 AR-1016-5


R.T.: 5.758 min
Delta R.T.: -0.028 min
Response: 70314
Conc: 69.50 ng/ml

Instrument :
ECD_O
ClientSampleId :
CTY-SB-10102-0-80




#7 AR-1016-5

R.T.: 4.933 min
Delta R.T.: -0.001 min
Response: 57804
Conc: 38.76 ng/ml




#9 AR-1221-2

R.T.: 0.000 min
Exp R.T. : 4.446 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 3.715 min
Delta R.T.: -0.008 min
Response: 18399
Conc: 49.41 ng/ml



#10 AR-1221-3


R.T.: 0.000 min
Exp R.T. : 4.521 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
CTY-SB-10102-0-80




#10 AR-1221-3

R.T.: 3.831 min
Delta R.T.: 0.035 min
Response: 2273
Conc: 1.90 ng/ml




#11 AR-1232-1

R.T.: 0.000 min
Exp R.T. : 4.521 min
Response: 0
Conc: N.D.



#11 AR-1232-1


R.T.: 3.831 min
Delta R.T.: 0.034 min
Response: 2273
Conc: 2.45 ng/ml



#12 AR-1232-2


R.T.: 0.000 min
Exp R.T.: 5.040 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
CTY-SB-10102-0-80




#12 AR-1232-2

R.T.: 4.505 min
Delta R.T.: 0.000 min
Response: 16883
Conc: 15.24 ng/ml




#13 AR-1232-3

R.T.: 5.292 min
Delta R.T.: -0.033 min
Response: 51708
Conc: 63.46 ng/ml



#13 AR-1232-3


R.T.: 4.686 min
Delta R.T.: 0.007 min
Response: 123959
Conc: 222.35 ng/ml



#14 AR-1232-4


R.T.: 5.508 min
Delta R.T.: 0.025 min
Response: 70633
Conc: 172.56 ng/ml

Instrument :
ECD_O
ClientSampleId :
CTY-SB-10102-0-80




#14 AR-1232-4

R.T.: 4.774 min
Delta R.T.: 0.013 min
Response: 68471
Conc: 141.87 ng/ml




#15 AR-1232-5

R.T.: 5.607 min
Delta R.T.: 0.034 min
Response: 26331
Conc: 96.16 ng/ml



#15 AR-1232-5


R.T.: 4.933 min
Delta R.T.: 0.003 min
Response: 57804
Conc: 112.07 ng/ml



#16 AR-1242-1


R.T.: 5.292 min
Delta R.T.: -0.012 min
Response: 51708
Conc: 51.05 ng/ml

Instrument :
ECD_O
ClientSampleId :
CTY-SB-10102-0-80




#16 AR-1242-1

R.T.: 4.498 min
Delta R.T.: 0.009 min
Response: 17526
Conc: 13.21 ng/ml




#17 AR-1242-2

R.T.: 5.292 min
Delta R.T.: -0.033 min
Response: 51708
Conc: 34.88 ng/ml



#17 AR-1242-2


R.T.: 4.505 min
Delta R.T.: 0.000 min
Response: 16883
Conc: 7.96 ng/ml



#18 AR-1242-3


R.T.: 5.446 min
Delta R.T.: 0.061 min
Response: 61482
Conc: 67.47 ng/ml

Instrument :
ECD_O
ClientSampleId :
CTY-SB-10102-0-80




#18 AR-1242-3

R.T.: 4.686 min
Delta R.T.: 0.008 min
Response: 123959
Conc: 116.62 ng/ml




#19 AR-1242-4

R.T.: 5.508 min
Delta R.T.: 0.025 min
Response: 70633
Conc: 92.56 ng/ml



#19 AR-1242-4


R.T.: 4.774 min
Delta R.T.: 0.013 min
Response: 68471
Conc: 66.61 ng/ml



#20 AR-1242-5


R.T.: 6.219 min
Delta R.T.: 0.010 min
Response: 42984
Conc: 46.35 ng/ml

Instrument :
ECD_O
ClientSampleId :
CTY-SB-10102-0-80




#20 AR-1242-5

R.T.: 5.269 min
Delta R.T.: -0.006 min
Response: 97394
Conc: 70.43 ng/ml




#21 AR-1248-1

R.T.: 5.292 min
Delta R.T.: -0.011 min
Response: 51708
Conc: 67.83 ng/ml



#21 AR-1248-1


R.T.: 4.498 min
Delta R.T.: 0.010 min
Response: 17526
Conc: 16.87 ng/ml



#22 AR-1248-2


R.T.: 5.607 min
Delta R.T.: 0.035 min
Response: 26331
Conc: 24.28 ng/ml

Instrument :
ECD_O
ClientSampleId :
CTY-SB-10102-0-80




#22 AR-1248-2

R.T.: 4.712 min
Delta R.T.: -0.008 min
Response: 38577
Conc: 25.97 ng/ml




#23 AR-1248-3

R.T.: 5.758 min
Delta R.T.: -0.015 min
Response: 70314
Conc: 57.58 ng/ml



#23 AR-1248-3


R.T.: 4.774 min
Delta R.T.: 0.014 min
Response: 68471
Conc: 45.79 ng/ml



#24 AR-1248-4


R.T.: 6.138 min
Delta R.T.: -0.034 min
Response: 104358
Conc: 66.12 ng/ml

Instrument :
ECD_O
ClientSampleId :
CTY-SB-10102-0-80




#24 AR-1248-4

R.T.: 4.933 min
Delta R.T.: 0.004 min
Response: 57804
Conc: 32.02 ng/ml




#25 AR-1248-5

R.T.: 6.219 min
Delta R.T.: 0.009 min
Response: 42984
Conc: 28.91 ng/ml



#25 AR-1248-5


R.T.: 5.269 min
Delta R.T.: -0.045 min
Response: 97394
Conc: 49.80 ng/ml



#26 AR-1254-1


R.T.: 6.138 min
Delta R.T.: -0.007 min
Response: 104358
Conc: 67.17 ng/ml

Instrument :
ECD_O
ClientSampleId :
CTY-SB-10102-0-80




#26 AR-1254-1

R.T.: 5.269 min
Delta R.T.: -0.006 min
Response: 97394
Conc: 30.60 ng/ml




#27 AR-1254-2

R.T.: 6.353 min
Delta R.T.: -0.007 min
Response: 186668
Conc: 75.12 ng/ml



#27 AR-1254-2


R.T.: 5.411 min
Delta R.T.: -0.009 min
Response: 46041
Conc: 15.69 ng/ml



#28 AR-1254-3


R.T.: 6.716 min
Delta R.T.: -0.007 min
Response: 163007
Conc: 61.00 ng/ml

Instrument :
ECD_O
ClientSampleId :
CTY-SB-10102-0-80




#28 AR-1254-3

R.T.: 5.824 min
Delta R.T.: 0.005 min
Response: 70262
Conc: 15.30 ng/ml




#29 AR-1254-4

R.T.: 6.998 min
Delta R.T.: -0.009 min
Response: 45492
Conc: 19.70 ng/ml



#29 AR-1254-4


R.T.: 6.037 min
Delta R.T.: -0.009 min
Response: 49889
Conc: 15.83 ng/ml



#30 AR-1254-5


R.T.: 7.407 min
Delta R.T.: -0.014 min
Response: 160894
Conc: 70.51 ng/ml

Instrument :
ECD_O
ClientSampleId :
CTY-SB-10102-0-80




#30 AR-1254-5

R.T.: 6.448 min
Delta R.T.: -0.010 min
Response: 172797
Conc: 40.80 ng/ml




#31 AR-1260-1

R.T.: 6.873 min
Delta R.T.: -0.023 min
Response: 96273
Conc: 48.02 ng/ml



#31 AR-1260-1


R.T.: 5.937 min
Delta R.T.: -0.015 min
Response: 227810
Conc: 70.82 ng/ml



#32 AR-1260-2


R.T.: 7.171 min
Delta R.T.: 0.020 min
Response: 32795
Conc: 11.90 ng/ml

Instrument :
ECD_O
ClientSampleId :
CTY-SB-10102-0-80




#32 AR-1260-2

R.T.: 6.149 min
Delta R.T.: 0.009 min
Response: 117978
Conc: 26.18 ng/ml




#33 AR-1260-3

R.T.: 7.484 min
Delta R.T.: -0.022 min
Response: 60746
Conc: 26.53 ng/ml



#33 AR-1260-3


R.T.: 6.305 min
Delta R.T.: 0.015 min
Response: 28695
Conc: 7.61 ng/ml



#34 AR-1260-4


R.T.: 7.707 min
Delta R.T.: -0.023 min
Response: 78419
Conc: 34.40 ng/ml

Instrument :
ECD_O
ClientSampleId :
CTY-SB-10102-0-80




#34 AR-1260-4

R.T.: 6.740 min
Delta R.T.: -0.016 min
Response: 63611
Conc: 20.33 ng/ml




#35 AR-1260-5

R.T.: 8.014 min
Delta R.T.: -0.021 min
Response: 105425
Conc: 21.29 ng/ml



#35 AR-1260-5


R.T.: 6.982 min
Delta R.T.: -0.017 min
Response: 297523
Conc: 35.93 ng/ml



#36 AR-1262-1


R.T.: 7.484 min
Delta R.T.: -0.011 min
Response: 60746
Conc: 18.42 ng/ml

Instrument :
ECD_O
ClientSampleId :
CTY-SB-10102-0-80




#36 AR-1262-1

R.T.: 6.539 min
Delta R.T.: -0.009 min
Response: 39078
Conc: 18.55 ng/ml




#37 AR-1262-2

R.T.: 8.014 min
Delta R.T.: -0.010 min
Response: 105425
Conc: 19.34 ng/ml



#37 AR-1262-2


R.T.: 6.982 min
Delta R.T.: -0.011 min
Response: 297523
Conc: 31.44 ng/ml



#38 AR-1262-3


R.T.: 8.311 min
Delta R.T.: 0.005 min
Response: 66757
Conc: 18.55 ng/ml

Instrument :
ECD_O
ClientSampleId :
CTY-SB-10102-0-80




#38 AR-1262-3

R.T.: 7.262 min
Delta R.T.: -0.010 min
Response: 54973
Conc: 14.28 ng/ml




#39 AR-1262-4

R.T.: 8.377 min
Delta R.T.: -0.012 min
Response: 16412
Conc: 6.03 ng/ml



#39 AR-1262-4


R.T.: 7.325 min
Delta R.T.: -0.012 min
Response: 139149
Conc: 21.17 ng/ml



#40 AR-1262-5


R.T.: 8.970 min
Delta R.T.: -0.014 min
Response: 24453
Conc: 12.87 ng/ml

Instrument :
ECD_O
ClientSampleId :
CTY-SB-10102-0-80




#40 AR-1262-5

R.T.: 7.819 min
Delta R.T.: -0.009 min
Response: 26316
Conc: 9.33 ng/ml




#41 AR-1268-1

R.T.: 8.311 min
Delta R.T.: 0.005 min
Response: 66757
Conc: 9.67 ng/ml



#41 AR-1268-1


R.T.: 7.262 min
Delta R.T.: -0.010 min
Response: 54973
Conc: 4.58 ng/ml



#42 AR-1268-2


R.T.: 8.377 min
Delta R.T.: -0.015 min
Response: 16412
Conc: 2.72 ng/ml

Instrument :
ECD_O
ClientSampleId :
CTY-SB-10102-0-80




#42 AR-1268-2

R.T.: 7.325 min
Delta R.T.: -0.012 min
Response: 139149
Conc: 13.47 ng/ml




#43 AR-1268-3

R.T.: 8.620 min
Delta R.T.: 0.024 min
Response: 22463
Conc: 4.33 ng/ml



#43 AR-1268-3


R.T.: 7.526 min
Delta R.T.: -0.011 min
Response: 13163
Conc: 1.51 ng/ml



#44 AR-1268-4


R.T.: 8.970 min
Delta R.T.: -0.014 min
Response: 24453
Conc: 11.56 ng/ml

Instrument :
ECD_O
ClientSampleId :
CTY-SB-10102-0-80




#44 AR-1268-4

R.T.: 7.819 min
Delta R.T.: -0.009 min
Response: 26316
Conc: 7.97 ng/ml



#45 AR-1268-5

R.T.: 9.338 min
Delta R.T.: -0.014 min
Response: 26976
Conc: 1.77 ng/ml



#45 AR-1268-5

R.T.: 8.090 min
Delta R.T.: -0.008 min
Response: 21641
Conc: 0.87 ng/ml