

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0021020\
 Data File : P0066421.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 10 Feb 2020 16:57
 Operator : DD\AJ
 Sample : L1473-01MSD
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 P-1MSD

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 11 02:53:25 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0020720.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Feb 06 18:14:46 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.133	3.413	724984	809931	25.702	20.625
2)	SA Decachlor...	9.613	8.302	769959	1081382	18.645	18.586
Target Compounds							
3)	L1 AR-1016-1	5.282	4.468	249900	288311	203.450	196.317
4)	L1 AR-1016-2	5.303	4.485	411594	644584	220.227	226.173
5)	L1 AR-1016-3	5.364	4.657	246828	317568	219.750	255.060
6)	L1 AR-1016-4	5.461	4.700	242480	241362	260.380	235.218
7)	L1 AR-1016-5	5.750	4.909	44839250	203294	46906.477	151.891 #
9)	L2 AR-1221-2	4.426	3.708	30192	43794	139.523	147.105
10)	L2 AR-1221-3	4.501	3.777	135687	118608	184.248	117.146 #
11)	L3 AR-1232-1	4.501	3.777	135687	118608	240.687	155.143 #
12)	L3 AR-1232-2	5.018	4.485	199297	644584	642.617	609.329
13)	L3 AR-1232-3	5.303	4.657	411594	317568	605.647	674.365
14)	L3 AR-1232-4	5.461	4.764	242480	53952619	712.248	134881.950 #
15)	L3 AR-1232-5	5.551	4.909	200532	203294	828.711	449.504 #
16)	L4 AR-1242-1	5.282	4.485	249900	644584	291.805	620.549 #
17)	L4 AR-1242-2	5.303	4.485	411594	644584	312.057	324.756
18)	L4 AR-1242-3	5.364	4.657	246828	317568	315.338	356.873
19)	L4 AR-1242-4	5.461	4.764	242480	53952619	371.970	62113.314 #
20)	L4 AR-1242-5	6.187	5.253	31526	198628	39.042	151.381 #
21)	L5 AR-1248-1	5.282	4.485	249900	644584	365.424	792.722 #
22)	L5 AR-1248-2	5.551	4.700	200532	241362	213.609	191.332
23)	L5 AR-1248-3	5.750	4.764	44839250	53952619	38979.796	42063.594
24)	L5 AR-1248-4	6.147	4.909	34165	203294	23.183	127.371 #
25)	L5 AR-1248-5	6.187	5.253	31526	198628	22.502	111.708 #
26)	L6 AR-1254-1	6.122	5.253	160474	198628	110.331	71.206 #
27)	L6 AR-1254-2	6.338	5.399	244359	182490	99.504	69.878 #
28)	L6 AR-1254-3	6.701	5.834	113844	22855185	42.277	5367.086 #
29)	L6 AR-1254-4	6.982	6.054	84441	160298	36.574	52.307 #
30)	L6 AR-1254-5	7.397	6.435	787311	1021984	335.044	232.377 #
31)	L7 AR-1260-1	6.862	5.924	510010	645555	239.654	195.093
32)	L7 AR-1260-2	7.117	6.113	701011	1029095	227.972	200.072
33)	L7 AR-1260-3	7.471	6.262	601544	868001	228.068	221.455
34)	L7 AR-1260-4	7.695	6.729	552394	923385	221.788	254.894
35)	L7 AR-1260-5	8.001	6.972	1193378	1685355	211.713	175.289
36)	L8 AR-1262-1	7.471	6.526	601544	447014	174.144	186.925
37)	L8 AR-1262-2	8.001	6.972	1193378	1685355	206.146	168.968
38)	L8 AR-1262-3	8.298	7.250	672566	446374	182.587	116.544 #
39)	L8 AR-1262-4	8.347	7.313	379768	1330648	136.540	207.883 #
40)	L8 AR-1262-5	8.955	7.806	252492	263611	142.155	96.793 #
41)	L9 AR-1268-1	8.298	7.250	672566	446374	91.249	35.896 #
42)	L9 AR-1268-2	8.347	7.313	379768	1330648	60.986	126.083 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0021020\
 Data File : P0066421.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 10 Feb 2020 16:57
 Operator : DD\AJ
 Sample : L1473-01MSD
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 P-1MSD

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 11 02:53:25 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0020720.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Feb 06 18:14:46 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
43) L9	AR-1268-3	8.567	0.000	35801	0	6.592	N.D. #
44) L9	AR-1268-4	8.955	7.806	252492	263611	117.777	80.838 #
45) L9	AR-1268-5	9.358	8.075	6107	97799	0.393	4.141 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO021020\
Data File : PO066421.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 10 Feb 2020 16:57
Operator : DD\AJ
Sample : L1473-01MSD
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
P-1MSD

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 11 02:53:25 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO020720.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Feb 06 18:14:46 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.133 min
Delta R.T.: -0.009 min
Response: 724984
Conc: 25.70 ng/ml

Instrument :
ECD_O
ClientSampleId :
P-1MSD




#1 Tetrachloro-m-xylene

R.T.: 3.413 min
Delta R.T.: -0.007 min
Response: 809931
Conc: 20.62 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.613 min
Delta R.T.: -0.019 min
Response: 769959
Conc: 18.64 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.302 min
Delta R.T.: -0.014 min
Response: 1081382
Conc: 18.59 ng/ml



#3 AR-1016-1


R.T.: 5.282 min
Delta R.T.: -0.010 min
Response: 249900
Conc: 203.45 ng/ml

Instrument :
ECD_O
ClientSampleId :
P-1MSD




#3 AR-1016-1

R.T.: 4.468 min
Delta R.T.: -0.004 min
Response: 288311
Conc: 196.32 ng/ml




#4 AR-1016-2

R.T.: 5.303 min
Delta R.T.: -0.010 min
Response: 411594
Conc: 220.23 ng/ml



#4 AR-1016-2


R.T.: 4.485 min
Delta R.T.: -0.018 min
Response: 644584
Conc: 226.17 ng/ml



#5 AR-1016-3


R.T.: 5.364 min
Delta R.T.: -0.011 min
Response: 246828
Conc: 219.75 ng/ml

Instrument :
ECD_O
ClientSampleId :
P-1MSD




#5 AR-1016-3

R.T.: 4.657 min
Delta R.T.: -0.009 min
Response: 317568
Conc: 255.06 ng/ml




#6 AR-1016-4

R.T.: 5.461 min
Delta R.T.: -0.011 min
Response: 242480
Conc: 260.38 ng/ml



#6 AR-1016-4


R.T.: 4.700 min
Delta R.T.: -0.010 min
Response: 241362
Conc: 235.22 ng/ml



#7 AR-1016-5


R.T.: 5.750 min
Delta R.T.: -0.011 min
Response: 44839250
Conc: 46906.48 ng/ml

Instrument :
ECD_O
ClientSampleId :
P-1MSD




#7 AR-1016-5

R.T.: 4.909 min
Delta R.T.: -0.009 min
Response: 203294
Conc: 151.89 ng/ml




#9 AR-1221-2

R.T.: 4.426 min
Delta R.T.: -0.010 min
Response: 30192
Conc: 139.52 ng/ml



#9 AR-1221-2


R.T.: 3.708 min
Delta R.T.: -0.003 min
Response: 43794
Conc: 147.11 ng/ml



#10 AR-1221-3


R.T.: 4.501 min
Delta R.T.: -0.010 min
Response: 135687
Conc: 184.25 ng/ml

Instrument :
ECD_O
ClientSampleId :
P-1MSD




#10 AR-1221-3

R.T.: 3.777 min
Delta R.T.: -0.008 min
Response: 118608
Conc: 117.15 ng/ml




#11 AR-1232-1

R.T.: 4.501 min
Delta R.T.: -0.009 min
Response: 135687
Conc: 240.69 ng/ml



#11 AR-1232-1


R.T.: 3.777 min
Delta R.T.: -0.008 min
Response: 118608
Conc: 155.14 ng/ml



#12 AR-1232-2


R.T.: 5.018 min
Delta R.T.: -0.010 min
Response: 199297
Conc: 642.62 ng/ml

Instrument :
ECD_O
ClientSampleId :
P-1MSD




#12 AR-1232-2

R.T.: 4.485 min
Delta R.T.: -0.009 min
Response: 644584
Conc: 609.33 ng/ml




#13 AR-1232-3

R.T.: 5.303 min
Delta R.T.: -0.010 min
Response: 411594
Conc: 605.65 ng/ml



#13 AR-1232-3


R.T.: 4.657 min
Delta R.T.: -0.009 min
Response: 317568
Conc: 674.37 ng/ml



#14 AR-1232-4


R.T.: 5.461 min
Delta R.T.: -0.010 min
Response: 242480
Conc: 712.25 ng/ml

Instrument :
ECD_O
ClientSampleId :
P-1MSD




#14 AR-1232-4

R.T.: 4.764 min
Delta R.T.: 0.014 min
Response: 53952619
Conc: 134881.95 ng/ml




#15 AR-1232-5

R.T.: 5.551 min
Delta R.T.: -0.010 min
Response: 200532
Conc: 828.71 ng/ml



#15 AR-1232-5


R.T.: 4.909 min
Delta R.T.: -0.009 min
Response: 203294
Conc: 449.50 ng/ml



#16 AR-1242-1


R.T.: 5.282 min
Delta R.T.: -0.010 min
Response: 249900
Conc: 291.80 ng/ml

Instrument :
ECD_O
ClientSampleId :
P-1MSD




#16 AR-1242-1

R.T.: 4.485 min
Delta R.T.: 0.008 min
Response: 644584
Conc: 620.55 ng/ml




#17 AR-1242-2

R.T.: 5.303 min
Delta R.T.: -0.010 min
Response: 411594
Conc: 312.06 ng/ml



#17 AR-1242-2


R.T.: 4.485 min
Delta R.T.: -0.009 min
Response: 644584
Conc: 324.76 ng/ml



#18 AR-1242-3


R.T.: 5.364 min
Delta R.T.: -0.010 min
Response: 246828
Conc: 315.34 ng/ml

Instrument :
ECD_O
ClientSampleId :
P-1MSD




#18 AR-1242-3

R.T.: 4.657 min
Delta R.T.: -0.009 min
Response: 317568
Conc: 356.87 ng/ml




#19 AR-1242-4

R.T.: 5.461 min
Delta R.T.: -0.010 min
Response: 242480
Conc: 371.97 ng/ml



#19 AR-1242-4


R.T.: 4.764 min
Delta R.T.: 0.014 min
Response: 53952619
Conc: 62113.31 ng/ml



#20 AR-1242-5


R.T.: 6.187 min
Delta R.T.: -0.010 min
Response: 31526
Conc: 39.04 ng/ml

Instrument :
ECD_O
ClientSampleId :
P-1MSD




#20 AR-1242-5

R.T.: 5.253 min
Delta R.T.: -0.011 min
Response: 198628
Conc: 151.38 ng/ml




#21 AR-1248-1

R.T.: 5.282 min
Delta R.T.: -0.010 min
Response: 249900
Conc: 365.42 ng/ml



#21 AR-1248-1


R.T.: 4.485 min
Delta R.T.: 0.008 min
Response: 644584
Conc: 792.72 ng/ml



#22 AR-1248-2


R.T.: 5.551 min
Delta R.T.: -0.010 min
Response: 200532
Conc: 213.61 ng/ml

Instrument :
ECD_O
ClientSampleId :
P-1MSD




#22 AR-1248-2

R.T.: 4.700 min
Delta R.T.: -0.009 min
Response: 241362
Conc: 191.33 ng/ml




#23 AR-1248-3

R.T.: 5.750 min
Delta R.T.: -0.012 min
Response: 44839250
Conc: 38979.80 ng/ml



#23 AR-1248-3


R.T.: 4.764 min
Delta R.T.: 0.015 min
Response: 53952619
Conc: 42063.59 ng/ml



#24 AR-1248-4


R.T.: 6.147 min
Delta R.T.: -0.014 min
Response: 34165
Conc: 23.18 ng/ml

Instrument :
ECD_O
ClientSampleId :
P-1MSD




#24 AR-1248-4

R.T.: 4.909 min
Delta R.T.: -0.010 min
Response: 203294
Conc: 127.37 ng/ml




#25 AR-1248-5

R.T.: 6.187 min
Delta R.T.: -0.011 min
Response: 31526
Conc: 22.50 ng/ml



#25 AR-1248-5


R.T.: 5.253 min
Delta R.T.: -0.051 min
Response: 198628
Conc: 111.71 ng/ml



#26 AR-1254-1


R.T.: 6.122 min
Delta R.T.: -0.012 min
Response: 160474
Conc: 110.33 ng/ml

Instrument :
ECD_O
ClientSampleId :
P-1MSD




#26 AR-1254-1

R.T.: 5.253 min
Delta R.T.: -0.011 min
Response: 198628
Conc: 71.21 ng/ml




#27 AR-1254-2

R.T.: 6.338 min
Delta R.T.: -0.012 min
Response: 244359
Conc: 99.50 ng/ml



#27 AR-1254-2


R.T.: 5.399 min
Delta R.T.: -0.011 min
Response: 182490
Conc: 69.88 ng/ml



#28 AR-1254-3


R.T.: 6.701 min
Delta R.T.: -0.011 min
Response: 113844
Conc: 42.28 ng/ml

Instrument :
ECD_O
ClientSampleId :
P-1MSD




#28 AR-1254-3

R.T.: 5.834 min
Delta R.T.: 0.026 min
Response: 22855185
Conc: 5367.09 ng/ml




#29 AR-1254-4

R.T.: 6.982 min
Delta R.T.: -0.014 min
Response: 84441
Conc: 36.57 ng/ml



#29 AR-1254-4


R.T.: 6.054 min
Delta R.T.: 0.019 min
Response: 160298
Conc: 52.31 ng/ml



#30 AR-1254-5


R.T.: 7.397 min
Delta R.T.: -0.014 min
Response: 787311
Conc: 335.04 ng/ml

Instrument :
ECD_O
ClientSampleId :
P-1MSD




#30 AR-1254-5

R.T.: 6.435 min
Delta R.T.: -0.013 min
Response: 1021984
Conc: 232.38 ng/ml




#31 AR-1260-1

R.T.: 6.862 min
Delta R.T.: -0.012 min
Response: 510010
Conc: 239.65 ng/ml



#31 AR-1260-1


R.T.: 5.924 min
Delta R.T.: -0.011 min
Response: 645555
Conc: 195.09 ng/ml



#32 AR-1260-2


R.T.: 7.117 min
Delta R.T.: -0.012 min
Response: 701011
Conc: 227.97 ng/ml

Instrument :
ECD_O
ClientSampleId :
P-1MSD




#32 AR-1260-2

R.T.: 6.113 min
Delta R.T.: -0.011 min
Response: 1029095
Conc: 200.07 ng/ml




#33 AR-1260-3

R.T.: 7.471 min
Delta R.T.: -0.013 min
Response: 601544
Conc: 228.07 ng/ml



#33 AR-1260-3


R.T.: 6.262 min
Delta R.T.: -0.011 min
Response: 868001
Conc: 221.45 ng/ml



#34 AR-1260-4


R.T.: 7.695 min
Delta R.T.: -0.014 min
Response: 552394
Conc: 221.79 ng/ml

Instrument :
ECD_O
ClientSampleId :
P-1MSD




#34 AR-1260-4

R.T.: 6.729 min
Delta R.T.: -0.011 min
Response: 923385
Conc: 254.89 ng/ml




#35 AR-1260-5

R.T.: 8.001 min
Delta R.T.: -0.013 min
Response: 1193378
Conc: 211.71 ng/ml



#35 AR-1260-5


R.T.: 6.972 min
Delta R.T.: -0.011 min
Response: 1685355
Conc: 175.29 ng/ml



#36 AR-1262-1


R.T.: 7.471 min
Delta R.T.: -0.015 min
Response: 601544
Conc: 174.14 ng/ml

Instrument :
ECD_O
ClientSampleId :
P-1MSD




#36 AR-1262-1

R.T.: 6.526 min
Delta R.T.: -0.012 min
Response: 447014
Conc: 186.93 ng/ml




#37 AR-1262-2

R.T.: 8.001 min
Delta R.T.: -0.014 min
Response: 1193378
Conc: 206.15 ng/ml



#37 AR-1262-2


R.T.: 6.972 min
Delta R.T.: -0.012 min
Response: 1685355
Conc: 168.97 ng/ml



#38 AR-1262-3


R.T.: 8.298 min
Delta R.T.: 0.000 min
Response: 672566
Conc: 182.59 ng/ml

Instrument :
ECD_O
ClientSampleId :
P-1MSD




#38 AR-1262-3

R.T.: 7.250 min
Delta R.T.: -0.012 min
Response: 446374
Conc: 116.54 ng/ml




#39 AR-1262-4

R.T.: 8.347 min
Delta R.T.: -0.033 min
Response: 379768
Conc: 136.54 ng/ml



#39 AR-1262-4


R.T.: 7.313 min
Delta R.T.: -0.014 min
Response: 1330648
Conc: 207.88 ng/ml



#40 AR-1262-5


R.T.: 8.955 min
Delta R.T.: -0.018 min
Response: 252492
Conc: 142.15 ng/ml

Instrument :
ECD_O
ClientSampleId :
P-1MSD




#40 AR-1262-5

R.T.: 7.806 min
Delta R.T.: -0.014 min
Response: 263611
Conc: 96.79 ng/ml




#41 AR-1268-1

R.T.: 8.298 min
Delta R.T.: 0.001 min
Response: 672566
Conc: 91.25 ng/ml



#41 AR-1268-1


R.T.: 7.250 min
Delta R.T.: -0.012 min
Response: 446374
Conc: 35.90 ng/ml



#42 AR-1268-2


R.T.: 8.347 min
Delta R.T.: -0.035 min
Response: 379768
Conc: 60.99 ng/ml

Instrument :
ECD_O
ClientSampleId :
P-1MSD




#42 AR-1268-2

R.T.: 7.313 min
Delta R.T.: -0.015 min
Response: 1330648
Conc: 126.08 ng/ml




#43 AR-1268-3

R.T.: 8.567 min
Delta R.T.: -0.018 min
Response: 35801
Conc: 6.59 ng/ml



#43 AR-1268-3


R.T.: 0.000 min
Exp R.T.: 7.528 min
Response: 0
Conc: N.D.



#44 AR-1268-4


R.T.: 8.955 min
Delta R.T.: -0.017 min
Response: 252492
Conc: 117.78 ng/ml

Instrument :
ECD_O
ClientSampleId :
P-1MSD




#44 AR-1268-4

R.T.: 7.806 min
Delta R.T.: -0.014 min
Response: 263611
Conc: 80.84 ng/ml



#45 AR-1268-5

R.T.: 9.358 min
Delta R.T.: 0.018 min
Response: 6107
Conc: 0.39 ng/ml



#45 AR-1268-5

R.T.: 8.075 min
Delta R.T.: -0.014 min
Response: 97799
Conc: 4.14 ng/ml