Quantitation Report (Not Reviewed)

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO030220\
Data File : PO066891.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 02 Mar 2020 14:03
Operator : DD\AJ
Sample : PB127193BS
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument : ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 02 15:40:23 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO022620.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Feb 26 14:12:46 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml	
	System Monitoring Compounds							
1)	SA Tetrachlo...	4.119	3.402	897124	870529	22.000	19.712	
2)	SA Decachlor...	9.590	8.284	1013287	996433	20.772	19.808	
	Target Compounds							
3)	L1 AR-1016-1	5.267	4.472	305505	754073	199.972	552.562	#
4)	L1 AR-1016-2	5.289	4.472	501783	754073	210.846	266.774	#
5)	L1 AR-1016-3	5.349	4.645	290236	224797	211.463	179.515	
6)	L1 AR-1016-4	5.446	4.686	238456	191533	200.833	186.250	
7)	L1 AR-1016-5	5.735	4.895	230765	230488	218.613	180.967	
8)	L2 AR-1221-1	0.000	3.609	0	31824	N.D.	67.753	#
9)	L2 AR-1221-2	4.414	3.693	41066	39336	138.269	113.906	
10)	L2 AR-1221-3	4.487	3.766	148323	152123	146.651	136.005	
11)	L3 AR-1232-1	4.487	3.766	148323	152123	202.008	183.478	
12)	L3 AR-1232-2	5.003	4.472	220618	754073	611.617	734.808	
13)	L3 AR-1232-3	5.289	4.645	501783	224797	605.360	488.080	
14)	L3 AR-1232-4	5.446	4.726	238456	229985	613.810	567.687	
15)	L3 AR-1232-5	5.535	4.895	196489	230488	734.045	555.832	
16)	L4 AR-1242-1	5.267	4.472	305505	754073	294.394	830.042	#
17)	L4 AR-1242-2	5.289	4.472	501783	754073	315.341	405.247	#
18)	L4 AR-1242-3	5.349	4.645	290236	224797	312.850	262.804	
19)	L4 AR-1242-4	5.446	4.726	238456	229985	306.960	276.853	
20)	L4 AR-1242-5	6.106	5.240	134457	191229	147.853	175.690	
21)	L5 AR-1248-1	5.267	4.472	305505	754073	365.442	966.647	#
22)	L5 AR-1248-2	5.535	4.686	196489	191533	168.270	158.347	
23)	L5 AR-1248-3	5.735	4.726	230765	229985	174.491	185.379	
24)	L5 AR-1248-4	6.106	4.895	134457	230488	80.599	157.082	#
25)	L5 AR-1248-5	6.106	5.280	134457	29182	85.285	18.802	#
26)	L6 AR-1254-1	6.106	5.240	134457	191229	84.265	82.886	
27)	L6 AR-1254-2	6.321	5.386	209784	188722	80.745	93.040	
28)	L6 AR-1254-3	6.686	5.795	117021	346177	42.476	102.982	#
29)	L6 AR-1254-4	6.968	6.011	71480	29108	29.673	11.640	#
30)	L6 AR-1254-5	7.383	6.421	790101	680429	314.751	214.500	#
31)	L7 AR-1260-1	6.846	5.910	522654	517534	227.099	207.641	
32)	L7 AR-1260-2	7.101	6.099	745455	665635	214.337	212.524	
33)	L7 AR-1260-3	7.457	6.247	542356	604147	182.828	205.376	
34)	L7 AR-1260-4	7.680	6.713	523833	454414	191.100	176.770	
35)	L7 AR-1260-5	7.986	6.957	1088023	1082801	173.996	174.495	
36)	L8 AR-1262-1	7.457	6.421	542356	680429	143.940	435.192	#
37)	L8 AR-1262-2	7.986	6.957	1088023	1082801	176.295	187.493	
38)	L8 AR-1262-3	8.281	7.234	619003	254438	151.229	105.263	#
39)	L8 AR-1262-4	8.332	7.298	369479	834479	109.600	188.215	#
40)	L8 AR-1262-5	8.937	7.793	213677	218380	91.943	107.582	
41)	L9 AR-1268-1	8.281	7.234	619003	254438	75.673	35.315	#

Quantitation Report (Not Reviewed)

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO030220\
Data File : PO066891.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 02 Mar 2020 14:03
Operator : DD\AJ
Sample : PB127193BS
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument : ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 02 15:40:23 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO022620.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Feb 26 14:12:46 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.332	7.298	369479	834479	51.776	125.363 #
43) L9	AR-1268-3	0.000	7.499	0	38114	N.D.	6.883 #
44) L9	AR-1268-4	8.937	7.793	213677	218380	90.613	89.747
45) L9	AR-1268-5	9.300	8.060	76385	83070	4.290	4.727

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO030220\
Data File : PO066891.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 02 Mar 2020 14:03
Operator : DD\AJ
Sample : PB127193BS
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument : ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 02 15:40:23 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO022620.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Feb 26 14:12:46 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm







#1 Tetrachloro-m-xylene

R.T.: 4.119 min
Delta R.T.: 0.000 min
Response: 897124
Conc: 22.00 ng/ml

Instrument :
ECD_O
ClientSampleId :



#1 Tetrachloro-m-xylene

R.T.: 3.402 min
Delta R.T.: 0.000 min
Response: 870529
Conc: 19.71 ng/ml



#2 Decachlorobiphenyl

R.T.: 9.590 min
Delta R.T.: -0.002 min
Response: 1013287
Conc: 20.77 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.284 min
Delta R.T.: 0.000 min
Response: 996433
Conc: 19.81 ng/ml



#3 AR-1016-1

R.T.: 5.267 min
Delta R.T.: -0.001 min
Response: 305505
Conc: 199.97 ng/ml

Instrument :
ECD_O
ClientSampleId :



#3 AR-1016-1

R.T.: 4.472 min
Delta R.T.: 0.015 min
Response: 754073
Conc: 552.56 ng/ml



#4 AR-1016-2

R.T.: 5.289 min
Delta R.T.: -0.001 min
Response: 501783
Conc: 210.85 ng/ml



#4 AR-1016-2

R.T.: 4.472 min
Delta R.T.: -0.001 min
Response: 754073
Conc: 266.77 ng/ml



#5 AR-1016-3

R.T.: 5.349 min
Delta R.T.: 0.000 min
Response: 290236
Conc: 211.46 ng/ml

Instrument :
ECD_O
ClientSampleId :



#5 AR-1016-3

R.T.: 4.645 min
Delta R.T.: 0.000 min
Response: 224797
Conc: 179.51 ng/ml



#6 AR-1016-4

R.T.: 5.446 min
Delta R.T.: -0.002 min
Response: 238456
Conc: 200.83 ng/ml



#6 AR-1016-4

R.T.: 4.686 min
Delta R.T.: 0.000 min
Response: 191533
Conc: 186.25 ng/ml



#7 AR-1016-5

R.T.: 5.735 min
Delta R.T.: 0.000 min
Response: 230765
Conc: 218.61 ng/ml

Instrument :
ECD_O
ClientSampleId :



#7 AR-1016-5

R.T.: 4.895 min
Delta R.T.: -0.001 min
Response: 230488
Conc: 180.97 ng/ml



#8 AR-1221-1

R.T.: 0.000 min
Exp R.T. : 4.329 min
Response: 0
Conc: N.D.



#8 AR-1221-1

R.T.: 3.609 min
Delta R.T.: 0.000 min
Response: 31824
Conc: 67.75 ng/ml



#9 AR-1221-2

R.T.: 4.414 min
Delta R.T.: 0.000 min
Response: 41066
Conc: 138.27 ng/ml

Instrument :
ECD_O
ClientSampleId :



#9 AR-1221-2

R.T.: 3.693 min
Delta R.T.: 0.000 min
Response: 39336
Conc: 113.91 ng/ml



#10 AR-1221-3

R.T.: 4.487 min
Delta R.T.: 0.000 min
Response: 148323
Conc: 146.65 ng/ml



#10 AR-1221-3

R.T.: 3.766 min
Delta R.T.: 0.000 min
Response: 152123
Conc: 136.00 ng/ml



#11 AR-1232-1

R.T.: 4.487 min
Delta R.T.: -0.001 min
Response: 148323
Conc: 202.01 ng/ml

Instrument :
ECD_O
ClientSampleId :



#11 AR-1232-1

R.T.: 3.766 min
Delta R.T.: 0.000 min
Response: 152123
Conc: 183.48 ng/ml



#12 AR-1232-2

R.T.: 5.003 min
Delta R.T.: 0.000 min
Response: 220618
Conc: 611.62 ng/ml



#12 AR-1232-2

R.T.: 4.472 min
Delta R.T.: 0.000 min
Response: 754073
Conc: 734.81 ng/ml



#13 AR-1232-3

R.T.: 5.289 min
Delta R.T.: -0.001 min
Response: 501783
Conc: 605.36 ng/ml

Instrument :
ECD_O
ClientSampleId :



#13 AR-1232-3

R.T.: 4.645 min
Delta R.T.: 0.000 min
Response: 224797
Conc: 488.08 ng/ml



#14 AR-1232-4

R.T.: 5.446 min
Delta R.T.: -0.002 min
Response: 238456
Conc: 613.81 ng/ml



#14 AR-1232-4

R.T.: 4.726 min
Delta R.T.: 0.000 min
Response: 229985
Conc: 567.69 ng/ml



#15 AR-1232-5

R.T.: 5.535 min
Delta R.T.: -0.002 min
Response: 196489
Conc: 734.05 ng/ml

Instrument :
ECD_O
ClientSampleId :



#15 AR-1232-5

R.T.: 4.895 min
Delta R.T.: 0.000 min
Response: 230488
Conc: 555.83 ng/ml



#16 AR-1242-1

R.T.: 5.267 min
Delta R.T.: -0.002 min
Response: 305505
Conc: 294.39 ng/ml



#16 AR-1242-1

R.T.: 4.472 min
Delta R.T.: 0.016 min
Response: 754073
Conc: 830.04 ng/ml



#17 AR-1242-2

R.T.: 5.289 min
Delta R.T.: -0.002 min
Response: 501783
Conc: 315.34 ng/ml

Instrument :
ECD_O
ClientSampleId :



#17 AR-1242-2

R.T.: 4.472 min
Delta R.T.: 0.000 min
Response: 754073
Conc: 405.25 ng/ml



#18 AR-1242-3

R.T.: 5.349 min
Delta R.T.: -0.002 min
Response: 290236
Conc: 312.85 ng/ml



#18 AR-1242-3

R.T.: 4.645 min
Delta R.T.: 0.000 min
Response: 224797
Conc: 262.80 ng/ml



#19 AR-1242-4

R.T.: 5.446 min
Delta R.T.: -0.002 min
Response: 238456
Conc: 306.96 ng/ml

Instrument :
ECD_O
ClientSampleId :



#19 AR-1242-4

R.T.: 4.726 min
Delta R.T.: -0.002 min
Response: 229985
Conc: 276.85 ng/ml



#20 AR-1242-5

R.T.: 6.106 min
Delta R.T.: -0.067 min
Response: 134457
Conc: 147.85 ng/ml



#20 AR-1242-5

R.T.: 5.240 min
Delta R.T.: -0.002 min
Response: 191229
Conc: 175.69 ng/ml



#21 AR-1248-1

R.T.: 5.267 min
Delta R.T.: 0.000 min
Response: 305505
Conc: 365.44 ng/ml

Instrument :
ECD_O
ClientSampleId :



#21 AR-1248-1

R.T.: 4.472 min
Delta R.T.: 0.016 min
Response: 754073
Conc: 966.65 ng/ml



#22 AR-1248-2

R.T.: 5.535 min
Delta R.T.: 0.000 min
Response: 196489
Conc: 168.27 ng/ml



#22 AR-1248-2

R.T.: 4.686 min
Delta R.T.: -0.001 min
Response: 191533
Conc: 158.35 ng/ml



#23 AR-1248-3

R.T.: 5.735 min
Delta R.T.: -0.002 min
Response: 230765
Conc: 174.49 ng/ml

Instrument :
ECD_O
ClientSampleId :



#23 AR-1248-3

R.T.: 4.726 min
Delta R.T.: -0.001 min
Response: 229985
Conc: 185.38 ng/ml



#24 AR-1248-4

R.T.: 6.106 min
Delta R.T.: -0.029 min
Response: 134457
Conc: 80.60 ng/ml



#24 AR-1248-4

R.T.: 4.895 min
Delta R.T.: 0.000 min
Response: 230488
Conc: 157.08 ng/ml



#25 AR-1248-5

R.T.: 6.106 min
Delta R.T.: -0.067 min
Response: 134457
Conc: 85.29 ng/ml

Instrument :
ECD_O
ClientSampleId :



#25 AR-1248-5

R.T.: 5.280 min
Delta R.T.: -0.001 min
Response: 29182
Conc: 18.80 ng/ml



#26 AR-1254-1

R.T.: 6.106 min
Delta R.T.: -0.002 min
Response: 134457
Conc: 84.26 ng/ml



#26 AR-1254-1

R.T.: 5.240 min
Delta R.T.: -0.001 min
Response: 191229
Conc: 82.89 ng/ml



#27 AR-1254-2

R.T.: 6.321 min
Delta R.T.: -0.003 min
Response: 209784
Conc: 80.74 ng/ml

Instrument :
ECD_O
ClientSampleId :



#27 AR-1254-2

R.T.: 5.386 min
Delta R.T.: -0.001 min
Response: 188722
Conc: 93.04 ng/ml



#28 AR-1254-3

R.T.: 6.686 min
Delta R.T.: 0.000 min
Response: 117021
Conc: 42.48 ng/ml



#28 AR-1254-3

R.T.: 5.795 min
Delta R.T.: 0.011 min
Response: 346177
Conc: 102.98 ng/ml



#29 AR-1254-4

R.T.: 6.968 min
Delta R.T.: -0.003 min
Response: 71480
Conc: 29.67 ng/ml

Instrument :
ECD_O
ClientSampleId :



#29 AR-1254-4

R.T.: 6.011 min
Delta R.T.: 0.000 min
Response: 29108
Conc: 11.64 ng/ml



#30 AR-1254-5

R.T.: 7.383 min
Delta R.T.: -0.001 min
Response: 790101
Conc: 314.75 ng/ml



#30 AR-1254-5

R.T.: 6.421 min
Delta R.T.: -0.001 min
Response: 680429
Conc: 214.50 ng/ml



#31 AR-1260-1

R.T.: 6.846 min
Delta R.T.: 0.000 min
Response: 522654
Conc: 227.10 ng/ml

Instrument :
ECD_O
ClientSampleId :



#31 AR-1260-1

R.T.: 5.910 min
Delta R.T.: -0.001 min
Response: 517534
Conc: 207.64 ng/ml



#32 AR-1260-2

R.T.: 7.101 min
Delta R.T.: -0.001 min
Response: 745455
Conc: 214.34 ng/ml



#32 AR-1260-2

R.T.: 6.099 min
Delta R.T.: 0.000 min
Response: 665635
Conc: 212.52 ng/ml



#33 AR-1260-3

R.T.: 7.457 min
Delta R.T.: 0.000 min
Response: 542356
Conc: 182.83 ng/ml

Instrument :
ECD_O
ClientSampleId :



#33 AR-1260-3

R.T.: 6.247 min
Delta R.T.: 0.000 min
Response: 604147
Conc: 205.38 ng/ml



#34 AR-1260-4

R.T.: 7.680 min
Delta R.T.: 0.000 min
Response: 523833
Conc: 191.10 ng/ml



#34 AR-1260-4

R.T.: 6.713 min
Delta R.T.: 0.000 min
Response: 454414
Conc: 176.77 ng/ml



#35 AR-1260-5

R.T.: 7.986 min
Delta R.T.: 0.000 min
Response: 1088023
Conc: 174.00 ng/ml

Instrument :
ECD_O
ClientSampleId :



#35 AR-1260-5

R.T.: 6.957 min
Delta R.T.: 0.000 min
Response: 1082801
Conc: 174.49 ng/ml



#36 AR-1262-1

R.T.: 7.457 min
Delta R.T.: -0.003 min
Response: 542356
Conc: 143.94 ng/ml



#36 AR-1262-1

R.T.: 6.421 min
Delta R.T.: 0.000 min
Response: 680429
Conc: 435.19 ng/ml



#37 AR-1262-2

R.T.: 7.986 min
Delta R.T.: -0.001 min
Response: 1088023
Conc: 176.30 ng/ml

Instrument :
ECD_O
ClientSampleId :



#37 AR-1262-2

R.T.: 6.957 min
Delta R.T.: -0.001 min
Response: 1082801
Conc: 187.49 ng/ml



#38 AR-1262-3

R.T.: 8.281 min
Delta R.T.: 0.013 min
Response: 619003
Conc: 151.23 ng/ml



#38 AR-1262-3

R.T.: 7.234 min
Delta R.T.: -0.002 min
Response: 254438
Conc: 105.26 ng/ml



#39 AR-1262-4

R.T.: 8.332 min
Delta R.T.: -0.018 min
Response: 369479
Conc: 109.60 ng/ml

Instrument :
ECD_O
ClientSampleId :



#39 AR-1262-4

R.T.: 7.298 min
Delta R.T.: -0.002 min
Response: 834479
Conc: 188.22 ng/ml



#40 AR-1262-5

R.T.: 8.937 min
Delta R.T.: 0.000 min
Response: 213677
Conc: 91.94 ng/ml



#40 AR-1262-5

R.T.: 7.793 min
Delta R.T.: 0.000 min
Response: 218380
Conc: 107.58 ng/ml



#41 AR-1268-1

R.T.: 8.281 min
Delta R.T.: 0.016 min
Response: 619003
Conc: 75.67 ng/ml

Instrument :
ECD_O
ClientSampleId :



#41 AR-1268-1

R.T.: 7.234 min
Delta R.T.: -0.002 min
Response: 254438
Conc: 35.32 ng/ml



#42 AR-1268-2

R.T.: 8.332 min
Delta R.T.: -0.019 min
Response: 369479
Conc: 51.78 ng/ml



#42 AR-1268-2

R.T.: 7.298 min
Delta R.T.: -0.003 min
Response: 834479
Conc: 125.36 ng/ml



#43 AR-1268-3

R.T.: 0.000 min
Exp R.T. : 8.552 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :



#43 AR-1268-3

R.T.: 7.499 min
Delta R.T.: -0.001 min
Response: 38114
Conc: 6.88 ng/ml



#44 AR-1268-4

R.T.: 8.937 min
Delta R.T.: 0.000 min
Response: 213677
Conc: 90.61 ng/ml



#44 AR-1268-4

R.T.: 7.793 min
Delta R.T.: 0.000 min
Response: 218380
Conc: 89.75 ng/ml



#45 AR-1268-5

R.T.: 9.300 min
Delta R.T.: 0.000 min
Response: 76385
Conc: 4.29 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.060 min
Delta R.T.: -0.002 min
Response: 83070
Conc: 4.73 ng/ml