

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0030620\
 Data File : P0066996.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 06 Mar 2020 19:10
 Operator : DD\AJ
 Sample : L1804-01
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 20C093-20C006

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 07 03:14:17 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0030420.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Mar 04 13:48:03 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.118	3.401	1096399	970188	20.567	20.926
2)	SA Decachlor...	9.587	8.281	1129725	1063950	20.519	20.579
Target Compounds							
3)	L1 AR-1016-1	5.200	4.479	117635	13413	61.323	9.665 #
4)	L1 AR-1016-2	0.000	4.479	0	13413	N.D.	4.716 #
5)	L1 AR-1016-3	5.399	4.633	17241	10708	10.033	8.586
6)	L1 AR-1016-4	5.399	4.633	17241	10708	11.626	10.324
7)	L1 AR-1016-5	5.688	4.873	18686	10063	13.434	7.581 #
8)	L2 AR-1221-1	4.278	3.603	2593	9980	4.628	23.238 #
9)	L2 AR-1221-2	4.418	3.693	19041	13249	43.923	42.362
10)	L2 AR-1221-3	4.497	3.762	20584	6662	17.174	6.552 #
11)	L3 AR-1232-1	4.497	3.762	20584	6662	22.078	8.283 #
12)	L3 AR-1232-2	5.025	4.479	21292	13413	42.548	13.745 #
13)	L3 AR-1232-3	0.000	4.633	0	10708	N.D.	25.351 #
14)	L3 AR-1232-4	5.399	0.000	17241	0	36.019	N.D. #
15)	L3 AR-1232-5	0.000	4.873	0	10063	N.D.	23.080 #
16)	L4 AR-1242-1	5.200	4.479	117635	13413	100.816	15.871 #
17)	L4 AR-1242-2	0.000	4.479	0	13413	N.D.	7.741 #
18)	L4 AR-1242-3	5.399	4.633	17241	10708	15.980	13.454
19)	L4 AR-1242-4	5.399	0.000	17241	0	18.992	N.D. #
20)	L4 AR-1242-5	6.169	5.245	12559	27523	12.026	27.478 #
21)	L5 AR-1248-1	5.200	4.479	117635	13413	126.272	19.360 #
22)	L5 AR-1248-2	0.000	4.633	0	10708	N.D.	9.700 #
23)	L5 AR-1248-3	5.688	0.000	18686	0	12.397	N.D. #
24)	L5 AR-1248-4	6.134	4.873	52609	10063	28.914	7.158 #
25)	L5 AR-1248-5	6.169	5.245	12559	27523	7.136	19.962 #
26)	L6 AR-1254-1	6.108	5.245	48725	27523	26.351	12.201 #
27)	L6 AR-1254-2	6.328	5.403	21389	6755	7.072	3.425 #
28)	L6 AR-1254-3	6.684	5.781	70452	27283	22.620	8.510 #
29)	L6 AR-1254-4	6.968	6.043	11979	12204	4.705	6.895 #
30)	L6 AR-1254-5	7.378	6.419	37095	51423	13.777	17.119
31)	L7 AR-1260-1	6.844	5.909	10255	12076	3.660	4.603 #
32)	L7 AR-1260-2	7.092	6.092	26409	18458	6.401	5.661
33)	L7 AR-1260-3	7.453	6.245	16970	17110	4.750	5.677
34)	L7 AR-1260-4	7.670	6.710	30776	6341	9.561	2.412 #
35)	L7 AR-1260-5	7.985	6.955	31446	15024	4.490	2.444 #
36)	L8 AR-1262-1	7.453	6.419	16970	51423	3.940	35.203 #
37)	L8 AR-1262-2	7.985	6.955	31446	15024	4.696	2.728 #
38)	L8 AR-1262-3	8.273	7.235	20011	17450	4.676	7.538 #
39)	L8 AR-1262-4	8.348	7.294	29465	16017	8.779	3.629 #
40)	L8 AR-1262-5	0.000	7.748	0	3200	N.D.	1.683 #
41)	L9 AR-1268-1	8.273	7.235	20011	17450	2.297	2.482

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0030620\
 Data File : P0066996.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 06 Mar 2020 19:10
 Operator : DD\AJ
 Sample : L1804-01
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 20C093-20C006

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 07 03:14:17 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0030420.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Mar 04 13:48:03 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.348	7.294	29465	16017	3.943	2.407 #
43) L9	AR-1268-3	8.546	7.497	41460	15318	6.447	2.767 #
44) L9	AR-1268-4	0.000	7.748	0	3200	N.D.	1.391 #
45) L9	AR-1268-5	9.293	8.056	26275	43044	1.384	2.466 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0030620\
Data File : P0066996.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 06 Mar 2020 19:10
Operator : DD\AJ
Sample : L1804-01
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
20C093-20C006

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 07 03:14:17 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0030420.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Mar 04 13:48:03 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.118 min
Delta R.T.: 0.000 min
Response: 1096399
Conc: 20.57 ng/ml

Instrument :
ECD_O
ClientSampleId :
20C093-20C006




#1 Tetrachloro-m-xylene

R.T.: 3.401 min
Delta R.T.: 0.000 min
Response: 970188
Conc: 20.93 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.587 min
Delta R.T.: -0.002 min
Response: 1129725
Conc: 20.52 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.281 min
Delta R.T.: -0.002 min
Response: 1063950
Conc: 20.58 ng/ml



#3 AR-1016-1


R.T.: 5.200 min
Delta R.T.: -0.065 min
Response: 117635
Conc: 61.32 ng/ml

Instrument :
ECD_O
ClientSampleId :
20C093-20C006




#3 AR-1016-1

R.T.: 4.479 min
Delta R.T.: 0.025 min
Response: 13413
Conc: 9.66 ng/ml




#4 AR-1016-2

R.T.: 0.000 min
Exp R.T. : 5.287 min
Response: 0
Conc: N.D.



#4 AR-1016-2


R.T.: 4.479 min
Delta R.T.: 0.009 min
Response: 13413
Conc: 4.72 ng/ml



#5 AR-1016-3


R.T.: 5.399 min
Delta R.T.: 0.052 min
Response: 17241
Conc: 10.03 ng/ml

Instrument :
ECD_O
ClientSampleId :
20C093-20C006




#5 AR-1016-3

R.T.: 4.633 min
Delta R.T.: -0.010 min
Response: 10708
Conc: 8.59 ng/ml




#6 AR-1016-4

R.T.: 5.399 min
Delta R.T.: -0.046 min
Response: 17241
Conc: 11.63 ng/ml



#6 AR-1016-4


R.T.: 4.633 min
Delta R.T.: -0.051 min
Response: 10708
Conc: 10.32 ng/ml



#7 AR-1016-5


R.T.: 5.688 min
Delta R.T.: -0.047 min
Response: 18686
Conc: 13.43 ng/ml

Instrument :
ECD_O
ClientSampleId :
20C093-20C006




#7 AR-1016-5

R.T.: 4.873 min
Delta R.T.: -0.021 min
Response: 10063
Conc: 7.58 ng/ml




#8 AR-1221-1

R.T.: 4.278 min
Delta R.T.: -0.049 min
Response: 2593
Conc: 4.63 ng/ml



#8 AR-1221-1


R.T.: 3.603 min
Delta R.T.: -0.006 min
Response: 9980
Conc: 23.24 ng/ml



#9 AR-1221-2


R.T.: 4.418 min
Delta R.T.: 0.006 min
Response: 19041
Conc: 43.92 ng/ml

Instrument :
ECD_O
ClientSampleId :
20C093-20C006




#9 AR-1221-2

R.T.: 3.693 min
Delta R.T.: 0.000 min
Response: 13249
Conc: 42.36 ng/ml




#10 AR-1221-3

R.T.: 4.497 min
Delta R.T.: 0.011 min
Response: 20584
Conc: 17.17 ng/ml



#10 AR-1221-3


R.T.: 3.762 min
Delta R.T.: -0.003 min
Response: 6662
Conc: 6.55 ng/ml



#11 AR-1232-1


R.T.: 4.497 min
Delta R.T.: 0.011 min
Response: 20584
Conc: 22.08 ng/ml

Instrument :
ECD_O
ClientSampleId :
20C093-20C006




#11 AR-1232-1

R.T.: 3.762 min
Delta R.T.: -0.002 min
Response: 6662
Conc: 8.28 ng/ml




#12 AR-1232-2

R.T.: 5.025 min
Delta R.T.: 0.023 min
Response: 21292
Conc: 42.55 ng/ml



#12 AR-1232-2


R.T.: 4.479 min
Delta R.T.: 0.009 min
Response: 13413
Conc: 13.75 ng/ml



#13 AR-1232-3


R.T.: 0.000 min
Exp R.T.: 5.287 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
20C093-20C006




#13 AR-1232-3

R.T.: 4.633 min
Delta R.T.: -0.010 min
Response: 10708
Conc: 25.35 ng/ml




#14 AR-1232-4

R.T.: 5.399 min
Delta R.T.: -0.046 min
Response: 17241
Conc: 36.02 ng/ml



#14 AR-1232-4


R.T.: 0.000 min
Exp R.T.: 4.726 min
Response: 0
Conc: N.D.



#15 AR-1232-5


R.T.: 0.000 min
Exp R.T.: 5.534 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
20C093-20C006




#15 AR-1232-5

R.T.: 4.873 min
Delta R.T.: -0.021 min
Response: 10063
Conc: 23.08 ng/ml




#16 AR-1242-1

R.T.: 5.200 min
Delta R.T.: -0.066 min
Response: 117635
Conc: 100.82 ng/ml



#16 AR-1242-1


R.T.: 4.479 min
Delta R.T.: 0.025 min
Response: 13413
Conc: 15.87 ng/ml



#17 AR-1242-2


R.T.: 0.000 min
Exp R.T.: 5.288 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
20C093-20C006




#17 AR-1242-2

R.T.: 4.479 min
Delta R.T.: 0.009 min
Response: 13413
Conc: 7.74 ng/ml




#18 AR-1242-3

R.T.: 5.399 min
Delta R.T.: 0.051 min
Response: 17241
Conc: 15.98 ng/ml



#18 AR-1242-3


R.T.: 4.633 min
Delta R.T.: -0.010 min
Response: 10708
Conc: 13.45 ng/ml



#19 AR-1242-4


R.T.: 5.399 min
Delta R.T.: -0.046 min
Response: 17241
Conc: 18.99 ng/ml

Instrument :
ECD_O
ClientSampleId :
20C093-20C006




#19 AR-1242-4

R.T.: 0.000 min
Exp R.T. : 4.726 min
Response: 0
Conc: N.D.




#20 AR-1242-5

R.T.: 6.169 min
Delta R.T.: -0.002 min
Response: 12559
Conc: 12.03 ng/ml



#20 AR-1242-5


R.T.: 5.245 min
Delta R.T.: 0.005 min
Response: 27523
Conc: 27.48 ng/ml



#21 AR-1248-1


R.T.: 5.200 min
Delta R.T.: -0.066 min
Response: 117635
Conc: 126.27 ng/ml

Instrument :
ECD_O
ClientSampleId :
20C093-20C006




#21 AR-1248-1

R.T.: 4.479 min
Delta R.T.: 0.026 min
Response: 13413
Conc: 19.36 ng/ml




#22 AR-1248-2

R.T.: 0.000 min
Exp R.T. : 5.534 min
Response: 0
Conc: N.D.



#22 AR-1248-2


R.T.: 4.633 min
Delta R.T.: -0.051 min
Response: 10708
Conc: 9.70 ng/ml



#23 AR-1248-3


R.T.: 5.688 min
Delta R.T.: -0.046 min
Response: 18686
Conc: 12.40 ng/ml

Instrument :
ECD_O
ClientSampleId :
20C093-20C006




#23 AR-1248-3

R.T.: 0.000 min
Exp R.T. : 4.725 min
Response: 0
Conc: N.D.




#24 AR-1248-4

R.T.: 6.134 min
Delta R.T.: 0.002 min
Response: 52609
Conc: 28.91 ng/ml



#24 AR-1248-4


R.T.: 4.873 min
Delta R.T.: -0.020 min
Response: 10063
Conc: 7.16 ng/ml



#25 AR-1248-5


R.T.: 6.169 min
Delta R.T.: -0.001 min
Response: 12559
Conc: 7.14 ng/ml

Instrument :
ECD_O
ClientSampleId :
20C093-20C006




#25 AR-1248-5

R.T.: 5.245 min
Delta R.T.: -0.034 min
Response: 27523
Conc: 19.96 ng/ml




#26 AR-1254-1

R.T.: 6.108 min
Delta R.T.: 0.002 min
Response: 48725
Conc: 26.35 ng/ml



#26 AR-1254-1


R.T.: 5.245 min
Delta R.T.: 0.007 min
Response: 27523
Conc: 12.20 ng/ml



#27 AR-1254-2


R.T.: 6.328 min
Delta R.T.: 0.007 min
Response: 21389
Conc: 7.07 ng/ml

Instrument :
ECD_O
ClientSampleId :
20C093-20C006




#27 AR-1254-2

R.T.: 5.403 min
Delta R.T.: 0.018 min
Response: 6755
Conc: 3.43 ng/ml




#28 AR-1254-3

R.T.: 6.684 min
Delta R.T.: 0.000 min
Response: 70452
Conc: 22.62 ng/ml



#28 AR-1254-3


R.T.: 5.781 min
Delta R.T.: 0.000 min
Response: 27283
Conc: 8.51 ng/ml



#29 AR-1254-4


R.T.: 6.968 min
Delta R.T.: 0.000 min
Response: 11979
Conc: 4.71 ng/ml

Instrument :
ECD_O
ClientSampleId :
20C093-20C006




#29 AR-1254-4

R.T.: 6.043 min
Delta R.T.: 0.034 min
Response: 12204
Conc: 6.90 ng/ml




#30 AR-1254-5

R.T.: 7.378 min
Delta R.T.: -0.004 min
Response: 37095
Conc: 13.78 ng/ml



#30 AR-1254-5


R.T.: 6.419 min
Delta R.T.: -0.002 min
Response: 51423
Conc: 17.12 ng/ml



#31 AR-1260-1


R.T.: 6.844 min
Delta R.T.: 0.000 min
Response: 10255
Conc: 3.66 ng/ml

Instrument :
ECD_O
ClientSampleId :
20C093-20C006




#31 AR-1260-1

R.T.: 5.909 min
Delta R.T.: 0.000 min
Response: 12076
Conc: 4.60 ng/ml




#32 AR-1260-2

R.T.: 7.092 min
Delta R.T.: -0.009 min
Response: 26409
Conc: 6.40 ng/ml



#32 AR-1260-2


R.T.: 6.092 min
Delta R.T.: -0.005 min
Response: 18458
Conc: 5.66 ng/ml



#33 AR-1260-3


R.T.: 7.453 min
Delta R.T.: -0.002 min
Response: 16970
Conc: 4.75 ng/ml

Instrument :
ECD_O
ClientSampleId :
20C093-20C006




#33 AR-1260-3

R.T.: 6.245 min
Delta R.T.: -0.001 min
Response: 17110
Conc: 5.68 ng/ml




#34 AR-1260-4

R.T.: 7.670 min
Delta R.T.: -0.008 min
Response: 30776
Conc: 9.56 ng/ml



#34 AR-1260-4


R.T.: 6.710 min
Delta R.T.: -0.002 min
Response: 6341
Conc: 2.41 ng/ml



#35 AR-1260-5


R.T.: 7.985 min
Delta R.T.: 0.000 min
Response: 31446
Conc: 4.49 ng/ml

Instrument :
ECD_O
ClientSampleId :
20C093-20C006




#35 AR-1260-5

R.T.: 6.955 min
Delta R.T.: -0.002 min
Response: 15024
Conc: 2.44 ng/ml




#36 AR-1262-1

R.T.: 7.453 min
Delta R.T.: -0.001 min
Response: 16970
Conc: 3.94 ng/ml



#36 AR-1262-1


R.T.: 6.419 min
Delta R.T.: 0.000 min
Response: 51423
Conc: 35.20 ng/ml



#37 AR-1262-2


R.T.: 7.985 min
Delta R.T.: 0.001 min
Response: 31446
Conc: 4.70 ng/ml

Instrument :
ECD_O
ClientSampleId :
20C093-20C006




#37 AR-1262-2

R.T.: 6.955 min
Delta R.T.: -0.001 min
Response: 15024
Conc: 2.73 ng/ml




#38 AR-1262-3

R.T.: 8.273 min
Delta R.T.: 0.010 min
Response: 20011
Conc: 4.68 ng/ml



#38 AR-1262-3


R.T.: 7.235 min
Delta R.T.: 0.002 min
Response: 17450
Conc: 7.54 ng/ml



#39 AR-1262-4


R.T.: 8.348 min
Delta R.T.: 0.003 min
Response: 29465
Conc: 8.78 ng/ml

Instrument :
ECD_O
ClientSampleId :
20C093-20C006




#39 AR-1262-4

R.T.: 7.294 min
Delta R.T.: -0.003 min
Response: 16017
Conc: 3.63 ng/ml




#40 AR-1262-5

R.T.: 0.000 min
Exp R.T. : 8.934 min
Response: 0
Conc: N.D.



#40 AR-1262-5


R.T.: 7.748 min
Delta R.T.: -0.042 min
Response: 3200
Conc: 1.68 ng/ml



#41 AR-1268-1


R.T.: 8.273 min
Delta R.T.: 0.010 min
Response: 20011
Conc: 2.30 ng/ml

Instrument :
ECD_O
ClientSampleId :
20C093-20C006




#41 AR-1268-1

R.T.: 7.235 min
Delta R.T.: 0.002 min
Response: 17450
Conc: 2.48 ng/ml




#42 AR-1268-2

R.T.: 8.348 min
Delta R.T.: 0.000 min
Response: 29465
Conc: 3.94 ng/ml



#42 AR-1268-2


R.T.: 7.294 min
Delta R.T.: -0.005 min
Response: 16017
Conc: 2.41 ng/ml



#43 AR-1268-3


R.T.: 8.546 min
Delta R.T.: -0.003 min
Response: 41460
Conc: 6.45 ng/ml

Instrument :
ECD_O
ClientSampleId :
20C093-20C006




#43 AR-1268-3

R.T.: 7.497 min
Delta R.T.: 0.000 min
Response: 15318
Conc: 2.77 ng/ml




#44 AR-1268-4

R.T.: 0.000 min
Exp R.T. : 8.935 min
Response: 0
Conc: N.D.



#44 AR-1268-4


R.T.: 7.748 min
Delta R.T.: -0.043 min
Response: 3200
Conc: 1.39 ng/ml



#45 AR-1268-5

R.T.: 9.293 min
Delta R.T.: -0.004 min
Response: 26275
Conc: 1.38 ng/ml

Instrument :
ECD_O
ClientSampleId :
20C093-20C006



#45 AR-1268-5

R.T.: 8.056 min
Delta R.T.: -0.003 min
Response: 43044
Conc: 2.47 ng/ml