

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0030920\
 Data File : P0067006.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 09 Mar 2020 9:14
 Operator : DD\AJ
 Sample : L1366-10 2X
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 03-05-J

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 09 12:16:22 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0030420.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Mar 04 13:48:03 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.117	3.400	523685	459569	9.824	9.913
2)	SA Decachlor...	9.578	8.276	472556	486118	8.583	9.403
Target Compounds							
3)	L1 AR-1016-1	5.266	4.408	12116	48878	6.316	35.217 #
4)	L1 AR-1016-2	5.266	4.408	12116	48878	3.996	17.186 #
5)	L1 AR-1016-3	0.000	4.636	0	19525	N.D.	15.656 #
6)	L1 AR-1016-4	5.507	4.728	118150	135060	79.676	130.214 #
7)	L1 AR-1016-5	5.697	4.890	21485	4856	15.446	3.659 #
8)	L2 AR-1221-1	4.317	3.601	41781	10542	74.569	24.546 #
9)	L2 AR-1221-2	4.415	3.692	52048	11529	120.061	36.863 #
10)	L2 AR-1221-3	4.494	3.761	64719	14548	53.998	14.308 #
11)	L3 AR-1232-1	4.494	3.761	64719	14548	69.417	18.089 #
12)	L3 AR-1232-2	5.020	4.408	15971	48878	31.915	50.087 #
13)	L3 AR-1232-3	5.266	4.636	12116	19525	11.616	46.227 #
14)	L3 AR-1232-4	5.507	4.728	118150	135060	246.842	356.546 #
15)	L3 AR-1232-5	5.507	4.890	118150	4856	343.049	11.138 #
16)	L4 AR-1242-1	5.266	4.408	12116	48878	10.383	57.834 #
17)	L4 AR-1242-2	5.266	4.408	12116	48878	6.451	28.209 #
18)	L4 AR-1242-3	0.000	4.636	0	19525	N.D.	24.534 #
19)	L4 AR-1242-4	5.507	4.728	118150	135060	130.156	175.380 #
20)	L4 AR-1242-5	6.170	5.241	15145	28277	14.502	28.231 #
21)	L5 AR-1248-1	5.266	4.408	12116	48878	13.005	70.547 #
22)	L5 AR-1248-2	5.507	4.728	118150	135060	93.425	122.350 #
23)	L5 AR-1248-3	5.697	4.728	21485	135060	14.254	119.709 #
24)	L5 AR-1248-4	6.132	4.890	12786	4856	7.027	3.454 #
25)	L5 AR-1248-5	6.170	5.276	15145	4594	8.606	3.332 #
26)	L6 AR-1254-1	6.101	5.241	27872	28277	15.073	12.536
27)	L6 AR-1254-2	6.320	5.382	17167	8860	5.676	4.493
28)	L6 AR-1254-3	6.692	5.796	91625	148132	29.417	46.203 #
29)	L6 AR-1254-4	6.963	6.005	40132	24349	15.764	13.758
30)	L6 AR-1254-5	7.375	6.422	322921	2390606	119.936	795.843 #
31)	L7 AR-1260-1	6.836	5.905	17609	17038	6.285	6.494
32)	L7 AR-1260-2	7.091	6.095	288870	36912	70.018	11.322 #
33)	L7 AR-1260-3	7.399	6.224	1074174	62497	300.700	20.734 #
34)	L7 AR-1260-4	7.663	6.708	19364	8851	6.016	3.366 #
35)	L7 AR-1260-5	7.979	6.950	35745	22482	5.103	3.657 #
36)	L8 AR-1262-1	7.399	6.422	1074174	2390606	249.392	1636.570 #
37)	L8 AR-1262-2	7.979	6.950	35745	22482	5.338	4.083
38)	L8 AR-1262-3	8.309	7.233	17075	48190	3.990	20.816 #
39)	L8 AR-1262-4	8.309	7.290	17075	65602	5.088	14.864 #
40)	L8 AR-1262-5	8.918	7.792	46648	353434	22.338	185.890 #
41)	L9 AR-1268-1	8.309	7.233	17075	48190	1.960	6.855 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0030920\
 Data File : P0067006.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 09 Mar 2020 9:14
 Operator : DD\AJ
 Sample : L1366-10 2X
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 03-05-J

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 09 12:16:22 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0030420.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Mar 04 13:48:03 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.309	7.290	17075	65602	2.285	9.860 #
43) L9	AR-1268-3	8.557	7.472	19744	52255	3.070	9.440 #
44) L9	AR-1268-4	8.918	7.792	46648	353434	19.240	153.682 #
45) L9	AR-1268-5	9.334	8.050	32278	21480	1.700	1.231 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0030920\
Data File : P0067006.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 09 Mar 2020 9:14
Operator : DD\AJ
Sample : L1366-10 2X
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
03-05-J

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 09 12:16:22 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0030420.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Mar 04 13:48:03 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.117 min
Delta R.T.: -0.001 min
Response: 523685
Conc: 9.82 ng/ml

Instrument :
ECD_O
ClientSampleId :
03-05-J




#1 Tetrachloro-m-xylene

R.T.: 3.400 min
Delta R.T.: 0.000 min
Response: 459569
Conc: 9.91 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.578 min
Delta R.T.: -0.011 min
Response: 472556
Conc: 8.58 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.276 min
Delta R.T.: -0.007 min
Response: 486118
Conc: 9.40 ng/ml



#3 AR-1016-1


R.T.: 5.266 min
Delta R.T.: 0.000 min
Response: 12116
Conc: 6.32 ng/ml

Instrument :
ECD_O
ClientSampleId :
03-05-J




#3 AR-1016-1

R.T.: 4.408 min
Delta R.T.: -0.047 min
Response: 48878
Conc: 35.22 ng/ml




#4 AR-1016-2

R.T.: 5.266 min
Delta R.T.: -0.021 min
Response: 12116
Conc: 4.00 ng/ml



#4 AR-1016-2


R.T.: 4.408 min
Delta R.T.: -0.063 min
Response: 48878
Conc: 17.19 ng/ml



#5 AR-1016-3


R.T.: 0.000 min
Exp R.T.: 5.347 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
03-05-J




#5 AR-1016-3

R.T.: 4.636 min
Delta R.T.: -0.007 min
Response: 19525
Conc: 15.66 ng/ml




#6 AR-1016-4

R.T.: 5.507 min
Delta R.T.: 0.062 min
Response: 118150
Conc: 79.68 ng/ml



#6 AR-1016-4


R.T.: 4.728 min
Delta R.T.: 0.043 min
Response: 135060
Conc: 130.21 ng/ml



#7 AR-1016-5


R.T.: 5.697 min
Delta R.T.: -0.037 min
Response: 21485
Conc: 15.45 ng/ml

Instrument :
ECD_O
ClientSampleId :
03-05-J




#7 AR-1016-5

R.T.: 4.890 min
Delta R.T.: -0.004 min
Response: 4856
Conc: 3.66 ng/ml




#8 AR-1221-1

R.T.: 4.317 min
Delta R.T.: -0.009 min
Response: 41781
Conc: 74.57 ng/ml



#8 AR-1221-1


R.T.: 3.601 min
Delta R.T.: -0.007 min
Response: 10542
Conc: 24.55 ng/ml



#9 AR-1221-2


R.T.: 4.415 min
Delta R.T.: 0.004 min
Response: 52048
Conc: 120.06 ng/ml

Instrument :
ECD_O
ClientSampleId :
03-05-J




#9 AR-1221-2

R.T.: 3.692 min
Delta R.T.: 0.000 min
Response: 11529
Conc: 36.86 ng/ml




#10 AR-1221-3

R.T.: 4.494 min
Delta R.T.: 0.008 min
Response: 64719
Conc: 54.00 ng/ml



#10 AR-1221-3


R.T.: 3.761 min
Delta R.T.: -0.004 min
Response: 14548
Conc: 14.31 ng/ml



#11 AR-1232-1


R.T.: 4.494 min
Delta R.T.: 0.008 min
Response: 64719
Conc: 69.42 ng/ml

Instrument :
ECD_O
ClientSampleId :
03-05-J




#11 AR-1232-1

R.T.: 3.761 min
Delta R.T.: -0.004 min
Response: 14548
Conc: 18.09 ng/ml




#12 AR-1232-2

R.T.: 5.020 min
Delta R.T.: 0.018 min
Response: 15971
Conc: 31.92 ng/ml



#12 AR-1232-2


R.T.: 4.408 min
Delta R.T.: -0.063 min
Response: 48878
Conc: 50.09 ng/ml



#13 AR-1232-3


R.T.: 5.266 min
Delta R.T.: -0.021 min
Response: 12116
Conc: 11.62 ng/ml

Instrument :
ECD_O
ClientSampleId :
03-05-J




#13 AR-1232-3

R.T.: 4.636 min
Delta R.T.: -0.007 min
Response: 19525
Conc: 46.23 ng/ml




#14 AR-1232-4

R.T.: 5.507 min
Delta R.T.: 0.061 min
Response: 118150
Conc: 246.84 ng/ml



#14 AR-1232-4


R.T.: 4.728 min
Delta R.T.: 0.002 min
Response: 135060
Conc: 356.55 ng/ml



#15 AR-1232-5


R.T.: 5.507 min
Delta R.T.: -0.028 min
Response: 118150
Conc: 343.05 ng/ml

Instrument :
ECD_O
ClientSampleId :
03-05-J




#15 AR-1232-5

R.T.: 4.890 min
Delta R.T.: -0.005 min
Response: 4856
Conc: 11.14 ng/ml




#16 AR-1242-1

R.T.: 5.266 min
Delta R.T.: 0.000 min
Response: 12116
Conc: 10.38 ng/ml



#16 AR-1242-1


R.T.: 4.408 min
Delta R.T.: -0.046 min
Response: 48878
Conc: 57.83 ng/ml



#17 AR-1242-2


R.T.: 5.266 min
Delta R.T.: -0.022 min
Response: 12116
Conc: 6.45 ng/ml

Instrument :
ECD_O
ClientSampleId :
03-05-J




#17 AR-1242-2

R.T.: 4.408 min
Delta R.T.: -0.063 min
Response: 48878
Conc: 28.21 ng/ml




#18 AR-1242-3

R.T.: 0.000 min
Exp R.T. : 5.348 min
Response: 0
Conc: N.D.



#18 AR-1242-3


R.T.: 4.636 min
Delta R.T.: -0.007 min
Response: 19525
Conc: 24.53 ng/ml



#19 AR-1242-4


R.T.: 5.507 min
Delta R.T.: 0.061 min
Response: 118150
Conc: 130.16 ng/ml

Instrument :
ECD_O
ClientSampleId :
03-05-J




#19 AR-1242-4

R.T.: 4.728 min
Delta R.T.: 0.002 min
Response: 135060
Conc: 175.38 ng/ml




#20 AR-1242-5

R.T.: 6.170 min
Delta R.T.: -0.002 min
Response: 15145
Conc: 14.50 ng/ml



#20 AR-1242-5


R.T.: 5.241 min
Delta R.T.: 0.001 min
Response: 28277
Conc: 28.23 ng/ml



#21 AR-1248-1


R.T.: 5.266 min
Delta R.T.: 0.000 min
Response: 12116
Conc: 13.01 ng/ml

Instrument :
ECD_O
ClientSampleId :
03-05-J




#21 AR-1248-1

R.T.: 4.408 min
Delta R.T.: -0.046 min
Response: 48878
Conc: 70.55 ng/ml




#22 AR-1248-2

R.T.: 5.507 min
Delta R.T.: -0.028 min
Response: 118150
Conc: 93.42 ng/ml



#22 AR-1248-2


R.T.: 4.728 min
Delta R.T.: 0.043 min
Response: 135060
Conc: 122.35 ng/ml



#23 AR-1248-3


R.T.: 5.697 min
Delta R.T.: -0.037 min
Response: 21485
Conc: 14.25 ng/ml

Instrument :
ECD_O
ClientSampleId :
03-05-J




#23 AR-1248-3

R.T.: 4.728 min
Delta R.T.: 0.003 min
Response: 135060
Conc: 119.71 ng/ml




#24 AR-1248-4

R.T.: 6.132 min
Delta R.T.: 0.000 min
Response: 12786
Conc: 7.03 ng/ml



#24 AR-1248-4


R.T.: 4.890 min
Delta R.T.: -0.004 min
Response: 4856
Conc: 3.45 ng/ml



#25 AR-1248-5


R.T.: 6.170 min
Delta R.T.: 0.000 min
Response: 15145
Conc: 8.61 ng/ml

Instrument :
ECD_O
ClientSampleId :
03-05-J




#25 AR-1248-5

R.T.: 5.276 min
Delta R.T.: -0.003 min
Response: 4594
Conc: 3.33 ng/ml




#26 AR-1254-1

R.T.: 6.101 min
Delta R.T.: -0.004 min
Response: 27872
Conc: 15.07 ng/ml



#26 AR-1254-1


R.T.: 5.241 min
Delta R.T.: 0.002 min
Response: 28277
Conc: 12.54 ng/ml



#27 AR-1254-2


R.T.: 6.320 min
Delta R.T.: -0.001 min
Response: 17167
Conc: 5.68 ng/ml

Instrument :
ECD_O
ClientSampleId :
03-05-J




#27 AR-1254-2

R.T.: 5.382 min
Delta R.T.: -0.004 min
Response: 8860
Conc: 4.49 ng/ml




#28 AR-1254-3

R.T.: 6.692 min
Delta R.T.: 0.008 min
Response: 91625
Conc: 29.42 ng/ml



#28 AR-1254-3


R.T.: 5.796 min
Delta R.T.: 0.015 min
Response: 148132
Conc: 46.20 ng/ml



#29 AR-1254-4


R.T.: 6.963 min
Delta R.T.: -0.004 min
Response: 40132
Conc: 15.76 ng/ml

Instrument :
ECD_O
ClientSampleId :
03-05-J




#29 AR-1254-4

R.T.: 6.005 min
Delta R.T.: -0.004 min
Response: 24349
Conc: 13.76 ng/ml




#30 AR-1254-5

R.T.: 7.375 min
Delta R.T.: -0.006 min
Response: 322921
Conc: 119.94 ng/ml



#30 AR-1254-5


R.T.: 6.422 min
Delta R.T.: 0.001 min
Response: 2390606
Conc: 795.84 ng/ml



#31 AR-1260-1


R.T.: 6.836 min
Delta R.T.: -0.008 min
Response: 17609
Conc: 6.29 ng/ml

Instrument :
ECD_O
ClientSampleId :
03-05-J




#31 AR-1260-1

R.T.: 5.905 min
Delta R.T.: -0.004 min
Response: 17038
Conc: 6.49 ng/ml




#32 AR-1260-2

R.T.: 7.091 min
Delta R.T.: -0.009 min
Response: 288870
Conc: 70.02 ng/ml



#32 AR-1260-2


R.T.: 6.095 min
Delta R.T.: -0.002 min
Response: 36912
Conc: 11.32 ng/ml



#33 AR-1260-3


R.T.: 7.399 min
Delta R.T.: -0.056 min
Response: 1074174
Conc: 300.70 ng/ml

Instrument :
ECD_O
ClientSampleId :
03-05-J




#33 AR-1260-3

R.T.: 6.224 min
Delta R.T.: -0.022 min
Response: 62497
Conc: 20.73 ng/ml




#34 AR-1260-4

R.T.: 7.663 min
Delta R.T.: -0.016 min
Response: 19364
Conc: 6.02 ng/ml



#34 AR-1260-4


R.T.: 6.708 min
Delta R.T.: -0.004 min
Response: 8851
Conc: 3.37 ng/ml



#35 AR-1260-5


R.T.: 7.979 min
Delta R.T.: -0.006 min
Response: 35745
Conc: 5.10 ng/ml

Instrument :
ECD_O
ClientSampleId :
03-05-J




#35 AR-1260-5

R.T.: 6.950 min
Delta R.T.: -0.007 min
Response: 22482
Conc: 3.66 ng/ml




#36 AR-1262-1

R.T.: 7.399 min
Delta R.T.: -0.055 min
Response: 1074174
Conc: 249.39 ng/ml



#36 AR-1262-1


R.T.: 6.422 min
Delta R.T.: 0.003 min
Response: 2390606
Conc: 1636.57 ng/ml



#37 AR-1262-2


R.T.: 7.979 min
Delta R.T.: -0.005 min
Response: 35745
Conc: 5.34 ng/ml

Instrument :
ECD_O
ClientSampleId :
03-05-J




#37 AR-1262-2

R.T.: 6.950 min
Delta R.T.: -0.006 min
Response: 22482
Conc: 4.08 ng/ml




#38 AR-1262-3

R.T.: 8.309 min
Delta R.T.: 0.046 min
Response: 17075
Conc: 3.99 ng/ml



#38 AR-1262-3


R.T.: 7.233 min
Delta R.T.: 0.000 min
Response: 48190
Conc: 20.82 ng/ml



#39 AR-1262-4


R.T.: 8.309 min
Delta R.T.: -0.036 min
Response: 17075
Conc: 5.09 ng/ml

Instrument :
ECD_O
ClientSampleId :
03-05-J




#39 AR-1262-4

R.T.: 7.290 min
Delta R.T.: -0.007 min
Response: 65602
Conc: 14.86 ng/ml




#40 AR-1262-5

R.T.: 8.918 min
Delta R.T.: -0.016 min
Response: 46648
Conc: 22.34 ng/ml



#40 AR-1262-5


R.T.: 7.792 min
Delta R.T.: 0.002 min
Response: 353434
Conc: 185.89 ng/ml



#41 AR-1268-1


R.T.: 8.309 min
Delta R.T.: 0.047 min
Response: 17075
Conc: 1.96 ng/ml

Instrument :
ECD_O
ClientSampleId :
03-05-J




#41 AR-1268-1

R.T.: 7.233 min
Delta R.T.: 0.000 min
Response: 48190
Conc: 6.86 ng/ml




#42 AR-1268-2

R.T.: 8.309 min
Delta R.T.: -0.039 min
Response: 17075
Conc: 2.28 ng/ml



#42 AR-1268-2


R.T.: 7.290 min
Delta R.T.: -0.009 min
Response: 65602
Conc: 9.86 ng/ml



#43 AR-1268-3


R.T.: 8.557 min
Delta R.T.: 0.008 min
Response: 19744
Conc: 3.07 ng/ml

Instrument :
ECD_O
ClientSampleId :
03-05-J




#43 AR-1268-3

R.T.: 7.472 min
Delta R.T.: -0.026 min
Response: 52255
Conc: 9.44 ng/ml




#44 AR-1268-4

R.T.: 8.918 min
Delta R.T.: -0.017 min
Response: 46648
Conc: 19.24 ng/ml



#44 AR-1268-4


R.T.: 7.792 min
Delta R.T.: 0.001 min
Response: 353434
Conc: 153.68 ng/ml



#45 AR-1268-5

R.T.: 9.334 min
Delta R.T.: 0.037 min
Response: 32278
Conc: 1.70 ng/ml

Instrument :
ECD_O
ClientSampleId :
03-05-J



#45 AR-1268-5

R.T.: 8.050 min
Delta R.T.: -0.009 min
Response: 21480
Conc: 1.23 ng/ml