

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0031020\
 Data File : P0067085.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 10 Mar 2020 21:30
 Operator : DD\AJ
 Sample : L1852-07
 Misc :
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 TP-2-S

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 11 01:53:06 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0030420.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Mar 04 13:48:03 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.116	3.400	1045846	892843	19.619	19.258
2)	SA Decachlor...	9.577	8.276	1010801	918556	18.359	17.767
Target Compounds							
3)	L1 AR-1016-1	5.277	4.447	97333	19847	50.740	14.300 #
4)	L1 AR-1016-2	5.277	4.469	97333	30003	32.104	10.549 #
5)	L1 AR-1016-3	5.341	4.639	25940	16247	15.095	13.027
6)	L1 AR-1016-4	5.442	4.680	38234	19586	25.784	18.883 #
7)	L1 AR-1016-5	5.726	4.888	59276	30359	42.615	22.871 #
8)	L2 AR-1221-1	4.292	3.599	40795	5880	72.808	13.693 #
9)	L2 AR-1221-2	4.413	3.691	47685	15139	109.995	48.403 #
10)	L2 AR-1221-3	4.488	3.822	32373	320005	27.011	314.726 #
11)	L3 AR-1232-1	4.488	3.822	32373	320005	34.724	397.898 #
12)	L3 AR-1232-2	4.999	4.469	155187	30003	310.114	30.746 #
13)	L3 AR-1232-3	5.277	4.639	97333	16247	93.321	38.465 #
14)	L3 AR-1232-4	5.442	4.722	38234	13044	79.880	34.434 #
15)	L3 AR-1232-5	5.530	4.888	40032	30359	116.233	69.630 #
16)	L4 AR-1242-1	5.277	4.447	97333	19847	83.416	23.483 #
17)	L4 AR-1242-2	5.277	4.469	97333	30003	51.828	17.315 #
18)	L4 AR-1242-3	5.341	4.639	25940	16247	24.044	20.414
19)	L4 AR-1242-4	5.442	4.722	38234	13044	42.120	16.938 #
20)	L4 AR-1242-5	6.166	5.237	242324	187313	232.043	187.011
21)	L5 AR-1248-1	5.277	4.447	97333	19847	104.479	28.646 #
22)	L5 AR-1248-2	5.530	4.680	40032	19586	31.654	17.742 #
23)	L5 AR-1248-3	5.726	4.722	59276	13044	39.326	11.561 #
24)	L5 AR-1248-4	6.128	4.888	211838	30359	116.427	21.594 #
25)	L5 AR-1248-5	6.166	5.274	242324	74006	137.694	53.677 #
26)	L6 AR-1254-1	6.101	5.237	179180	187313	96.902	83.040
27)	L6 AR-1254-2	6.318	5.379	288984	59533	95.544	30.190 #
28)	L6 AR-1254-3	6.679	5.776	533519	515081	171.295	160.656
29)	L6 AR-1254-4	6.960	6.004	132113	63430	51.896	35.839 #
30)	L6 AR-1254-5	7.374	6.413	1105915	1608513	410.746	535.481 #
31)	L7 AR-1260-1	6.838	5.903	850780	661790	303.663	252.248
32)	L7 AR-1260-2	7.091	6.092	835590	430869	202.535	132.158 #
33)	L7 AR-1260-3	7.449	6.240	887359	538621	248.404	178.694 #
34)	L7 AR-1260-4	7.670	6.705	714726	631593	222.046	240.201
35)	L7 AR-1260-5	7.977	6.950	1831404	1486885	261.472	241.852
36)	L8 AR-1262-1	7.449	6.413	887359	1608513	206.019	1101.162 #
37)	L8 AR-1262-2	7.977	6.950	1831404	1486885	273.497	270.010
38)	L8 AR-1262-3	8.271	7.227	1138515	451859	266.022	195.186 #
39)	L8 AR-1262-4	8.339	7.290	293217	1178376	87.366	267.002 #
40)	L8 AR-1262-5	8.926	7.783	444158	468322	212.692	246.316
41)	L9 AR-1268-1	8.271	7.227	1138515	451859	130.658	64.279 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0031020\
 Data File : P0067085.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 10 Mar 2020 21:30
 Operator : DD\AJ
 Sample : L1852-07
 Misc :
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 TP-2-S

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 11 01:53:06 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0030420.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Mar 04 13:48:03 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.339	7.290	293217	1178376	39.237	177.110 #
43) L9	AR-1268-3	8.541	7.490	105348	178603	16.382	32.265 #
44) L9	AR-1268-4	8.926	7.783	444158	468322	183.195	203.638
45) L9	AR-1268-5	9.288	8.052	286044	312091	15.066	17.881



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0031020\
Data File : P0067085.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 10 Mar 2020 21:30
Operator : DD\AJ
Sample : L1852-07
Misc :
ALS Vial : 42 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
TP-2-S

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 11 01:53:06 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0030420.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Mar 04 13:48:03 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.116 min
Delta R.T.: -0.002 min
Response: 1045846
Conc: 19.62 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2-S




#1 Tetrachloro-m-xylene

R.T.: 3.400 min
Delta R.T.: 0.000 min
Response: 892843
Conc: 19.26 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.577 min
Delta R.T.: -0.012 min
Response: 1010801
Conc: 18.36 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.276 min
Delta R.T.: -0.007 min
Response: 918556
Conc: 17.77 ng/ml



#3 AR-1016-1


R.T.: 5.277 min
Delta R.T.: 0.011 min
Response: 97333
Conc: 50.74 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2-S




#3 AR-1016-1

R.T.: 4.447 min
Delta R.T.: -0.008 min
Response: 19847
Conc: 14.30 ng/ml




#4 AR-1016-2

R.T.: 5.277 min
Delta R.T.: -0.010 min
Response: 97333
Conc: 32.10 ng/ml



#4 AR-1016-2


R.T.: 4.469 min
Delta R.T.: -0.001 min
Response: 30003
Conc: 10.55 ng/ml



#5 AR-1016-3


R.T.: 5.341 min
Delta R.T.: -0.006 min
Response: 25940
Conc: 15.09 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2-S




#5 AR-1016-3

R.T.: 4.639 min
Delta R.T.: -0.004 min
Response: 16247
Conc: 13.03 ng/ml




#6 AR-1016-4

R.T.: 5.442 min
Delta R.T.: -0.003 min
Response: 38234
Conc: 25.78 ng/ml



#6 AR-1016-4


R.T.: 4.680 min
Delta R.T.: -0.005 min
Response: 19586
Conc: 18.88 ng/ml



#7 AR-1016-5


R.T.: 5.726 min
Delta R.T.: -0.009 min
Response: 59276
Conc: 42.61 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2-S




#7 AR-1016-5

R.T.: 4.888 min
Delta R.T.: -0.005 min
Response: 30359
Conc: 22.87 ng/ml




#8 AR-1221-1

R.T.: 4.292 min
Delta R.T.: -0.034 min
Response: 40795
Conc: 72.81 ng/ml



#8 AR-1221-1


R.T.: 3.599 min
Delta R.T.: -0.010 min
Response: 5880
Conc: 13.69 ng/ml



#9 AR-1221-2


R.T.: 4.413 min
Delta R.T.: 0.002 min
Response: 47685
Conc: 109.99 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2-S




#9 AR-1221-2

R.T.: 3.691 min
Delta R.T.: 0.000 min
Response: 15139
Conc: 48.40 ng/ml




#10 AR-1221-3

R.T.: 4.488 min
Delta R.T.: 0.002 min
Response: 32373
Conc: 27.01 ng/ml



#10 AR-1221-3


R.T.: 3.822 min
Delta R.T.: 0.057 min
Response: 320005
Conc: 314.73 ng/ml



#11 AR-1232-1


R.T.: 4.488 min
Delta R.T.: 0.002 min
Response: 32373
Conc: 34.72 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2-S




#11 AR-1232-1

R.T.: 3.822 min
Delta R.T.: 0.057 min
Response: 320005
Conc: 397.90 ng/ml




#12 AR-1232-2

R.T.: 4.999 min
Delta R.T.: -0.003 min
Response: 155187
Conc: 310.11 ng/ml



#12 AR-1232-2


R.T.: 4.469 min
Delta R.T.: -0.002 min
Response: 30003
Conc: 30.75 ng/ml



#13 AR-1232-3


R.T.: 5.277 min
Delta R.T.: -0.010 min
Response: 97333
Conc: 93.32 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2-S




#13 AR-1232-3

R.T.: 4.639 min
Delta R.T.: -0.004 min
Response: 16247
Conc: 38.46 ng/ml




#14 AR-1232-4

R.T.: 5.442 min
Delta R.T.: -0.003 min
Response: 38234
Conc: 79.88 ng/ml



#14 AR-1232-4


R.T.: 4.722 min
Delta R.T.: -0.003 min
Response: 13044
Conc: 34.43 ng/ml



#15 AR-1232-5


R.T.: 5.530 min
Delta R.T.: -0.004 min
Response: 40032
Conc: 116.23 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2-S




#15 AR-1232-5

R.T.: 4.888 min
Delta R.T.: -0.006 min
Response: 30359
Conc: 69.63 ng/ml




#16 AR-1242-1

R.T.: 5.277 min
Delta R.T.: 0.011 min
Response: 97333
Conc: 83.42 ng/ml



#16 AR-1242-1


R.T.: 4.447 min
Delta R.T.: -0.007 min
Response: 19847
Conc: 23.48 ng/ml



#17 AR-1242-2


R.T.: 5.277 min
Delta R.T.: -0.011 min
Response: 97333
Conc: 51.83 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2-S




#17 AR-1242-2

R.T.: 4.469 min
Delta R.T.: -0.002 min
Response: 30003
Conc: 17.32 ng/ml




#18 AR-1242-3

R.T.: 5.341 min
Delta R.T.: -0.007 min
Response: 25940
Conc: 24.04 ng/ml



#18 AR-1242-3


R.T.: 4.639 min
Delta R.T.: -0.004 min
Response: 16247
Conc: 20.41 ng/ml



#19 AR-1242-4


R.T.: 5.442 min
Delta R.T.: -0.003 min
Response: 38234
Conc: 42.12 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2-S




#19 AR-1242-4

R.T.: 4.722 min
Delta R.T.: -0.004 min
Response: 13044
Conc: 16.94 ng/ml




#20 AR-1242-5

R.T.: 6.166 min
Delta R.T.: -0.005 min
Response: 242324
Conc: 232.04 ng/ml



#20 AR-1242-5


R.T.: 5.237 min
Delta R.T.: -0.003 min
Response: 187313
Conc: 187.01 ng/ml



#21 AR-1248-1


R.T.: 5.277 min
Delta R.T.: 0.011 min
Response: 97333
Conc: 104.48 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2-S




#21 AR-1248-1

R.T.: 4.447 min
Delta R.T.: -0.007 min
Response: 19847
Conc: 28.65 ng/ml




#22 AR-1248-2

R.T.: 5.530 min
Delta R.T.: -0.004 min
Response: 40032
Conc: 31.65 ng/ml



#22 AR-1248-2


R.T.: 4.680 min
Delta R.T.: -0.005 min
Response: 19586
Conc: 17.74 ng/ml



#23 AR-1248-3


R.T.: 5.726 min
Delta R.T.: -0.008 min
Response: 59276
Conc: 39.33 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2-S




#23 AR-1248-3

R.T.: 4.722 min
Delta R.T.: -0.003 min
Response: 13044
Conc: 11.56 ng/ml




#24 AR-1248-4

R.T.: 6.128 min
Delta R.T.: -0.005 min
Response: 211838
Conc: 116.43 ng/ml



#24 AR-1248-4


R.T.: 4.888 min
Delta R.T.: -0.005 min
Response: 30359
Conc: 21.59 ng/ml



#25 AR-1248-5


R.T.: 6.166 min
Delta R.T.: -0.004 min
Response: 242324
Conc: 137.69 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2-S




#25 AR-1248-5

R.T.: 5.274 min
Delta R.T.: -0.005 min
Response: 74006
Conc: 53.68 ng/ml




#26 AR-1254-1

R.T.: 6.101 min
Delta R.T.: -0.004 min
Response: 179180
Conc: 96.90 ng/ml



#26 AR-1254-1


R.T.: 5.237 min
Delta R.T.: -0.002 min
Response: 187313
Conc: 83.04 ng/ml



#27 AR-1254-2


R.T.: 6.318 min
Delta R.T.: -0.003 min
Response: 288984
Conc: 95.54 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2-S




#27 AR-1254-2

R.T.: 5.379 min
Delta R.T.: -0.006 min
Response: 59533
Conc: 30.19 ng/ml




#28 AR-1254-3

R.T.: 6.679 min
Delta R.T.: -0.005 min
Response: 533519
Conc: 171.29 ng/ml



#28 AR-1254-3


R.T.: 5.776 min
Delta R.T.: -0.005 min
Response: 515081
Conc: 160.66 ng/ml



#29 AR-1254-4


R.T.: 6.960 min
Delta R.T.: -0.008 min
Response: 132113
Conc: 51.90 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2-S




#29 AR-1254-4

R.T.: 6.004 min
Delta R.T.: -0.005 min
Response: 63430
Conc: 35.84 ng/ml




#30 AR-1254-5

R.T.: 7.374 min
Delta R.T.: -0.008 min
Response: 1105915
Conc: 410.75 ng/ml



#30 AR-1254-5


R.T.: 6.413 min
Delta R.T.: -0.007 min
Response: 1608513
Conc: 535.48 ng/ml



#31 AR-1260-1


R.T.: 6.838 min
Delta R.T.: -0.007 min
Response: 850780
Conc: 303.66 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2-S




#31 AR-1260-1

R.T.: 5.903 min
Delta R.T.: -0.006 min
Response: 661790
Conc: 252.25 ng/ml




#32 AR-1260-2

R.T.: 7.091 min
Delta R.T.: -0.010 min
Response: 835590
Conc: 202.54 ng/ml



#32 AR-1260-2


R.T.: 6.092 min
Delta R.T.: -0.006 min
Response: 430869
Conc: 132.16 ng/ml



#33 AR-1260-3


R.T.: 7.449 min
Delta R.T.: -0.006 min
Response: 887359
Conc: 248.40 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2-S




#33 AR-1260-3

R.T.: 6.240 min
Delta R.T.: -0.006 min
Response: 538621
Conc: 178.69 ng/ml




#34 AR-1260-4

R.T.: 7.670 min
Delta R.T.: -0.008 min
Response: 714726
Conc: 222.05 ng/ml



#34 AR-1260-4


R.T.: 6.705 min
Delta R.T.: -0.006 min
Response: 631593
Conc: 240.20 ng/ml



#35 AR-1260-5


R.T.: 7.977 min
Delta R.T.: -0.008 min
Response: 1831404
Conc: 261.47 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2-S




#35 AR-1260-5

R.T.: 6.950 min
Delta R.T.: -0.006 min
Response: 1486885
Conc: 241.85 ng/ml




#36 AR-1262-1

R.T.: 7.449 min
Delta R.T.: -0.006 min
Response: 887359
Conc: 206.02 ng/ml



#36 AR-1262-1


R.T.: 6.413 min
Delta R.T.: -0.005 min
Response: 1608513
Conc: 1101.16 ng/ml



#37 AR-1262-2


R.T.: 7.977 min
Delta R.T.: -0.007 min
Response: 1831404
Conc: 273.50 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2-S




#37 AR-1262-2

R.T.: 6.950 min
Delta R.T.: -0.006 min
Response: 1486885
Conc: 270.01 ng/ml




#38 AR-1262-3

R.T.: 8.271 min
Delta R.T.: 0.008 min
Response: 1138515
Conc: 266.02 ng/ml



#38 AR-1262-3


R.T.: 7.227 min
Delta R.T.: -0.006 min
Response: 451859
Conc: 195.19 ng/ml



#39 AR-1262-4


R.T.: 8.339 min
Delta R.T.: -0.007 min
Response: 293217
Conc: 87.37 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2-S




#39 AR-1262-4

R.T.: 7.290 min
Delta R.T.: -0.007 min
Response: 1178376
Conc: 267.00 ng/ml




#40 AR-1262-5

R.T.: 8.926 min
Delta R.T.: -0.008 min
Response: 444158
Conc: 212.69 ng/ml



#40 AR-1262-5


R.T.: 7.783 min
Delta R.T.: -0.007 min
Response: 468322
Conc: 246.32 ng/ml



#41 AR-1268-1


R.T.: 8.271 min
Delta R.T.: 0.009 min
Response: 1138515
Conc: 130.66 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2-S




#41 AR-1268-1

R.T.: 7.227 min
Delta R.T.: -0.006 min
Response: 451859
Conc: 64.28 ng/ml




#42 AR-1268-2

R.T.: 8.339 min
Delta R.T.: -0.009 min
Response: 293217
Conc: 39.24 ng/ml



#42 AR-1268-2


R.T.: 7.290 min
Delta R.T.: -0.009 min
Response: 1178376
Conc: 177.11 ng/ml



#43 AR-1268-3


R.T.: 8.541 min
Delta R.T.: -0.008 min
Response: 105348
Conc: 16.38 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2-S




#43 AR-1268-3

R.T.: 7.490 min
Delta R.T.: -0.007 min
Response: 178603
Conc: 32.27 ng/ml




#44 AR-1268-4

R.T.: 8.926 min
Delta R.T.: -0.009 min
Response: 444158
Conc: 183.19 ng/ml



#44 AR-1268-4


R.T.: 7.783 min
Delta R.T.: -0.008 min
Response: 468322
Conc: 203.64 ng/ml



#45 AR-1268-5

R.T.: 9.288 min
Delta R.T.: -0.010 min
Response: 286044
Conc: 15.07 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2-S



#45 AR-1268-5

R.T.: 8.052 min
Delta R.T.: -0.007 min
Response: 312091
Conc: 17.88 ng/ml