

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\P0032619\
 Data File : P0054641.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 26 Mar 2019 15:47
 Operator : SM/SJ
 Sample : PB117990BS
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 26 16:10:58 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\P0032519.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Mon Mar 25 17:22:26 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.302	3.620	800410	722048	23.063	22.626
2)	SA Decachlor...	9.922	8.601	1118834	793621	22.696	24.919
Target Compounds							
3)	L1 AR-1016-1	5.464	4.699	418653	354466	232.659	224.148
4)	L1 AR-1016-2	5.487	4.719	586569	488415	236.170	227.940
5)	L1 AR-1016-3	5.548	4.894	382865	275784	243.359	228.256
6)	L1 AR-1016-4	5.645	4.934	317760	234780	243.853	232.332
7)	L1 AR-1016-5	5.938	5.147	327958	311798	245.798	239.219
8)	L2 AR-1221-1	4.505	3.832	30287	31982	69.376	82.260
9)	L2 AR-1221-2	4.597	3.918	51300	46207	151.274	154.131
10)	L2 AR-1221-3	4.673	3.994	191951	160267	184.786	173.867
11)	L3 AR-1232-1	4.673	3.994	191951	160267	222.949	213.720
12)	L3 AR-1232-2	5.198	4.719	287929	488415	588.646	567.196
13)	L3 AR-1232-3	5.487	4.894	586569	275784	600.192	569.139
14)	L3 AR-1232-4	5.645	4.975	317760	286375	620.802	651.739
15)	L3 AR-1232-5	5.735	5.147	296466	311798	712.663	641.085
16)	L4 AR-1242-1	5.464	4.699	418653	354466	301.343	288.721
17)	L4 AR-1242-2	5.487	4.719	586569	488415	306.548	294.719
18)	L4 AR-1242-3	5.548	4.894	382865	275784	308.898	291.118
19)	L4 AR-1242-4	5.645	4.975	317760	286375	311.667	299.632
20)	L4 AR-1242-5	6.378	5.497	52923	257842	43.840	209.646 #
21)	L5 AR-1248-1	5.464	4.699	418653	354466	418.788	403.823
22)	L5 AR-1248-2	5.735	4.934	296466	234780	204.135	194.266
23)	L5 AR-1248-3	5.938	4.975	327958	286375	205.338	229.505
24)	L5 AR-1248-4	6.340	5.147	56203	311798	29.918	204.729 #
25)	L5 AR-1248-5	6.378	5.538	52923	44416	29.519	29.792
26)	L6 AR-1254-1	6.313	5.497	273894	257842	151.057	117.980
27)	L6 AR-1254-2	6.530	5.643	295714	250440	103.587	129.162
28)	L6 AR-1254-3	6.896	6.061	190275	449288	60.506	140.153 #
29)	L6 AR-1254-4	7.179	6.274	111871	47230	45.729	24.122 #
30)	L6 AR-1254-5	7.596	6.688	974669	804938	363.641	280.007
31)	L7 AR-1260-1	7.058	6.175	685735	612378	272.914	266.475
32)	L7 AR-1260-2	7.314	6.362	812498	733856	261.798	266.589
33)	L7 AR-1260-3	7.672	6.516	540405	689668	220.181	267.531
34)	L7 AR-1260-4	7.897	6.986	651810	500983	235.650	235.406
35)	L7 AR-1260-5	8.206	7.225	1160906	1049523	209.225	219.140
36)	L8 AR-1262-1	7.672	6.727	540405	549008	162.183	184.543
37)	L8 AR-1262-2	8.206	7.225	1160906	1049523	195.953	214.138
38)	L8 AR-1262-3	8.519	7.508	773705	238464	186.759	116.128 #
39)	L8 AR-1262-4	8.571	7.571	429012	771971	133.152	213.126 #
40)	L8 AR-1262-5	9.214	8.063	276413	226104	126.431	140.099
41)	L9 AR-1268-1	8.519	7.508	773705	238464	108.705	42.175 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0032619\
 Data File : P0054641.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 26 Mar 2019 15:47
 Operator : SM/SJ
 Sample : PB117990BS
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 26 16:10:58 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0032519.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Mon Mar 25 17:22:26 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.571	7.571	429012	771971	65.478	149.272 #
43) L9	AR-1268-3	8.808	7.780	27005	24071	4.957	5.593
44) L9	AR-1268-4	9.214	8.063	276413	226104	115.858	121.964
45) L9	AR-1268-5	9.605	8.349	97991	79404	5.948	6.976



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0032619\
Data File : P0054641.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 26 Mar 2019 15:47
Operator : SM/SJ
Sample : PB117990BS
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampled :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 26 16:10:58 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0032519.M
Quant Title : GC EXTRACTABLES
QLast Update : Mon Mar 25 17:22:26 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.302 min
Delta R.T.: 0.000 min
Response: 800410
Conc: 23.06 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.620 min
Delta R.T.: -0.001 min
Response: 722048
Conc: 22.63 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.922 min
Delta R.T.: 0.000 min
Response: 1118834
Conc: 22.70 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.601 min
Delta R.T.: -0.003 min
Response: 793621
Conc: 24.92 ng/ml



#3 AR-1016-1


R.T.: 5.464 min
Delta R.T.: -0.001 min
Response: 418653
Conc: 232.66 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.699 min
Delta R.T.: -0.002 min
Response: 354466
Conc: 224.15 ng/ml




#4 AR-1016-2

R.T.: 5.487 min
Delta R.T.: 0.000 min
Response: 586569
Conc: 236.17 ng/ml



#4 AR-1016-2


R.T.: 4.719 min
Delta R.T.: -0.002 min
Response: 488415
Conc: 227.94 ng/ml



#5 AR-1016-3


R.T.: 5.548 min
Delta R.T.: 0.000 min
Response: 382865
Conc: 243.36 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.894 min
Delta R.T.: -0.002 min
Response: 275784
Conc: 228.26 ng/ml




#6 AR-1016-4

R.T.: 5.645 min
Delta R.T.: -0.002 min
Response: 317760
Conc: 243.85 ng/ml



#6 AR-1016-4


R.T.: 4.934 min
Delta R.T.: -0.002 min
Response: 234780
Conc: 232.33 ng/ml



#7 AR-1016-5


R.T.: 5.938 min
Delta R.T.: -0.002 min
Response: 327958
Conc: 245.80 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.147 min
Delta R.T.: -0.002 min
Response: 311798
Conc: 239.22 ng/ml




#8 AR-1221-1

R.T.: 4.505 min
Delta R.T.: -0.007 min
Response: 30287
Conc: 69.38 ng/ml



#8 AR-1221-1


R.T.: 3.832 min
Delta R.T.: -0.003 min
Response: 31982
Conc: 82.26 ng/ml



#9 AR-1221-2


R.T.: 4.597 min
Delta R.T.: 0.000 min
Response: 51300
Conc: 151.27 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.918 min
Delta R.T.: -0.002 min
Response: 46207
Conc: 154.13 ng/ml




#10 AR-1221-3

R.T.: 4.673 min
Delta R.T.: 0.000 min
Response: 191951
Conc: 184.79 ng/ml



#10 AR-1221-3


R.T.: 3.994 min
Delta R.T.: -0.002 min
Response: 160267
Conc: 173.87 ng/ml



#11 AR-1232-1


R.T.: 4.673 min
Delta R.T.: -0.002 min
Response: 191951
Conc: 222.95 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 3.994 min
Delta R.T.: -0.003 min
Response: 160267
Conc: 213.72 ng/ml




#12 AR-1232-2

R.T.: 5.198 min
Delta R.T.: -0.002 min
Response: 287929
Conc: 588.65 ng/ml



#12 AR-1232-2


R.T.: 4.719 min
Delta R.T.: -0.002 min
Response: 488415
Conc: 567.20 ng/ml



#13 AR-1232-3


R.T.: 5.487 min
Delta R.T.: -0.002 min
Response: 586569
Conc: 600.19 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.894 min
Delta R.T.: -0.003 min
Response: 275784
Conc: 569.14 ng/ml




#14 AR-1232-4

R.T.: 5.645 min
Delta R.T.: -0.003 min
Response: 317760
Conc: 620.80 ng/ml



#14 AR-1232-4


R.T.: 4.975 min
Delta R.T.: -0.003 min
Response: 286375
Conc: 651.74 ng/ml



#15 AR-1232-5


R.T.: 5.735 min
Delta R.T.: -0.003 min
Response: 296466
Conc: 712.66 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.147 min
Delta R.T.: -0.003 min
Response: 311798
Conc: 641.08 ng/ml




#16 AR-1242-1

R.T.: 5.464 min
Delta R.T.: -0.001 min
Response: 418653
Conc: 301.34 ng/ml



#16 AR-1242-1


R.T.: 4.699 min
Delta R.T.: -0.003 min
Response: 354466
Conc: 288.72 ng/ml



#17 AR-1242-2


R.T.: 5.487 min
Delta R.T.: 0.000 min
Response: 586569
Conc: 306.55 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.719 min
Delta R.T.: -0.002 min
Response: 488415
Conc: 294.72 ng/ml




#18 AR-1242-3

R.T.: 5.548 min
Delta R.T.: -0.001 min
Response: 382865
Conc: 308.90 ng/ml



#18 AR-1242-3


R.T.: 4.894 min
Delta R.T.: -0.002 min
Response: 275784
Conc: 291.12 ng/ml



#19 AR-1242-4


R.T.: 5.645 min
Delta R.T.: -0.002 min
Response: 317760
Conc: 311.67 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 4.975 min
Delta R.T.: -0.002 min
Response: 286375
Conc: 299.63 ng/ml




#20 AR-1242-5

R.T.: 6.378 min
Delta R.T.: -0.001 min
Response: 52923
Conc: 43.84 ng/ml



#20 AR-1242-5


R.T.: 5.497 min
Delta R.T.: -0.001 min
Response: 257842
Conc: 209.65 ng/ml



#21 AR-1248-1


R.T.: 5.464 min
Delta R.T.: -0.002 min
Response: 418653
Conc: 418.79 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.699 min
Delta R.T.: -0.003 min
Response: 354466
Conc: 403.82 ng/ml




#22 AR-1248-2

R.T.: 5.735 min
Delta R.T.: -0.002 min
Response: 296466
Conc: 204.13 ng/ml



#22 AR-1248-2


R.T.: 4.934 min
Delta R.T.: -0.003 min
Response: 234780
Conc: 194.27 ng/ml



#23 AR-1248-3


R.T.: 5.938 min
Delta R.T.: -0.002 min
Response: 327958
Conc: 205.34 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 4.975 min
Delta R.T.: -0.002 min
Response: 286375
Conc: 229.51 ng/ml




#24 AR-1248-4

R.T.: 6.340 min
Delta R.T.: -0.003 min
Response: 56203
Conc: 29.92 ng/ml



#24 AR-1248-4


R.T.: 5.147 min
Delta R.T.: -0.003 min
Response: 311798
Conc: 204.73 ng/ml



#25 AR-1248-5


R.T.: 6.378 min
Delta R.T.: -0.002 min
Response: 52923
Conc: 29.52 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.538 min
Delta R.T.: -0.002 min
Response: 44416
Conc: 29.79 ng/ml




#26 AR-1254-1

R.T.: 6.313 min
Delta R.T.: -0.001 min
Response: 273894
Conc: 151.06 ng/ml



#26 AR-1254-1


R.T.: 5.497 min
Delta R.T.: -0.003 min
Response: 257842
Conc: 117.98 ng/ml



#27 AR-1254-2


R.T.: 6.530 min
Delta R.T.: -0.003 min
Response: 295714
Conc: 103.59 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.643 min
Delta R.T.: -0.003 min
Response: 250440
Conc: 129.16 ng/ml




#28 AR-1254-3

R.T.: 6.896 min
Delta R.T.: -0.001 min
Response: 190275
Conc: 60.51 ng/ml



#28 AR-1254-3


R.T.: 6.061 min
Delta R.T.: 0.012 min
Response: 449288
Conc: 140.15 ng/ml



#29 AR-1254-4


R.T.: 7.179 min
Delta R.T.: -0.003 min
Response: 111871
Conc: 45.73 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.274 min
Delta R.T.: -0.002 min
Response: 47230
Conc: 24.12 ng/ml




#30 AR-1254-5

R.T.: 7.596 min
Delta R.T.: -0.004 min
Response: 974669
Conc: 363.64 ng/ml



#30 AR-1254-5


R.T.: 6.688 min
Delta R.T.: -0.004 min
Response: 804938
Conc: 280.01 ng/ml



#31 AR-1260-1


R.T.: 7.058 min
Delta R.T.: -0.001 min
Response: 685735
Conc: 272.91 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.175 min
Delta R.T.: -0.002 min
Response: 612378
Conc: 266.47 ng/ml




#32 AR-1260-2

R.T.: 7.314 min
Delta R.T.: -0.002 min
Response: 812498
Conc: 261.80 ng/ml



#32 AR-1260-2


R.T.: 6.362 min
Delta R.T.: -0.002 min
Response: 733856
Conc: 266.59 ng/ml



#33 AR-1260-3


R.T.: 7.672 min
Delta R.T.: -0.002 min
Response: 540405
Conc: 220.18 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.516 min
Delta R.T.: -0.002 min
Response: 689668
Conc: 267.53 ng/ml




#34 AR-1260-4

R.T.: 7.897 min
Delta R.T.: 0.000 min
Response: 651810
Conc: 235.65 ng/ml



#34 AR-1260-4


R.T.: 6.986 min
Delta R.T.: -0.001 min
Response: 500983
Conc: 235.41 ng/ml



#35 AR-1260-5


R.T.: 8.206 min
Delta R.T.: 0.000 min
Response: 1160906
Conc: 209.22 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.225 min
Delta R.T.: -0.002 min
Response: 1049523
Conc: 219.14 ng/ml




#36 AR-1262-1

R.T.: 7.672 min
Delta R.T.: -0.003 min
Response: 540405
Conc: 162.18 ng/ml



#36 AR-1262-1


R.T.: 6.727 min
Delta R.T.: -0.003 min
Response: 549008
Conc: 184.54 ng/ml



#37 AR-1262-2


R.T.: 8.206 min
Delta R.T.: -0.002 min
Response: 1160906
Conc: 195.95 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 7.225 min
Delta R.T.: -0.004 min
Response: 1049523
Conc: 214.14 ng/ml




#38 AR-1262-3

R.T.: 8.519 min
Delta R.T.: 0.012 min
Response: 773705
Conc: 186.76 ng/ml



#38 AR-1262-3


R.T.: 7.508 min
Delta R.T.: -0.003 min
Response: 238464
Conc: 116.13 ng/ml



#39 AR-1262-4


R.T.: 8.571 min
Delta R.T.: -0.022 min
Response: 429012
Conc: 133.15 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.571 min
Delta R.T.: -0.004 min
Response: 771971
Conc: 213.13 ng/ml




#40 AR-1262-5

R.T.: 9.214 min
Delta R.T.: -0.004 min
Response: 276413
Conc: 126.43 ng/ml



#40 AR-1262-5


R.T.: 8.063 min
Delta R.T.: -0.004 min
Response: 226104
Conc: 140.10 ng/ml



#41 AR-1268-1


R.T.: 8.519 min
Delta R.T.: 0.015 min
Response: 773705
Conc: 108.70 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.508 min
Delta R.T.: -0.003 min
Response: 238464
Conc: 42.17 ng/ml




#42 AR-1268-2

R.T.: 8.571 min
Delta R.T.: -0.024 min
Response: 429012
Conc: 65.48 ng/ml



#42 AR-1268-2


R.T.: 7.571 min
Delta R.T.: -0.004 min
Response: 771971
Conc: 149.27 ng/ml



#43 AR-1268-3


R.T.: 8.808 min
Delta R.T.: -0.002 min
Response: 27005
Conc: 4.96 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.780 min
Delta R.T.: -0.003 min
Response: 24071
Conc: 5.59 ng/ml




#44 AR-1268-4

R.T.: 9.214 min
Delta R.T.: -0.003 min
Response: 276413
Conc: 115.86 ng/ml



#44 AR-1268-4


R.T.: 8.063 min
Delta R.T.: -0.003 min
Response: 226104
Conc: 121.96 ng/ml



#45 AR-1268-5

R.T.: 9.605 min
Delta R.T.: -0.003 min
Response: 97991
Conc: 5.95 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.349 min
Delta R.T.: -0.003 min
Response: 79404
Conc: 6.98 ng/ml