

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0041719\
 Data File : P0055405.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 17 Apr 2019 19:12
 Operator : SM/SJ
 Sample : K2434-01
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 RO-288

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 18 00:56:23 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0032519.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Mon Mar 25 17:22:26 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.293	3.604	455072	480961	13.113	15.071
2)	SA Decachlor...	9.906	8.568	430455	302576	8.732	9.501
Target Compounds							
3)	L1 AR-1016-1	5.478	0.000	6259	0	3.478	N.D. #
4)	L1 AR-1016-2	5.478	4.786	6259	8390	2.520	3.916 #
5)	L1 AR-1016-3	5.610	4.913	15556	8783	9.888	7.269 #
6)	L1 AR-1016-4	5.610	4.952	15556	154	11.938	0.153 #
7)	L1 AR-1016-5	5.968	0.000	1851	0	1.387	N.D. #
8)	L2 AR-1221-1	0.000	3.903	0	8298	N.D.	21.344 #
9)	L2 AR-1221-2	0.000	3.903	0	8298	N.D.	27.680 #
10)	L2 AR-1221-3	0.000	4.019	0	68998	N.D.	74.853 #
11)	L3 AR-1232-1	0.000	4.019	0	68998	N.D.	92.010 #
12)	L3 AR-1232-2	5.143	4.786	13171	8390	26.926	9.744 #
13)	L3 AR-1232-3	5.478	4.913	6259	8783	6.405	18.125 #
14)	L3 AR-1232-4	5.610	4.952	15556	154	30.391	0.351 #
15)	L3 AR-1232-5	5.723	5.219	17763	6346	42.701	13.047 #
16)	L4 AR-1242-1	5.478	0.000	6259	0	4.505	N.D. #
17)	L4 AR-1242-2	5.478	4.786	6259	8390	3.271	5.063 #
18)	L4 AR-1242-3	5.610	4.913	15556	8783	12.551	9.271 #
19)	L4 AR-1242-4	5.610	4.952	15556	154	15.258	0.162 #
20)	L4 AR-1242-5	6.360	5.502	87193	32187	72.230	26.171 #
21)	L5 AR-1248-1	5.478	0.000	6259	0	6.261	N.D. #
22)	L5 AR-1248-2	5.723	4.952	17763	154	12.231	0.128 #
23)	L5 AR-1248-3	5.968	4.952	1851	154	1.159	0.124 #
24)	L5 AR-1248-4	6.338	5.219	119531	6346	63.630	4.167 #
25)	L5 AR-1248-5	6.360	5.502	87193	32187	48.635	21.590 #
26)	L6 AR-1254-1	6.305	5.502	289350	32187	159.581	14.728 #
27)	L6 AR-1254-2	6.522	5.646	38714	19978	13.561	10.304
28)	L6 AR-1254-3	6.888	6.023	81021	80891	25.764	25.233
29)	L6 AR-1254-4	7.169	6.250	71830	18550	29.362	9.474 #
30)	L6 AR-1254-5	7.587	6.704	57959	6661	21.624	2.317 #
31)	L7 AR-1260-1	7.048	6.151	30375	46288	12.089	20.142 #
32)	L7 AR-1260-2	7.301	6.375	59290	18347	19.104	6.665 #
33)	L7 AR-1260-3	7.663	6.490	8755	28366	3.567	11.003 #
34)	L7 AR-1260-4	7.882	6.992	31625	120784	11.433	56.755 #
35)	L7 AR-1260-5	8.193	7.199	54691	90425	9.857	18.881 #
36)	L8 AR-1262-1	7.663	6.728	8755	14548	2.627	4.890 #
37)	L8 AR-1262-2	8.193	7.199	54691	90425	9.231	18.450 #
38)	L8 AR-1262-3	8.494	7.513	26871	43120	6.486	20.999 #
39)	L8 AR-1262-4	0.000	7.552	0	753504	N.D.	208.028 #
40)	L8 AR-1262-5	0.000	7.998	0	12262	N.D.	7.598 #
41)	L9 AR-1268-1	8.494	7.513	26871	43120	3.775	7.626 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0041719\
 Data File : P0055405.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 17 Apr 2019 19:12
 Operator : SM/SJ
 Sample : K2434-01
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 RO-288

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 18 00:56:23 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0032519.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Mon Mar 25 17:22:26 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	0.000	7.552	0	753504	N.D.	145.701 #
43) L9	AR-1268-3	8.822	7.752	1578779	12181	289.821	2.830 #
44) L9	AR-1268-4	0.000	7.998	0	12262	N.D.	6.614 #
45) L9	AR-1268-5	9.590	0.000	29269	0	1.777	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0041719\
Data File : P0055405.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 17 Apr 2019 19:12
Operator : SM/SJ
Sample : K2434-01
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
RO-288

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 18 00:56:23 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0032519.M
Quant Title : GC EXTRACTABLES
QLast Update : Mon Mar 25 17:22:26 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.293 min
Delta R.T.: -0.010 min
Response: 455072
Conc: 13.11 ng/ml

Instrument :
ECD_O
ClientSampleId :
RO-288




#1 Tetrachloro-m-xylene

R.T.: 3.604 min
Delta R.T.: -0.017 min
Response: 480961
Conc: 15.07 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.906 min
Delta R.T.: -0.017 min
Response: 430455
Conc: 8.73 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.568 min
Delta R.T.: -0.036 min
Response: 302576
Conc: 9.50 ng/ml



#3 AR-1016-1


R.T.: 5.478 min
Delta R.T.: 0.012 min
Response: 6259
Conc: 3.48 ng/ml

Instrument :
ECD_O
ClientSampleId :
RO-288




#3 AR-1016-1

R.T.: 0.000 min
Exp R.T. : 4.701 min
Response: 0
Conc: N.D.




#4 AR-1016-2

R.T.: 5.478 min
Delta R.T.: -0.009 min
Response: 6259
Conc: 2.52 ng/ml



#4 AR-1016-2


R.T.: 4.786 min
Delta R.T.: 0.065 min
Response: 8390
Conc: 3.92 ng/ml



#5 AR-1016-3


R.T.: 5.610 min
Delta R.T.: 0.062 min
Response: 15556
Conc: 9.89 ng/ml

Instrument :
ECD_O
ClientSampleId :
RO-288




#5 AR-1016-3

R.T.: 4.913 min
Delta R.T.: 0.017 min
Response: 8783
Conc: 7.27 ng/ml




#6 AR-1016-4

R.T.: 5.610 min
Delta R.T.: -0.037 min
Response: 15556
Conc: 11.94 ng/ml



#6 AR-1016-4


R.T.: 4.952 min
Delta R.T.: 0.016 min
Response: 154
Conc: 0.15 ng/ml



#7 AR-1016-5


R.T.: 5.968 min
Delta R.T.: 0.029 min
Response: 1851
Conc: 1.39 ng/ml

Instrument :
ECD_O
ClientSampleId :
RO-288




#7 AR-1016-5

R.T.: 0.000 min
Exp R.T. : 5.149 min
Response: 0
Conc: N.D.




#8 AR-1221-1

R.T.: 0.000 min
Exp R.T. : 4.512 min
Response: 0
Conc: N.D.



#8 AR-1221-1


R.T.: 3.903 min
Delta R.T.: 0.067 min
Response: 8298
Conc: 21.34 ng/ml



#9 AR-1221-2


R.T.: 0.000 min
Exp R.T.: 4.598 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
RO-288




#9 AR-1221-2

R.T.: 3.903 min
Delta R.T.: -0.017 min
Response: 8298
Conc: 27.68 ng/ml




#10 AR-1221-3

R.T.: 0.000 min
Exp R.T.: 4.673 min
Response: 0
Conc: N.D.



#10 AR-1221-3


R.T.: 4.019 min
Delta R.T.: 0.023 min
Response: 68998
Conc: 74.85 ng/ml



#11 AR-1232-1


R.T.: 0.000 min
Exp R.T.: 4.675 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
RO-288




#11 AR-1232-1

R.T.: 4.019 min
Delta R.T.: 0.023 min
Response: 68998
Conc: 92.01 ng/ml




#12 AR-1232-2

R.T.: 5.143 min
Delta R.T.: -0.057 min
Response: 13171
Conc: 26.93 ng/ml



#12 AR-1232-2


R.T.: 4.786 min
Delta R.T.: 0.065 min
Response: 8390
Conc: 9.74 ng/ml



#13 AR-1232-3


R.T.: 5.478 min
Delta R.T.: -0.011 min
Response: 6259
Conc: 6.40 ng/ml

Instrument :
ECD_O
ClientSampleId :
RO-288




#13 AR-1232-3

R.T.: 4.913 min
Delta R.T.: 0.016 min
Response: 8783
Conc: 18.12 ng/ml




#14 AR-1232-4

R.T.: 5.610 min
Delta R.T.: -0.038 min
Response: 15556
Conc: 30.39 ng/ml



#14 AR-1232-4


R.T.: 4.952 min
Delta R.T.: -0.027 min
Response: 154
Conc: 0.35 ng/ml



#15 AR-1232-5


R.T.: 5.723 min
Delta R.T.: -0.015 min
Response: 17763
Conc: 42.70 ng/ml

Instrument :
ECD_O
ClientSampleId :
RO-288




#15 AR-1232-5

R.T.: 5.219 min
Delta R.T.: 0.069 min
Response: 6346
Conc: 13.05 ng/ml




#16 AR-1242-1

R.T.: 5.478 min
Delta R.T.: 0.013 min
Response: 6259
Conc: 4.51 ng/ml



#16 AR-1242-1


R.T.: 0.000 min
Exp R.T.: 4.701 min
Response: 0
Conc: N.D.



#17 AR-1242-2


R.T.: 5.478 min
Delta R.T.: -0.009 min
Response: 6259
Conc: 3.27 ng/ml

Instrument :
ECD_O
ClientSampleId :
RO-288




#17 AR-1242-2

R.T.: 4.786 min
Delta R.T.: 0.065 min
Response: 8390
Conc: 5.06 ng/ml




#18 AR-1242-3

R.T.: 5.610 min
Delta R.T.: 0.061 min
Response: 15556
Conc: 12.55 ng/ml



#18 AR-1242-3


R.T.: 4.913 min
Delta R.T.: 0.017 min
Response: 8783
Conc: 9.27 ng/ml



#19 AR-1242-4


R.T.: 5.610 min
Delta R.T.: -0.036 min
Response: 15556
Conc: 15.26 ng/ml

Instrument :
ECD_O
ClientSampleId :
RO-288




#19 AR-1242-4

R.T.: 4.952 min
Delta R.T.: -0.026 min
Response: 154
Conc: 0.16 ng/ml




#20 AR-1242-5

R.T.: 6.360 min
Delta R.T.: -0.019 min
Response: 87193
Conc: 72.23 ng/ml



#20 AR-1242-5


R.T.: 5.502 min
Delta R.T.: 0.004 min
Response: 32187
Conc: 26.17 ng/ml



#21 AR-1248-1


R.T.: 5.478 min
Delta R.T.: 0.012 min
Response: 6259
Conc: 6.26 ng/ml

Instrument :
ECD_O
ClientSampleId :
RO-288




#21 AR-1248-1

R.T.: 0.000 min
Exp R.T. : 4.701 min
Response: 0
Conc: N.D.




#22 AR-1248-2

R.T.: 5.723 min
Delta R.T.: -0.015 min
Response: 17763
Conc: 12.23 ng/ml



#22 AR-1248-2


R.T.: 4.952 min
Delta R.T.: 0.016 min
Response: 154
Conc: 0.13 ng/ml



#23 AR-1248-3


R.T.: 5.968 min
Delta R.T.: 0.028 min
Response: 1851
Conc: 1.16 ng/ml

Instrument :
ECD_O
ClientSampleId :
RO-288




#23 AR-1248-3

R.T.: 4.952 min
Delta R.T.: -0.025 min
Response: 154
Conc: 0.12 ng/ml




#24 AR-1248-4

R.T.: 6.338 min
Delta R.T.: -0.004 min
Response: 119531
Conc: 63.63 ng/ml



#24 AR-1248-4


R.T.: 5.219 min
Delta R.T.: 0.070 min
Response: 6346
Conc: 4.17 ng/ml



#25 AR-1248-5


R.T.: 6.360 min
Delta R.T.: -0.020 min
Response: 87193
Conc: 48.64 ng/ml

Instrument :
ECD_O
ClientSampleId :
RO-288




#25 AR-1248-5

R.T.: 5.502 min
Delta R.T.: -0.038 min
Response: 32187
Conc: 21.59 ng/ml




#26 AR-1254-1

R.T.: 6.305 min
Delta R.T.: -0.009 min
Response: 289350
Conc: 159.58 ng/ml



#26 AR-1254-1


R.T.: 5.502 min
Delta R.T.: 0.003 min
Response: 32187
Conc: 14.73 ng/ml



#27 AR-1254-2


R.T.: 6.522 min
Delta R.T.: -0.011 min
Response: 38714
Conc: 13.56 ng/ml

Instrument :
ECD_O
ClientSampleId :
RO-288




#27 AR-1254-2

R.T.: 5.646 min
Delta R.T.: 0.000 min
Response: 19978
Conc: 10.30 ng/ml




#28 AR-1254-3

R.T.: 6.888 min
Delta R.T.: -0.009 min
Response: 81021
Conc: 25.76 ng/ml



#28 AR-1254-3


R.T.: 6.023 min
Delta R.T.: -0.026 min
Response: 80891
Conc: 25.23 ng/ml



#29 AR-1254-4


R.T.: 7.169 min
Delta R.T.: -0.013 min
Response: 71830
Conc: 29.36 ng/ml

Instrument :
ECD_O
ClientSampleId :
RO-288




#29 AR-1254-4

R.T.: 6.250 min
Delta R.T.: -0.025 min
Response: 18550
Conc: 9.47 ng/ml




#30 AR-1254-5

R.T.: 7.587 min
Delta R.T.: -0.012 min
Response: 57959
Conc: 21.62 ng/ml



#30 AR-1254-5


R.T.: 6.704 min
Delta R.T.: 0.012 min
Response: 6661
Conc: 2.32 ng/ml



#31 AR-1260-1


R.T.: 7.048 min
Delta R.T.: -0.012 min
Response: 30375
Conc: 12.09 ng/ml

Instrument :
ECD_O
ClientSampleId :
RO-288




#31 AR-1260-1

R.T.: 6.151 min
Delta R.T.: -0.027 min
Response: 46288
Conc: 20.14 ng/ml




#32 AR-1260-2

R.T.: 7.301 min
Delta R.T.: -0.016 min
Response: 59290
Conc: 19.10 ng/ml



#32 AR-1260-2


R.T.: 6.375 min
Delta R.T.: 0.011 min
Response: 18347
Conc: 6.67 ng/ml



#33 AR-1260-3


R.T.: 7.663 min
Delta R.T.: -0.011 min
Response: 8755
Conc: 3.57 ng/ml

Instrument :
ECD_O
ClientSampleId :
RO-288




#33 AR-1260-3

R.T.: 6.490 min
Delta R.T.: -0.028 min
Response: 28366
Conc: 11.00 ng/ml




#34 AR-1260-4

R.T.: 7.882 min
Delta R.T.: -0.016 min
Response: 31625
Conc: 11.43 ng/ml



#34 AR-1260-4


R.T.: 6.992 min
Delta R.T.: 0.004 min
Response: 120784
Conc: 56.75 ng/ml



#35 AR-1260-5


R.T.: 8.193 min
Delta R.T.: -0.014 min
Response: 54691
Conc: 9.86 ng/ml

Instrument :
ECD_O
ClientSampleId :
RO-288




#35 AR-1260-5

R.T.: 7.199 min
Delta R.T.: -0.028 min
Response: 90425
Conc: 18.88 ng/ml




#36 AR-1262-1

R.T.: 7.663 min
Delta R.T.: -0.012 min
Response: 8755
Conc: 2.63 ng/ml



#36 AR-1262-1


R.T.: 6.728 min
Delta R.T.: -0.002 min
Response: 14548
Conc: 4.89 ng/ml



#37 AR-1262-2


R.T.: 8.193 min
Delta R.T.: -0.015 min
Response: 54691
Conc: 9.23 ng/ml

Instrument :
ECD_O
ClientSampleId :
RO-288




#37 AR-1262-2

R.T.: 7.199 min
Delta R.T.: -0.030 min
Response: 90425
Conc: 18.45 ng/ml




#38 AR-1262-3

R.T.: 8.494 min
Delta R.T.: -0.012 min
Response: 26871
Conc: 6.49 ng/ml



#38 AR-1262-3


R.T.: 7.513 min
Delta R.T.: 0.002 min
Response: 43120
Conc: 21.00 ng/ml



#39 AR-1262-4


R.T.: 0.000 min
Exp R.T.: 8.593 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
RO-288




#39 AR-1262-4

R.T.: 7.552 min
Delta R.T.: -0.023 min
Response: 753504
Conc: 208.03 ng/ml




#40 AR-1262-5

R.T.: 0.000 min
Exp R.T.: 9.218 min
Response: 0
Conc: N.D.



#40 AR-1262-5


R.T.: 7.998 min
Delta R.T.: -0.068 min
Response: 12262
Conc: 7.60 ng/ml



#41 AR-1268-1


R.T.: 8.494 min
Delta R.T.: -0.010 min
Response: 26871
Conc: 3.78 ng/ml

Instrument :
ECD_O
ClientSampleId :
RO-288




#41 AR-1268-1

R.T.: 7.513 min
Delta R.T.: 0.002 min
Response: 43120
Conc: 7.63 ng/ml




#42 AR-1268-2

R.T.: 0.000 min
Exp R.T. : 8.594 min
Response: 0
Conc: N.D.



#42 AR-1268-2


R.T.: 7.552 min
Delta R.T.: -0.023 min
Response: 753504
Conc: 145.70 ng/ml



#43 AR-1268-3


R.T.: 8.822 min
Delta R.T.: 0.011 min
Response: 1578779
Conc: 289.82 ng/ml

Instrument :
ECD_O
ClientSampleId :
RO-288




#43 AR-1268-3

R.T.: 7.752 min
Delta R.T.: -0.031 min
Response: 12181
Conc: 2.83 ng/ml




#44 AR-1268-4

R.T.: 0.000 min
Exp R.T. : 9.217 min
Response: 0
Conc: N.D.



#44 AR-1268-4


R.T.: 7.998 min
Delta R.T.: -0.067 min
Response: 12262
Conc: 6.61 ng/ml



#45 AR-1268-5

R.T.: 9.590 min
Delta R.T.: -0.018 min
Response: 29269
Conc: 1.78 ng/ml

Instrument :
ECD_O
ClientSampleId :
RO-288



#45 AR-1268-5

R.T.: 0.000 min
Exp R.T. : 8.352 min
Response: 0
Conc: N.D.