

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0041720\
 Data File : P0067910.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 17 Apr 2020 16:41
 Operator : DD\AJ
 Sample : PB128306BS
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 PB128306BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 17 17:59:24 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0040120.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Apr 03 16:04:09 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.923	3.939	546626	828694	22.954	24.725
2)	SA Decachlor...	10.896	9.220	540727	907418	15.883	21.947 #
Target Compounds							
3)	L1 AR-1016-1	6.267	5.193	363498	377260	352.488	257.353 #
4)	L1 AR-1016-2	6.267	5.213	363498	506608	257.628	258.608
5)	L1 AR-1016-3	6.333	5.403	224139	274886	254.998	262.831
6)	L1 AR-1016-4	6.440	5.456	152124	226383	215.726	253.770
7)	L1 AR-1016-5	6.753	5.683	149946	284432	208.537	251.350
8)	L2 AR-1221-1	0.000	4.195	0	32906	N.D.	74.051 #
9)	L2 AR-1221-2	5.273	4.294	31306	47899	134.600	151.887
10)	L2 AR-1221-3	5.360	4.383	126341	187339	168.165	190.824
11)	L3 AR-1232-1	5.360	4.383	126341	187339	245.386	270.695
12)	L3 AR-1232-2	5.949	5.213	170045	506608	633.840	698.416
13)	L3 AR-1232-3	6.267	5.403	363498	274886	693.469	713.133
14)	L3 AR-1232-4	6.440	5.500	152124	271343	591.751	767.012 #
15)	L3 AR-1232-5	6.537	5.683	148268	284432	791.555	744.321
16)	L4 AR-1242-1	6.267	5.193	363498	377260	529.447	384.505 #
17)	L4 AR-1242-2	6.267	5.213	363498	506608	386.872	388.801
18)	L4 AR-1242-3	6.333	5.403	224139	274886	382.473	384.415
19)	L4 AR-1242-4	6.440	5.500	152124	271343	323.455	376.965
20)	L4 AR-1242-5	7.221	6.063	26511	231482	49.625	247.379 #
21)	L5 AR-1248-1	6.267	5.193	363498	377260	677.519	482.916 #
22)	L5 AR-1248-2	6.537	5.456	148268	226383	210.731	224.978
23)	L5 AR-1248-3	6.753	5.500	149946	271343	184.240	265.287 #
24)	L5 AR-1248-4	7.182	5.683	32378	284432	34.319	228.226 #
25)	L5 AR-1248-5	7.221	6.105	26511	38106	29.417	30.793
26)	L6 AR-1254-1	7.150	6.063	144138	231482	116.701	90.277
27)	L6 AR-1254-2	7.378	6.222	153788	224781	78.196	98.560 #
28)	L6 AR-1254-3	7.761	6.661	132195	403935	63.706	110.633 #
29)	L6 AR-1254-4	8.052	6.880	56063	52670	34.420	21.849 #
30)	L6 AR-1254-5	8.480	7.308	525848	815134	306.487	244.219
31)	L7 AR-1260-1	7.925	6.778	363619	560950	269.062	267.573
32)	L7 AR-1260-2	8.190	6.976	446133	684079	264.270	266.413
33)	L7 AR-1260-3	8.553	7.129	281461	635796	215.930	264.400
34)	L7 AR-1260-4	8.783	7.612	336110	478619	218.708	227.730
35)	L7 AR-1260-5	9.105	7.859	667262	1111733	211.519	219.601
36)	L8 AR-1262-1	8.553	7.308	281461	815134	167.890	588.237 #
37)	L8 AR-1262-2	9.105	7.859	667262	1111733	232.538	243.157
38)	L8 AR-1262-3	9.434	8.145	439590	250627	211.256	127.516 #
39)	L8 AR-1262-4	9.484	8.207	247191	823848	156.217	240.331 #
40)	L8 AR-1262-5	10.160	8.704	177786	256198	150.783	150.719
41)	L9 AR-1268-1	9.434	8.145	439590	250627	118.964	46.579 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0041720\
 Data File : P0067910.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 17 Apr 2020 16:41
 Operator : DD\AJ
 Sample : PB128306BS
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 PB128306BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 17 17:59:24 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0040120.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Apr 03 16:04:09 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	9.484	8.207	247191	823848	71.320	166.855 #
43) L9	AR-1268-3	0.000	8.417	0	42227	N.D.	10.075 #
44) L9	AR-1268-4	10.160	8.704	177786	256198	128.067	132.411
45) L9	AR-1268-5	10.566	8.980	65634	89002	6.620	6.902



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO041720\
Data File : PO067910.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 17 Apr 2020 16:41
Operator : DD\AJ
Sample : PB128306BS
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
PB128306BS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 17 17:59:24 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO040120.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Apr 03 16:04:09 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.923 min
Delta R.T.: -0.012 min
Response: 546626
Conc: 22.95 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128306BS




#1 Tetrachloro-m-xylene

R.T.: 3.939 min
Delta R.T.: -0.005 min
Response: 828694
Conc: 24.72 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.896 min
Delta R.T.: -0.023 min
Response: 540727
Conc: 15.88 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.220 min
Delta R.T.: -0.013 min
Response: 907418
Conc: 21.95 ng/ml



#3 AR-1016-1


R.T.: 6.267 min
Delta R.T.: 0.011 min
Response: 363498
Conc: 352.49 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128306BS




#3 AR-1016-1

R.T.: 5.193 min
Delta R.T.: -0.007 min
Response: 377260
Conc: 257.35 ng/ml




#4 AR-1016-2

R.T.: 6.267 min
Delta R.T.: -0.012 min
Response: 363498
Conc: 257.63 ng/ml



#4 AR-1016-2


R.T.: 5.213 min
Delta R.T.: -0.008 min
Response: 506608
Conc: 258.61 ng/ml



#5 AR-1016-3


R.T.: 6.333 min
Delta R.T.: -0.013 min
Response: 224139
Conc: 255.00 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128306BS




#5 AR-1016-3

R.T.: 5.403 min
Delta R.T.: -0.007 min
Response: 274886
Conc: 262.83 ng/ml




#6 AR-1016-4

R.T.: 6.440 min
Delta R.T.: -0.012 min
Response: 152124
Conc: 215.73 ng/ml



#6 AR-1016-4


R.T.: 5.456 min
Delta R.T.: -0.008 min
Response: 226383
Conc: 253.77 ng/ml



#7 AR-1016-5


R.T.: 6.753 min
Delta R.T.: -0.014 min
Response: 149946
Conc: 208.54 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128306BS




#7 AR-1016-5

R.T.: 5.683 min
Delta R.T.: -0.009 min
Response: 284432
Conc: 251.35 ng/ml




#8 AR-1221-1

R.T.: 0.000 min
Exp R.T. : 5.187 min
Response: 0
Conc: N.D.



#8 AR-1221-1


R.T.: 4.195 min
Delta R.T.: -0.007 min
Response: 32906
Conc: 74.05 ng/ml



#9 AR-1221-2


R.T.: 5.273 min
Delta R.T.: -0.013 min
Response: 31306
Conc: 134.60 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128306BS




#9 AR-1221-2

R.T.: 4.294 min
Delta R.T.: -0.007 min
Response: 47899
Conc: 151.89 ng/ml




#10 AR-1221-3

R.T.: 5.360 min
Delta R.T.: -0.013 min
Response: 126341
Conc: 168.16 ng/ml



#10 AR-1221-3


R.T.: 4.383 min
Delta R.T.: -0.006 min
Response: 187339
Conc: 190.82 ng/ml



#11 AR-1232-1


R.T.: 5.360 min
Delta R.T.: -0.012 min
Response: 126341
Conc: 245.39 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128306BS




#11 AR-1232-1

R.T.: 4.383 min
Delta R.T.: -0.006 min
Response: 187339
Conc: 270.70 ng/ml




#12 AR-1232-2

R.T.: 5.949 min
Delta R.T.: -0.012 min
Response: 170045
Conc: 633.84 ng/ml



#12 AR-1232-2


R.T.: 5.213 min
Delta R.T.: -0.008 min
Response: 506608
Conc: 698.42 ng/ml



#13 AR-1232-3


R.T.: 6.267 min
Delta R.T.: -0.013 min
Response: 363498
Conc: 693.47 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128306BS




#13 AR-1232-3

R.T.: 5.403 min
Delta R.T.: -0.008 min
Response: 274886
Conc: 713.13 ng/ml




#14 AR-1232-4

R.T.: 6.440 min
Delta R.T.: -0.013 min
Response: 152124
Conc: 591.75 ng/ml



#14 AR-1232-4


R.T.: 5.500 min
Delta R.T.: -0.008 min
Response: 271343
Conc: 767.01 ng/ml



#15 AR-1232-5


R.T.: 6.537 min
Delta R.T.: -0.013 min
Response: 148268
Conc: 791.56 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128306BS




#15 AR-1232-5

R.T.: 5.683 min
Delta R.T.: -0.009 min
Response: 284432
Conc: 744.32 ng/ml




#16 AR-1242-1

R.T.: 6.267 min
Delta R.T.: 0.011 min
Response: 363498
Conc: 529.45 ng/ml



#16 AR-1242-1


R.T.: 5.193 min
Delta R.T.: -0.007 min
Response: 377260
Conc: 384.51 ng/ml



#17 AR-1242-2


R.T.: 6.267 min
Delta R.T.: -0.013 min
Response: 363498
Conc: 386.87 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128306BS




#17 AR-1242-2

R.T.: 5.213 min
Delta R.T.: -0.008 min
Response: 506608
Conc: 388.80 ng/ml




#18 AR-1242-3

R.T.: 6.333 min
Delta R.T.: -0.013 min
Response: 224139
Conc: 382.47 ng/ml



#18 AR-1242-3


R.T.: 5.403 min
Delta R.T.: -0.008 min
Response: 274886
Conc: 384.42 ng/ml



#19 AR-1242-4


R.T.: 6.440 min
Delta R.T.: -0.013 min
Response: 152124
Conc: 323.46 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128306BS




#19 AR-1242-4

R.T.: 5.500 min
Delta R.T.: -0.008 min
Response: 271343
Conc: 376.97 ng/ml




#20 AR-1242-5

R.T.: 7.221 min
Delta R.T.: -0.014 min
Response: 26511
Conc: 49.63 ng/ml



#20 AR-1242-5


R.T.: 6.063 min
Delta R.T.: -0.008 min
Response: 231482
Conc: 247.38 ng/ml



#21 AR-1248-1


R.T.: 6.267 min
Delta R.T.: 0.012 min
Response: 363498
Conc: 677.52 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128306BS




#21 AR-1248-1

R.T.: 5.193 min
Delta R.T.: -0.006 min
Response: 377260
Conc: 482.92 ng/ml




#22 AR-1248-2

R.T.: 6.537 min
Delta R.T.: -0.013 min
Response: 148268
Conc: 210.73 ng/ml



#22 AR-1248-2


R.T.: 5.456 min
Delta R.T.: -0.007 min
Response: 226383
Conc: 224.98 ng/ml



#23 AR-1248-3


R.T.: 6.753 min
Delta R.T.: -0.014 min
Response: 149946
Conc: 184.24 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128306BS




#23 AR-1248-3

R.T.: 5.500 min
Delta R.T.: -0.007 min
Response: 271343
Conc: 265.29 ng/ml




#24 AR-1248-4

R.T.: 7.182 min
Delta R.T.: -0.012 min
Response: 32378
Conc: 34.32 ng/ml



#24 AR-1248-4


R.T.: 5.683 min
Delta R.T.: -0.007 min
Response: 284432
Conc: 228.23 ng/ml



#25 AR-1248-5


R.T.: 7.221 min
Delta R.T.: -0.013 min
Response: 26511
Conc: 29.42 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128306BS




#25 AR-1248-5

R.T.: 6.105 min
Delta R.T.: -0.008 min
Response: 38106
Conc: 30.79 ng/ml




#26 AR-1254-1

R.T.: 7.150 min
Delta R.T.: -0.014 min
Response: 144138
Conc: 116.70 ng/ml



#26 AR-1254-1


R.T.: 6.063 min
Delta R.T.: -0.008 min
Response: 231482
Conc: 90.28 ng/ml



#27 AR-1254-2


R.T.: 7.378 min
Delta R.T.: -0.015 min
Response: 153788
Conc: 78.20 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128306BS




#27 AR-1254-2

R.T.: 6.222 min
Delta R.T.: -0.008 min
Response: 224781
Conc: 98.56 ng/ml




#28 AR-1254-3

R.T.: 7.761 min
Delta R.T.: -0.013 min
Response: 132195
Conc: 63.71 ng/ml



#28 AR-1254-3


R.T.: 6.661 min
Delta R.T.: 0.011 min
Response: 403935
Conc: 110.63 ng/ml



#29 AR-1254-4


R.T.: 8.052 min
Delta R.T.: -0.016 min
Response: 56063
Conc: 34.42 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128306BS




#29 AR-1254-4

R.T.: 6.880 min
Delta R.T.: -0.009 min
Response: 52670
Conc: 21.85 ng/ml




#30 AR-1254-5

R.T.: 8.480 min
Delta R.T.: -0.014 min
Response: 525848
Conc: 306.49 ng/ml



#30 AR-1254-5


R.T.: 7.308 min
Delta R.T.: -0.009 min
Response: 815134
Conc: 244.22 ng/ml



#31 AR-1260-1


R.T.: 7.925 min
Delta R.T.: -0.015 min
Response: 363619
Conc: 269.06 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128306BS




#31 AR-1260-1

R.T.: 6.778 min
Delta R.T.: -0.010 min
Response: 560950
Conc: 267.57 ng/ml




#32 AR-1260-2

R.T.: 8.190 min
Delta R.T.: -0.014 min
Response: 446133
Conc: 264.27 ng/ml



#32 AR-1260-2


R.T.: 6.976 min
Delta R.T.: -0.010 min
Response: 684079
Conc: 266.41 ng/ml



#33 AR-1260-3


R.T.: 8.553 min
Delta R.T.: -0.014 min
Response: 281461
Conc: 215.93 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128306BS




#33 AR-1260-3

R.T.: 7.129 min
Delta R.T.: -0.010 min
Response: 635796
Conc: 264.40 ng/ml




#34 AR-1260-4

R.T.: 8.783 min
Delta R.T.: -0.014 min
Response: 336110
Conc: 218.71 ng/ml



#34 AR-1260-4


R.T.: 7.612 min
Delta R.T.: -0.010 min
Response: 478619
Conc: 227.73 ng/ml



#35 AR-1260-5


R.T.: 9.105 min
Delta R.T.: -0.016 min
Response: 667262
Conc: 211.52 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128306BS




#35 AR-1260-5

R.T.: 7.859 min
Delta R.T.: -0.010 min
Response: 1111733
Conc: 219.60 ng/ml




#36 AR-1262-1

R.T.: 8.553 min
Delta R.T.: -0.015 min
Response: 281461
Conc: 167.89 ng/ml



#36 AR-1262-1


R.T.: 7.308 min
Delta R.T.: -0.010 min
Response: 815134
Conc: 588.24 ng/ml



#37 AR-1262-2


R.T.: 9.105 min
Delta R.T.: -0.016 min
Response: 667262
Conc: 232.54 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128306BS




#37 AR-1262-2

R.T.: 7.859 min
Delta R.T.: -0.010 min
Response: 1111733
Conc: 243.16 ng/ml




#38 AR-1262-3

R.T.: 9.434 min
Delta R.T.: 0.006 min
Response: 439590
Conc: 211.26 ng/ml



#38 AR-1262-3


R.T.: 8.145 min
Delta R.T.: -0.011 min
Response: 250627
Conc: 127.52 ng/ml



#39 AR-1262-4


R.T.: 9.484 min
Delta R.T.: -0.037 min
Response: 247191
Conc: 156.22 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128306BS




#39 AR-1262-4

R.T.: 8.207 min
Delta R.T.: -0.012 min
Response: 823848
Conc: 240.33 ng/ml




#40 AR-1262-5

R.T.: 10.160 min
Delta R.T.: -0.020 min
Response: 177786
Conc: 150.78 ng/ml



#40 AR-1262-5


R.T.: 8.704 min
Delta R.T.: -0.011 min
Response: 256198
Conc: 150.72 ng/ml



#41 AR-1268-1


R.T.: 9.434 min
Delta R.T.: 0.006 min
Response: 439590
Conc: 118.96 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128306BS




#41 AR-1268-1

R.T.: 8.145 min
Delta R.T.: -0.011 min
Response: 250627
Conc: 46.58 ng/ml




#42 AR-1268-2

R.T.: 9.484 min
Delta R.T.: -0.039 min
Response: 247191
Conc: 71.32 ng/ml



#42 AR-1268-2


R.T.: 8.207 min
Delta R.T.: -0.014 min
Response: 823848
Conc: 166.85 ng/ml



#43 AR-1268-3


R.T.: 0.000 min
Exp R.T.: 9.746 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
PB128306BS




#43 AR-1268-3

R.T.: 8.417 min
Delta R.T.: -0.013 min
Response: 42227
Conc: 10.07 ng/ml




#44 AR-1268-4

R.T.: 10.160 min
Delta R.T.: -0.020 min
Response: 177786
Conc: 128.07 ng/ml



#44 AR-1268-4


R.T.: 8.704 min
Delta R.T.: -0.011 min
Response: 256198
Conc: 132.41 ng/ml



#45 AR-1268-5

R.T.: 10.566 min
Delta R.T.: -0.021 min
Response: 65634
Conc: 6.62 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128306BS



#45 AR-1268-5

R.T.: 8.980 min
Delta R.T.: -0.013 min
Response: 89002
Conc: 6.90 ng/ml