

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\P0050119\
 Data File : P0055747.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 01 May 2019 19:07
 Operator : SM/SJ
 Sample : PB119366BS
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_0
 ClientSampleId :
 PB119366BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 02 04:16:54 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\P0042919.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Apr 30 05:21:50 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.282	3.596	776766	851126	27.617	29.176
2)	SA Decachlor...	9.881	8.547	695331	460145	16.280	14.485
Target Compounds							
3)	L1 AR-1016-1	5.443	4.667	360677	353056	248.906	242.295
4)	L1 AR-1016-2	5.465	4.686	494967	470674	245.465	236.486
5)	L1 AR-1016-3	5.526	4.860	315749	241486	235.424	218.263
6)	L1 AR-1016-4	5.624	4.901	271732	190798	247.721	213.189
7)	L1 AR-1016-5	5.915	5.112	252781	261392	213.909	211.377
8)	L2 AR-1221-1	4.485	3.805	26739	28289	70.980	79.322
9)	L2 AR-1221-2	4.577	3.891	46992	53323	154.967	192.306
10)	L2 AR-1221-3	4.653	3.966	176056	179891	192.211	209.672
11)	L3 AR-1232-1	4.653	3.966	176056	179891	226.707	248.658
12)	L3 AR-1232-2	5.177	4.686	246577	470674	545.250	529.898
13)	L3 AR-1232-3	5.465	4.860	494967	241486	554.596	488.113
14)	L3 AR-1232-4	5.624	4.942	271732	236752	564.084	551.764
15)	L3 AR-1232-5	5.713	5.112	238982	261392	605.013	513.170
16)	L4 AR-1242-1	5.443	4.667	360677	353056	294.752	287.784
17)	L4 AR-1242-2	5.465	4.686	494967	470674	288.166	277.119
18)	L4 AR-1242-3	5.526	4.860	315749	241486	275.189	245.996
19)	L4 AR-1242-4	5.624	4.942	271732	236752	288.208	252.242
20)	L4 AR-1242-5	6.355	5.461	40516	215254	35.046	161.051 #
21)	L5 AR-1248-1	5.443	4.667	360677	353056	403.920	390.278
22)	L5 AR-1248-2	5.713	4.901	238982	190798	180.220	159.873
23)	L5 AR-1248-3	5.915	4.942	252781	236752	169.706	192.342
24)	L5 AR-1248-4	6.316	5.112	45322	261392	25.701	163.962 #
25)	L5 AR-1248-5	6.355	5.502	40516	42445	23.883	25.817
26)	L6 AR-1254-1	6.289	5.461	214293	215254	113.449	82.434 #
27)	L6 AR-1254-2	6.506	5.607	207094	195632	69.932	82.893
28)	L6 AR-1254-3	6.879	6.022	247832	355199	74.491	92.031
29)	L6 AR-1254-4	7.156	6.235	69043	43131	26.895	16.399 #
30)	L6 AR-1254-5	7.573	6.648	614869	572465	216.267	163.625
31)	L7 AR-1260-1	7.034	6.136	453386	466342	197.339	194.107
32)	L7 AR-1260-2	7.290	6.322	522924	680325	182.455	205.040
33)	L7 AR-1260-3	7.646	6.475	329128	478061	146.638	171.395
34)	L7 AR-1260-4	7.871	6.944	396565	312312	154.195	133.364
35)	L7 AR-1260-5	8.180	7.184	688610	757058	142.044	135.087
36)	L8 AR-1262-1	7.646	6.686	329128	419746	93.547	94.573
37)	L8 AR-1262-2	8.180	7.184	688610	757058	111.350	108.411
38)	L8 AR-1262-3	8.491	7.465	435345	155959	104.359	55.576 #
39)	L8 AR-1262-4	8.542	7.528	236917	481770	75.302	104.066 #
40)	L8 AR-1262-5	9.183	8.020	156413	151800	75.005	77.536
41)	L9 AR-1268-1	8.491	7.465	435345	155959	66.041	21.306 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0050119\
 Data File : P0055747.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 01 May 2019 19:07
 Operator : SM/SJ
 Sample : PB119366BS
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 PB119366BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 02 04:16:54 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0042919.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Apr 30 05:21:50 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.542	7.528	236917	481770	39.315	77.917 #
43) L9	AR-1268-3	0.000	7.734	0	18489	N.D.	3.570 #
44) L9	AR-1268-4	9.183	8.020	156413	151800	71.754	73.336
45) L9	AR-1268-5	9.568	8.301	53563	81318	3.662	6.253 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0050119\
Data File : P0055747.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 01 May 2019 19:07
Operator : SM/SJ
Sample : PB119366BS
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
PB119366BS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 02 04:16:54 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0042919.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Apr 30 05:21:50 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.282 min
Delta R.T.: -0.002 min
Response: 776766
Conc: 27.62 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB119366BS




#1 Tetrachloro-m-xylene

R.T.: 3.596 min
Delta R.T.: 0.000 min
Response: 851126
Conc: 29.18 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.881 min
Delta R.T.: -0.005 min
Response: 695331
Conc: 16.28 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.547 min
Delta R.T.: -0.004 min
Response: 460145
Conc: 14.48 ng/ml



#3 AR-1016-1


R.T.: 5.443 min
Delta R.T.: -0.003 min
Response: 360677
Conc: 248.91 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB119366BS




#3 AR-1016-1

R.T.: 4.667 min
Delta R.T.: -0.002 min
Response: 353056
Conc: 242.29 ng/ml




#4 AR-1016-2

R.T.: 5.465 min
Delta R.T.: -0.003 min
Response: 494967
Conc: 245.47 ng/ml



#4 AR-1016-2


R.T.: 4.686 min
Delta R.T.: -0.002 min
Response: 470674
Conc: 236.49 ng/ml



#5 AR-1016-3


R.T.: 5.526 min
Delta R.T.: -0.003 min
Response: 315749
Conc: 235.42 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB119366BS




#5 AR-1016-3

R.T.: 4.860 min
Delta R.T.: -0.002 min
Response: 241486
Conc: 218.26 ng/ml




#6 AR-1016-4

R.T.: 5.624 min
Delta R.T.: -0.004 min
Response: 271732
Conc: 247.72 ng/ml



#6 AR-1016-4


R.T.: 4.901 min
Delta R.T.: -0.002 min
Response: 190798
Conc: 213.19 ng/ml



#7 AR-1016-5


R.T.: 5.915 min
Delta R.T.: -0.003 min
Response: 252781
Conc: 213.91 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB119366BS




#7 AR-1016-5

R.T.: 5.112 min
Delta R.T.: -0.003 min
Response: 261392
Conc: 211.38 ng/ml




#8 AR-1221-1

R.T.: 4.485 min
Delta R.T.: -0.007 min
Response: 26739
Conc: 70.98 ng/ml



#8 AR-1221-1


R.T.: 3.805 min
Delta R.T.: -0.003 min
Response: 28289
Conc: 79.32 ng/ml



#9 AR-1221-2


R.T.: 4.577 min
Delta R.T.: -0.001 min
Response: 46992
Conc: 154.97 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB119366BS




#9 AR-1221-2

R.T.: 3.891 min
Delta R.T.: -0.001 min
Response: 53323
Conc: 192.31 ng/ml




#10 AR-1221-3

R.T.: 4.653 min
Delta R.T.: -0.002 min
Response: 176056
Conc: 192.21 ng/ml



#10 AR-1221-3


R.T.: 3.966 min
Delta R.T.: -0.002 min
Response: 179891
Conc: 209.67 ng/ml



#11 AR-1232-1


R.T.: 4.653 min
Delta R.T.: -0.002 min
Response: 176056
Conc: 226.71 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB119366BS




#11 AR-1232-1

R.T.: 3.966 min
Delta R.T.: -0.001 min
Response: 179891
Conc: 248.66 ng/ml




#12 AR-1232-2

R.T.: 5.177 min
Delta R.T.: -0.002 min
Response: 246577
Conc: 545.25 ng/ml



#12 AR-1232-2


R.T.: 4.686 min
Delta R.T.: -0.002 min
Response: 470674
Conc: 529.90 ng/ml



#13 AR-1232-3


R.T.: 5.465 min
Delta R.T.: -0.002 min
Response: 494967
Conc: 554.60 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB119366BS




#13 AR-1232-3

R.T.: 4.860 min
Delta R.T.: -0.003 min
Response: 241486
Conc: 488.11 ng/ml




#14 AR-1232-4

R.T.: 5.624 min
Delta R.T.: -0.003 min
Response: 271732
Conc: 564.08 ng/ml



#14 AR-1232-4


R.T.: 4.942 min
Delta R.T.: -0.002 min
Response: 236752
Conc: 551.76 ng/ml



#15 AR-1232-5


R.T.: 5.713 min
Delta R.T.: -0.003 min
Response: 238982
Conc: 605.01 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB119366BS




#15 AR-1232-5

R.T.: 5.112 min
Delta R.T.: -0.002 min
Response: 261392
Conc: 513.17 ng/ml




#16 AR-1242-1

R.T.: 5.443 min
Delta R.T.: -0.003 min
Response: 360677
Conc: 294.75 ng/ml



#16 AR-1242-1


R.T.: 4.667 min
Delta R.T.: -0.003 min
Response: 353056
Conc: 287.78 ng/ml



#17 AR-1242-2


R.T.: 5.465 min
Delta R.T.: -0.003 min
Response: 494967
Conc: 288.17 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB119366BS




#17 AR-1242-2

R.T.: 4.686 min
Delta R.T.: -0.003 min
Response: 470674
Conc: 277.12 ng/ml




#18 AR-1242-3

R.T.: 5.526 min
Delta R.T.: -0.002 min
Response: 315749
Conc: 275.19 ng/ml



#18 AR-1242-3


R.T.: 4.860 min
Delta R.T.: -0.003 min
Response: 241486
Conc: 246.00 ng/ml



#19 AR-1242-4


R.T.: 5.624 min
Delta R.T.: -0.003 min
Response: 271732
Conc: 288.21 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB119366BS




#19 AR-1242-4

R.T.: 4.942 min
Delta R.T.: -0.003 min
Response: 236752
Conc: 252.24 ng/ml




#20 AR-1242-5

R.T.: 6.355 min
Delta R.T.: -0.003 min
Response: 40516
Conc: 35.05 ng/ml



#20 AR-1242-5


R.T.: 5.461 min
Delta R.T.: -0.003 min
Response: 215254
Conc: 161.05 ng/ml



#21 AR-1248-1


R.T.: 5.443 min
Delta R.T.: -0.001 min
Response: 360677
Conc: 403.92 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB119366BS




#21 AR-1248-1

R.T.: 4.667 min
Delta R.T.: -0.002 min
Response: 353056
Conc: 390.28 ng/ml




#22 AR-1248-2

R.T.: 5.713 min
Delta R.T.: -0.002 min
Response: 238982
Conc: 180.22 ng/ml



#22 AR-1248-2


R.T.: 4.901 min
Delta R.T.: -0.002 min
Response: 190798
Conc: 159.87 ng/ml



#23 AR-1248-3


R.T.: 5.915 min
Delta R.T.: -0.002 min
Response: 252781
Conc: 169.71 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB119366BS




#23 AR-1248-3

R.T.: 4.942 min
Delta R.T.: -0.002 min
Response: 236752
Conc: 192.34 ng/ml




#24 AR-1248-4

R.T.: 6.316 min
Delta R.T.: -0.003 min
Response: 45322
Conc: 25.70 ng/ml



#24 AR-1248-4


R.T.: 5.112 min
Delta R.T.: -0.002 min
Response: 261392
Conc: 163.96 ng/ml



#25 AR-1248-5


R.T.: 6.355 min
Delta R.T.: -0.003 min
Response: 40516
Conc: 23.88 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB119366BS




#25 AR-1248-5

R.T.: 5.502 min
Delta R.T.: -0.002 min
Response: 42445
Conc: 25.82 ng/ml




#26 AR-1254-1

R.T.: 6.289 min
Delta R.T.: -0.003 min
Response: 214293
Conc: 113.45 ng/ml



#26 AR-1254-1


R.T.: 5.461 min
Delta R.T.: -0.003 min
Response: 215254
Conc: 82.43 ng/ml



#27 AR-1254-2


R.T.: 6.506 min
Delta R.T.: -0.004 min
Response: 207094
Conc: 69.93 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB119366BS




#27 AR-1254-2

R.T.: 5.607 min
Delta R.T.: -0.003 min
Response: 195632
Conc: 82.89 ng/ml




#28 AR-1254-3

R.T.: 6.879 min
Delta R.T.: 0.003 min
Response: 247832
Conc: 74.49 ng/ml



#28 AR-1254-3


R.T.: 6.022 min
Delta R.T.: 0.011 min
Response: 355199
Conc: 92.03 ng/ml



#29 AR-1254-4


R.T.: 7.156 min
Delta R.T.: -0.004 min
Response: 69043
Conc: 26.90 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB119366BS




#29 AR-1254-4

R.T.: 6.235 min
Delta R.T.: -0.004 min
Response: 43131
Conc: 16.40 ng/ml




#30 AR-1254-5

R.T.: 7.573 min
Delta R.T.: -0.004 min
Response: 614869
Conc: 216.27 ng/ml



#30 AR-1254-5


R.T.: 6.648 min
Delta R.T.: -0.004 min
Response: 572465
Conc: 163.62 ng/ml



#31 AR-1260-1


R.T.: 7.034 min
Delta R.T.: -0.003 min
Response: 453386
Conc: 197.34 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB119366BS




#31 AR-1260-1

R.T.: 6.136 min
Delta R.T.: -0.003 min
Response: 466342
Conc: 194.11 ng/ml




#32 AR-1260-2

R.T.: 7.290 min
Delta R.T.: -0.003 min
Response: 522924
Conc: 182.46 ng/ml



#32 AR-1260-2


R.T.: 6.322 min
Delta R.T.: -0.004 min
Response: 680325
Conc: 205.04 ng/ml



#33 AR-1260-3


R.T.: 7.646 min
Delta R.T.: -0.004 min
Response: 329128
Conc: 146.64 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB119366BS




#33 AR-1260-3

R.T.: 6.475 min
Delta R.T.: -0.004 min
Response: 478061
Conc: 171.40 ng/ml




#34 AR-1260-4

R.T.: 7.871 min
Delta R.T.: -0.004 min
Response: 396565
Conc: 154.19 ng/ml



#34 AR-1260-4


R.T.: 6.944 min
Delta R.T.: -0.002 min
Response: 312312
Conc: 133.36 ng/ml



#35 AR-1260-5


R.T.: 8.180 min
Delta R.T.: -0.004 min
Response: 688610
Conc: 142.04 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB119366BS




#35 AR-1260-5

R.T.: 7.184 min
Delta R.T.: -0.003 min
Response: 757058
Conc: 135.09 ng/ml




#36 AR-1262-1

R.T.: 7.646 min
Delta R.T.: -0.005 min
Response: 329128
Conc: 93.55 ng/ml



#36 AR-1262-1


R.T.: 6.686 min
Delta R.T.: -0.004 min
Response: 419746
Conc: 94.57 ng/ml



#37 AR-1262-2


R.T.: 8.180 min
Delta R.T.: -0.004 min
Response: 688610
Conc: 111.35 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB119366BS




#37 AR-1262-2

R.T.: 7.184 min
Delta R.T.: -0.003 min
Response: 757058
Conc: 108.41 ng/ml




#38 AR-1262-3

R.T.: 8.491 min
Delta R.T.: 0.012 min
Response: 435345
Conc: 104.36 ng/ml



#38 AR-1262-3


R.T.: 7.465 min
Delta R.T.: -0.003 min
Response: 155959
Conc: 55.58 ng/ml



#39 AR-1262-4


R.T.: 8.542 min
Delta R.T.: -0.024 min
Response: 236917
Conc: 75.30 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB119366BS




#39 AR-1262-4

R.T.: 7.528 min
Delta R.T.: -0.005 min
Response: 481770
Conc: 104.07 ng/ml




#40 AR-1262-5

R.T.: 9.183 min
Delta R.T.: -0.004 min
Response: 156413
Conc: 75.00 ng/ml



#40 AR-1262-5


R.T.: 8.020 min
Delta R.T.: -0.004 min
Response: 151800
Conc: 77.54 ng/ml



#41 AR-1268-1


R.T.: 8.491 min
Delta R.T.: 0.015 min
Response: 435345
Conc: 66.04 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB119366BS




#41 AR-1268-1

R.T.: 7.465 min
Delta R.T.: -0.003 min
Response: 155959
Conc: 21.31 ng/ml




#42 AR-1268-2

R.T.: 8.542 min
Delta R.T.: -0.025 min
Response: 236917
Conc: 39.31 ng/ml



#42 AR-1268-2


R.T.: 7.528 min
Delta R.T.: -0.005 min
Response: 481770
Conc: 77.92 ng/ml



#43 AR-1268-3


R.T.: 0.000 min
Exp R.T.: 8.780 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
PB119366BS




#43 AR-1268-3

R.T.: 7.734 min
Delta R.T.: -0.004 min
Response: 18489
Conc: 3.57 ng/ml




#44 AR-1268-4

R.T.: 9.183 min
Delta R.T.: -0.004 min
Response: 156413
Conc: 71.75 ng/ml



#44 AR-1268-4


R.T.: 8.020 min
Delta R.T.: -0.004 min
Response: 151800
Conc: 73.34 ng/ml



#45 AR-1268-5

R.T.: 9.568 min
Delta R.T.: -0.004 min
Response: 53563
Conc: 3.66 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB119366BS



#45 AR-1268-5

R.T.: 8.301 min
Delta R.T.: -0.004 min
Response: 81318
Conc: 6.25 ng/ml