

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0052720\
 Data File : P0068611.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 27 May 2020 18:56
 Operator : DD\AJ
 Sample : PB128876BS
 Misc :
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 PB128876BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 28 02:18:18 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0050820.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri May 08 13:29:29 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.894	3.930	597091	757966	21.289	22.089
2)	SA Decachlor...	10.839	9.202	796154	828192	20.007	21.512
Target Compounds							
3)	L1 AR-1016-1	6.214	5.182	260093	333810	237.686	239.055
4)	L1 AR-1016-2	6.238	5.202	372018	457183	247.805	246.087
5)	L1 AR-1016-3	6.303	5.391	232069	240244	249.009	238.376
6)	L1 AR-1016-4	6.410	5.445	187934	198033	244.712	237.836
7)	L1 AR-1016-5	6.723	5.672	143765	278667	189.092	259.498 #
8)	L2 AR-1221-1	5.140	4.185	32167	36295	103.888	89.901
9)	L2 AR-1221-2	5.245	4.285	42087	43132	180.348	143.189
10)	L2 AR-1221-3	5.332	4.373	127341	154379	168.303	164.847
11)	L3 AR-1232-1	5.332	4.373	127341	154379	207.337	200.147
12)	L3 AR-1232-2	5.919	5.202	160210	457183	519.880	570.877
13)	L3 AR-1232-3	6.238	5.391	372018	240244	583.500	565.712
14)	L3 AR-1232-4	6.410	5.489	187934	244270	597.085	650.606
15)	L3 AR-1232-5	6.507	5.672	153592	278667	725.904	668.845
16)	L4 AR-1242-1	6.238	5.182	372018	333810	422.823	307.382 #
17)	L4 AR-1242-2	6.238	5.202	372018	457183	311.171	322.356
18)	L4 AR-1242-3	6.303	5.391	232069	240244	310.624	301.482
19)	L4 AR-1242-4	6.410	5.489	187934	244270	306.892	316.156
20)	L4 AR-1242-5	7.189	6.050	43730	210400	59.211	208.623 #
21)	L5 AR-1248-1	6.238	5.182	372018	333810	561.216	411.268 #
22)	L5 AR-1248-2	6.507	5.445	153592	198033	184.223	186.437
23)	L5 AR-1248-3	6.723	5.489	143765	244270	146.155	228.504 #
24)	L5 AR-1248-4	7.151	5.672	36517	278667	30.956	215.949 #
25)	L5 AR-1248-5	7.189	6.093	43730	33676	39.262	25.886 #
26)	L6 AR-1254-1	7.151	6.050	36517	210400	30.706	103.827 #
27)	L6 AR-1254-2	7.347	6.210	163714	198705	88.684	110.892 #
28)	L6 AR-1254-3	7.728	6.629	93243	98798	48.162	34.336 #
29)	L6 AR-1254-4	8.021	6.867	48865	46099	30.530	23.895
30)	L6 AR-1254-5	8.479	7.294	66404	691010	40.422	256.230 #
31)	L7 AR-1260-1	7.893	6.765	360642	493045	258.852	256.892
32)	L7 AR-1260-2	8.157	6.963	456734	598561	257.423	255.128
33)	L7 AR-1260-3	8.519	7.115	338214	546948	232.810	250.983
34)	L7 AR-1260-4	8.750	7.597	333159	404888	213.951	212.841
35)	L7 AR-1260-5	9.069	7.845	756148	989213	227.634	222.585
36)	L8 AR-1262-1	8.519	7.294	338214	691010	169.055	485.768 #
37)	L8 AR-1262-2	9.069	7.845	756148	989213	209.763	212.851
38)	L8 AR-1262-3	9.395	8.130	361204	234245	139.158	121.315
39)	L8 AR-1262-4	9.446	8.192	244392	727208	118.286	207.039 #
40)	L8 AR-1262-5	10.207	8.689	-87634	257129	N.D.	149.052 #
41)	L9 AR-1268-1	9.395	8.130	361204	234245	75.860	41.625 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0052720\
 Data File : P0068611.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 27 May 2020 18:56
 Operator : DD\AJ
 Sample : PB128876BS
 Misc :
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 PB128876BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 28 02:18:18 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0050820.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri May 08 13:29:29 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	9.446	8.192	244392	727208	53.424	142.150 #
43) L9	AR-1268-3	9.683	8.401	29171	135735	7.376	32.015 #
44) L9	AR-1268-4	10.207	8.689	-87634	257129	N.D.	127.054 #
45) L9	AR-1268-5	10.514	8.964	70786	100300	5.452	7.617 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0052720\
Data File : P0068611.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 27 May 2020 18:56
Operator : DD\AJ
Sample : PB128876BS
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
PB128876BS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 28 02:18:18 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0050820.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri May 08 13:29:29 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.894 min
Delta R.T.: -0.015 min
Response: 597091
Conc: 21.29 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128876BS




#1 Tetrachloro-m-xylene

R.T.: 3.930 min
Delta R.T.: -0.003 min
Response: 757966
Conc: 22.09 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.839 min
Delta R.T.: -0.035 min
Response: 796154
Conc: 20.01 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.202 min
Delta R.T.: -0.008 min
Response: 828192
Conc: 21.51 ng/ml



#3 AR-1016-1


R.T.: 6.214 min
Delta R.T.: -0.006 min
Response: 260093
Conc: 237.69 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128876BS




#3 AR-1016-1

R.T.: 5.182 min
Delta R.T.: -0.004 min
Response: 333810
Conc: 239.06 ng/ml




#4 AR-1016-2

R.T.: 6.238 min
Delta R.T.: -0.016 min
Response: 372018
Conc: 247.81 ng/ml



#4 AR-1016-2


R.T.: 5.202 min
Delta R.T.: -0.005 min
Response: 457183
Conc: 246.09 ng/ml



#5 AR-1016-3


R.T.: 6.303 min
Delta R.T.: -0.016 min
Response: 232069
Conc: 249.01 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128876BS




#5 AR-1016-3

R.T.: 5.391 min
Delta R.T.: -0.006 min
Response: 240244
Conc: 238.38 ng/ml




#6 AR-1016-4

R.T.: 6.410 min
Delta R.T.: -0.017 min
Response: 187934
Conc: 244.71 ng/ml



#6 AR-1016-4


R.T.: 5.445 min
Delta R.T.: -0.006 min
Response: 198033
Conc: 237.84 ng/ml



#7 AR-1016-5


R.T.: 6.723 min
Delta R.T.: -0.017 min
Response: 143765
Conc: 189.09 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128876BS




#7 AR-1016-5

R.T.: 5.672 min
Delta R.T.: -0.005 min
Response: 278667
Conc: 259.50 ng/ml




#8 AR-1221-1

R.T.: 5.140 min
Delta R.T.: -0.021 min
Response: 32167
Conc: 103.89 ng/ml



#8 AR-1221-1


R.T.: 4.185 min
Delta R.T.: -0.006 min
Response: 36295
Conc: 89.90 ng/ml



#9 AR-1221-2


R.T.: 5.245 min
Delta R.T.: -0.015 min
Response: 42087
Conc: 180.35 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128876BS




#9 AR-1221-2

R.T.: 4.285 min
Delta R.T.: -0.005 min
Response: 43132
Conc: 143.19 ng/ml




#10 AR-1221-3

R.T.: 5.332 min
Delta R.T.: -0.015 min
Response: 127341
Conc: 168.30 ng/ml



#10 AR-1221-3


R.T.: 4.373 min
Delta R.T.: -0.005 min
Response: 154379
Conc: 164.85 ng/ml



#11 AR-1232-1


R.T.: 5.332 min
Delta R.T.: -0.016 min
Response: 127341
Conc: 207.34 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128876BS




#11 AR-1232-1

R.T.: 4.373 min
Delta R.T.: -0.005 min
Response: 154379
Conc: 200.15 ng/ml




#12 AR-1232-2

R.T.: 5.919 min
Delta R.T.: -0.017 min
Response: 160210
Conc: 519.88 ng/ml



#12 AR-1232-2


R.T.: 5.202 min
Delta R.T.: -0.006 min
Response: 457183
Conc: 570.88 ng/ml



#13 AR-1232-3


R.T.: 6.238 min
Delta R.T.: -0.016 min
Response: 372018
Conc: 583.50 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128876BS




#13 AR-1232-3

R.T.: 5.391 min
Delta R.T.: -0.006 min
Response: 240244
Conc: 565.71 ng/ml




#14 AR-1232-4

R.T.: 6.410 min
Delta R.T.: -0.017 min
Response: 187934
Conc: 597.09 ng/ml



#14 AR-1232-4


R.T.: 5.489 min
Delta R.T.: -0.006 min
Response: 244270
Conc: 650.61 ng/ml



#15 AR-1232-5


R.T.: 6.507 min
Delta R.T.: -0.017 min
Response: 153592
Conc: 725.90 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128876BS




#15 AR-1232-5

R.T.: 5.672 min
Delta R.T.: -0.006 min
Response: 278667
Conc: 668.85 ng/ml




#16 AR-1242-1

R.T.: 6.238 min
Delta R.T.: 0.008 min
Response: 372018
Conc: 422.82 ng/ml



#16 AR-1242-1


R.T.: 5.182 min
Delta R.T.: -0.005 min
Response: 333810
Conc: 307.38 ng/ml



#17 AR-1242-2


R.T.: 6.238 min
Delta R.T.: -0.016 min
Response: 372018
Conc: 311.17 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128876BS




#17 AR-1242-2

R.T.: 5.202 min
Delta R.T.: -0.005 min
Response: 457183
Conc: 322.36 ng/ml




#18 AR-1242-3

R.T.: 6.303 min
Delta R.T.: -0.016 min
Response: 232069
Conc: 310.62 ng/ml



#18 AR-1242-3


R.T.: 5.391 min
Delta R.T.: -0.005 min
Response: 240244
Conc: 301.48 ng/ml



#19 AR-1242-4


R.T.: 6.410 min
Delta R.T.: -0.017 min
Response: 187934
Conc: 306.89 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128876BS




#19 AR-1242-4

R.T.: 5.489 min
Delta R.T.: -0.005 min
Response: 244270
Conc: 316.16 ng/ml




#20 AR-1242-5

R.T.: 7.189 min
Delta R.T.: -0.018 min
Response: 43730
Conc: 59.21 ng/ml



#20 AR-1242-5


R.T.: 6.050 min
Delta R.T.: -0.006 min
Response: 210400
Conc: 208.62 ng/ml



#21 AR-1248-1


R.T.: 6.238 min
Delta R.T.: 0.009 min
Response: 372018
Conc: 561.22 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128876BS




#21 AR-1248-1

R.T.: 5.182 min
Delta R.T.: -0.004 min
Response: 333810
Conc: 411.27 ng/ml




#22 AR-1248-2

R.T.: 6.507 min
Delta R.T.: -0.016 min
Response: 153592
Conc: 184.22 ng/ml



#22 AR-1248-2


R.T.: 5.445 min
Delta R.T.: -0.005 min
Response: 198033
Conc: 186.44 ng/ml



#23 AR-1248-3


R.T.: 6.723 min
Delta R.T.: -0.016 min
Response: 143765
Conc: 146.15 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128876BS




#23 AR-1248-3

R.T.: 5.489 min
Delta R.T.: -0.005 min
Response: 244270
Conc: 228.50 ng/ml




#24 AR-1248-4

R.T.: 7.151 min
Delta R.T.: -0.016 min
Response: 36517
Conc: 30.96 ng/ml



#24 AR-1248-4


R.T.: 5.672 min
Delta R.T.: -0.005 min
Response: 278667
Conc: 215.95 ng/ml



#25 AR-1248-5


R.T.: 7.189 min
Delta R.T.: -0.018 min
Response: 43730
Conc: 39.26 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128876BS




#25 AR-1248-5

R.T.: 6.093 min
Delta R.T.: -0.006 min
Response: 33676
Conc: 25.89 ng/ml




#26 AR-1254-1

R.T.: 7.151 min
Delta R.T.: 0.015 min
Response: 36517
Conc: 30.71 ng/ml



#26 AR-1254-1


R.T.: 6.050 min
Delta R.T.: -0.005 min
Response: 210400
Conc: 103.83 ng/ml



#27 AR-1254-2


R.T.: 7.347 min
Delta R.T.: -0.018 min
Response: 163714
Conc: 88.68 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128876BS




#27 AR-1254-2

R.T.: 6.210 min
Delta R.T.: -0.006 min
Response: 198705
Conc: 110.89 ng/ml




#28 AR-1254-3

R.T.: 7.728 min
Delta R.T.: -0.018 min
Response: 93243
Conc: 48.16 ng/ml



#28 AR-1254-3


R.T.: 6.629 min
Delta R.T.: -0.004 min
Response: 98798
Conc: 34.34 ng/ml



#29 AR-1254-4


R.T.: 8.021 min
Delta R.T.: -0.021 min
Response: 48865
Conc: 30.53 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128876BS




#29 AR-1254-4

R.T.: 6.867 min
Delta R.T.: -0.006 min
Response: 46099
Conc: 23.90 ng/ml




#30 AR-1254-5

R.T.: 8.479 min
Delta R.T.: 0.012 min
Response: 66404
Conc: 40.42 ng/ml



#30 AR-1254-5


R.T.: 7.294 min
Delta R.T.: -0.006 min
Response: 691010
Conc: 256.23 ng/ml



#31 AR-1260-1


R.T.: 7.893 min
Delta R.T.: -0.019 min
Response: 360642
Conc: 258.85 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128876BS




#31 AR-1260-1

R.T.: 6.765 min
Delta R.T.: -0.006 min
Response: 493045
Conc: 256.89 ng/ml




#32 AR-1260-2

R.T.: 8.157 min
Delta R.T.: -0.019 min
Response: 456734
Conc: 257.42 ng/ml



#32 AR-1260-2


R.T.: 6.963 min
Delta R.T.: -0.006 min
Response: 598561
Conc: 255.13 ng/ml



#33 AR-1260-3


R.T.: 8.519 min
Delta R.T.: -0.020 min
Response: 338214
Conc: 232.81 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128876BS




#33 AR-1260-3

R.T.: 7.115 min
Delta R.T.: -0.007 min
Response: 546948
Conc: 250.98 ng/ml




#34 AR-1260-4

R.T.: 8.750 min
Delta R.T.: -0.019 min
Response: 333159
Conc: 213.95 ng/ml



#34 AR-1260-4


R.T.: 7.597 min
Delta R.T.: -0.007 min
Response: 404888
Conc: 212.84 ng/ml



#35 AR-1260-5


R.T.: 9.069 min
Delta R.T.: -0.021 min
Response: 756148
Conc: 227.63 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128876BS




#35 AR-1260-5

R.T.: 7.845 min
Delta R.T.: -0.006 min
Response: 989213
Conc: 222.58 ng/ml




#36 AR-1262-1

R.T.: 8.519 min
Delta R.T.: -0.020 min
Response: 338214
Conc: 169.06 ng/ml



#36 AR-1262-1


R.T.: 7.294 min
Delta R.T.: -0.006 min
Response: 691010
Conc: 485.77 ng/ml



#37 AR-1262-2


R.T.: 9.069 min
Delta R.T.: -0.021 min
Response: 756148
Conc: 209.76 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128876BS




#37 AR-1262-2

R.T.: 7.845 min
Delta R.T.: -0.006 min
Response: 989213
Conc: 212.85 ng/ml




#38 AR-1262-3

R.T.: 9.395 min
Delta R.T.: 0.001 min
Response: 361204
Conc: 139.16 ng/ml



#38 AR-1262-3


R.T.: 8.130 min
Delta R.T.: -0.007 min
Response: 234245
Conc: 121.32 ng/ml



#39 AR-1262-4


R.T.: 9.446 min
Delta R.T.: -0.040 min
Response: 244392
Conc: 118.29 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128876BS




#39 AR-1262-4

R.T.: 8.192 min
Delta R.T.: -0.008 min
Response: 727208
Conc: 207.04 ng/ml




#40 AR-1262-5

R.T.: 10.207 min
Delta R.T.: 0.065 min
Response: -87634
Conc: N.D.



#40 AR-1262-5


R.T.: 8.689 min
Delta R.T.: -0.006 min
Response: 257129
Conc: 149.05 ng/ml



#41 AR-1268-1


R.T.: 9.395 min
Delta R.T.: 0.002 min
Response: 361204
Conc: 75.86 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128876BS




#41 AR-1268-1

R.T.: 8.130 min
Delta R.T.: -0.007 min
Response: 234245
Conc: 41.63 ng/ml




#42 AR-1268-2

R.T.: 9.446 min
Delta R.T.: -0.042 min
Response: 244392
Conc: 53.42 ng/ml



#42 AR-1268-2


R.T.: 8.192 min
Delta R.T.: -0.010 min
Response: 727208
Conc: 142.15 ng/ml



#43 AR-1268-3


R.T.: 9.683 min
Delta R.T.: -0.026 min
Response: 29171
Conc: 7.38 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128876BS




#43 AR-1268-3

R.T.: 8.401 min
Delta R.T.: -0.008 min
Response: 135735
Conc: 32.01 ng/ml




#44 AR-1268-4

R.T.: 10.207 min
Delta R.T.: 0.065 min
Response: -87634
Conc: N.D.



#44 AR-1268-4


R.T.: 8.689 min
Delta R.T.: -0.007 min
Response: 257129
Conc: 127.05 ng/ml



#45 AR-1268-5

R.T.: 10.514 min
Delta R.T.: -0.030 min
Response: 70786
Conc: 5.45 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB128876BS



#45 AR-1268-5

R.T.: 8.964 min
Delta R.T.: -0.008 min
Response: 100300
Conc: 7.62 ng/ml