Quantitation Report (Not Reviewed)

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO060619\
Data File : PO056912.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 06 Jun 2019 9:32
Operator : SM/SJ
Sample : AR1660CCC50
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument : ECD_O
ClientSampleId : AR1660CCC500

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 06 10:32:38 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO052319.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri May 24 00:11:05 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml	
	System Monitoring Compounds							
1)	SA Tetrachlo...	4.247	3.566	2162812	1686062	56.495	51.126	
2)	SA Decachlor...	9.820	8.499	2031762	1485554	41.394	41.663	
	Target Compounds							
3)	L1 AR-1016-1	5.409	4.651	858261	854608	477.177	679.076	#
4)	L1 AR-1016-2	5.430	4.651	1270291	854608	505.876	474.354	
5)	L1 AR-1016-3	5.491	4.826	773006	471705	480.936	478.429	
6)	L1 AR-1016-4	5.589	4.867	631672	388714	481.531	469.551	
7)	L1 AR-1016-5	5.880	5.077	646398	332120	467.859	309.605	#
8)	L2 AR-1221-1	0.000	3.774	0	51640	N.D.	101.823	#
9)	L2 AR-1221-2	4.620	3.860	407222	78959	853.541	209.515	#
10)	L2 AR-1221-3	4.620	3.934	407222	296616	275.509	247.789	
11)	L3 AR-1232-1	4.620	3.934	407222	296616	345.576	330.174	
12)	L3 AR-1232-2	5.142	4.651	593617	854608	895.296	879.336	
13)	L3 AR-1232-3	5.430	4.826	1270291	471705	895.422	901.418	
14)	L3 AR-1232-4	5.589	4.907	631672	464281	897.353	942.344	
15)	L3 AR-1232-5	5.678	5.077	535309	332120	946.799	589.644	#
16)	L4 AR-1242-1	5.409	4.651	858261	854608	497.487	689.989	#
17)	L4 AR-1242-2	5.430	4.651	1270291	854608	500.356	475.199	
18)	L4 AR-1242-3	5.491	4.826	773006	471705	475.399	479.812	
19)	L4 AR-1242-4	5.589	4.907	631672	464281	472.552	477.116	
20)	L4 AR-1242-5	0.000	5.425	0	366887	N.D.	310.324	#
21)	L5 AR-1248-1	5.409	4.651	858261	854608	666.086	912.537	#
22)	L5 AR-1248-2	5.678	4.867	535309	388714	287.354	305.966	
23)	L5 AR-1248-3	5.880	4.907	646398	464281	315.108	355.525	
24)	L5 AR-1248-4	0.000	5.077	0	332120	N.D.	209.721	#
25)	L5 AR-1248-5	0.000	5.464	0	54913	N.D.	33.178	#
26)	L6 AR-1254-1	0.000	5.425	0	366887	N.D.	138.724	#
27)	L6 AR-1254-2	6.470	5.571	482636	322303	124.260	149.505	
28)	L6 AR-1254-3	6.892	5.984	805209	658369	195.278	179.830	
29)	L6 AR-1254-4	0.000	6.199	0	86668	N.D.	39.450	#
30)	L6 AR-1254-5	7.535	6.611	1596132	1104951	423.867	348.539	
31)	L7 AR-1260-1	6.997	6.098	1204838	875713	469.507	437.773	
32)	L7 AR-1260-2	7.253	6.286	1317331	1137249	435.602	461.366	
33)	L7 AR-1260-3	7.609	6.438	1011524	993171	419.885	442.742	
34)	L7 AR-1260-4	7.835	6.904	1068873	829499	408.090	445.723	
35)	L7 AR-1260-5	8.143	7.147	1966820	1990815	411.289	461.656	
36)	L8 AR-1262-1	7.609	6.646	1011524	1005130	216.279	240.804	
37)	L8 AR-1262-2	8.143	7.147	1966820	1990815	257.984	289.757	
38)	L8 AR-1262-3	8.451	7.425	1307692	495017	249.867	167.607	#
39)	L8 AR-1262-4	8.503	7.490	887247	1419577	207.830	272.440	#
40)	L8 AR-1262-5	9.135	7.982	601715	521646	218.992	224.640	
41)	L9 AR-1268-1	8.451	7.425	1307692	495017	160.700	66.311	#

Quantitation Report (Not Reviewed)

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO060619\
Data File : PO056912.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 06 Jun 2019 9:32
Operator : SM/SJ
Sample : AR1660CCC50
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument : ECD_O
ClientSampleId : AR1660CCC500

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 06 10:32:38 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO052319.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri May 24 00:11:05 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.503	7.490	887247	1419577	109.674	203.288 #
43) L9	AR-1268-3	0.000	7.691	0	25129	N.D.	4.234 #
44) L9	AR-1268-4	9.135	7.982	601715	521646	220.645	223.475
45) L9	AR-1268-5	0.000	8.259	0	142019	N.D.	8.206 #

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO060619\
Data File : PO056912.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 06 Jun 2019 9:32
Operator : SM/SJ
Sample : AR1660CCC50
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
AR1660CCC500

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 06 10:32:38 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO052319.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri May 24 00:11:05 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm







#1 Tetrachloro-m-xylene

R.T.: 4.247 min
Delta R.T.: -0.009 min
Response: 2162812
Conc: 56.49 ng/ml

Instrument :
ECD_O
ClientSampleId :
AR1660CCC500



#1 Tetrachloro-m-xylene

R.T.: 3.566 min
Delta R.T.: -0.007 min
Response: 1686062
Conc: 51.13 ng/ml



#2 Decachlorobiphenyl

R.T.: 9.820 min
Delta R.T.: -0.016 min
Response: 2031762
Conc: 41.39 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.499 min
Delta R.T.: -0.014 min
Response: 1485554
Conc: 41.66 ng/ml



#3 AR-1016-1

R.T.: 5.409 min
Delta R.T.: -0.009 min
Response: 858261
Conc: 477.18 ng/ml

Instrument :
ECD_O
ClientSampleId :
AR1660CCC500



#3 AR-1016-1

R.T.: 4.651 min
Delta R.T.: 0.008 min
Response: 854608
Conc: 679.08 ng/ml



#4 AR-1016-2

R.T.: 5.430 min
Delta R.T.: -0.009 min
Response: 1270291
Conc: 505.88 ng/ml



#4 AR-1016-2

R.T.: 4.651 min
Delta R.T.: -0.010 min
Response: 854608
Conc: 474.35 ng/ml



#5 AR-1016-3

R.T.: 5.491 min
Delta R.T.: -0.009 min
Response: 773006
Conc: 480.94 ng/ml

Instrument :
ECD_O
ClientSampleId :
AR1660CCC500



#5 AR-1016-3

R.T.: 4.826 min
Delta R.T.: -0.010 min
Response: 471705
Conc: 478.43 ng/ml



#6 AR-1016-4

R.T.: 5.589 min
Delta R.T.: -0.009 min
Response: 631672
Conc: 481.53 ng/ml



#6 AR-1016-4

R.T.: 4.867 min
Delta R.T.: -0.010 min
Response: 388714
Conc: 469.55 ng/ml



#7 AR-1016-5

R.T.: 5.880 min
Delta R.T.: -0.010 min
Response: 646398
Conc: 467.86 ng/ml

Instrument :
ECD_O
ClientSampleId :
AR1660CCC500



#7 AR-1016-5

R.T.: 5.077 min
Delta R.T.: -0.010 min
Response: 332120
Conc: 309.60 ng/ml



#8 AR-1221-1

R.T.: 0.000 min
Exp R.T. : 4.466 min
Response: 0
Conc: N.D.



#8 AR-1221-1

R.T.: 3.774 min
Delta R.T.: -0.009 min
Response: 51640
Conc: 101.82 ng/ml



#9 AR-1221-2

R.T.: 4.620 min
Delta R.T.: 0.067 min
Response: 407222
Conc: 853.54 ng/ml

Instrument :
ECD_O
ClientSampleId :
AR1660CCC500



#9 AR-1221-2

R.T.: 3.860 min
Delta R.T.: -0.008 min
Response: 78959
Conc: 209.51 ng/ml



#10 AR-1221-3

R.T.: 4.620 min
Delta R.T.: -0.008 min
Response: 407222
Conc: 275.51 ng/ml



#10 AR-1221-3

R.T.: 3.934 min
Delta R.T.: -0.009 min
Response: 296616
Conc: 247.79 ng/ml



#11 AR-1232-1

R.T.: 4.620 min
Delta R.T.: -0.009 min
Response: 407222
Conc: 345.58 ng/ml

Instrument :
ECD_O
ClientSampleId :
AR1660CCC500



#11 AR-1232-1

R.T.: 3.934 min
Delta R.T.: -0.009 min
Response: 296616
Conc: 330.17 ng/ml



#12 AR-1232-2

R.T.: 5.142 min
Delta R.T.: -0.010 min
Response: 593617
Conc: 895.30 ng/ml



#12 AR-1232-2

R.T.: 4.651 min
Delta R.T.: -0.010 min
Response: 854608
Conc: 879.34 ng/ml



#13 AR-1232-3

R.T.: 5.430 min
Delta R.T.: -0.009 min
Response: 1270291
Conc: 895.42 ng/ml

Instrument :
ECD_O
ClientSampleId :
AR1660CCC500



#13 AR-1232-3

R.T.: 4.826 min
Delta R.T.: -0.010 min
Response: 471705
Conc: 901.42 ng/ml



#14 AR-1232-4

R.T.: 5.589 min
Delta R.T.: -0.010 min
Response: 631672
Conc: 897.35 ng/ml



#14 AR-1232-4

R.T.: 4.907 min
Delta R.T.: -0.011 min
Response: 464281
Conc: 942.34 ng/ml



#15 AR-1232-5

R.T.: 5.678 min
Delta R.T.: -0.010 min
Response: 535309
Conc: 946.80 ng/ml

Instrument :
ECD_O
ClientSampleId :
AR1660CCC500



#15 AR-1232-5

R.T.: 5.077 min
Delta R.T.: -0.011 min
Response: 332120
Conc: 589.64 ng/ml



#16 AR-1242-1

R.T.: 5.409 min
Delta R.T.: -0.009 min
Response: 858261
Conc: 497.49 ng/ml



#16 AR-1242-1

R.T.: 4.651 min
Delta R.T.: 0.009 min
Response: 854608
Conc: 689.99 ng/ml



#17 AR-1242-2

R.T.: 5.430 min
Delta R.T.: -0.009 min
Response: 1270291
Conc: 500.36 ng/ml

Instrument :
ECD_O
ClientSampleId :
AR1660CCC500



#17 AR-1242-2

R.T.: 4.651 min
Delta R.T.: -0.010 min
Response: 854608
Conc: 475.20 ng/ml



#18 AR-1242-3

R.T.: 5.491 min
Delta R.T.: -0.009 min
Response: 773006
Conc: 475.40 ng/ml



#18 AR-1242-3

R.T.: 4.826 min
Delta R.T.: -0.009 min
Response: 471705
Conc: 479.81 ng/ml



#19 AR-1242-4

R.T.: 5.589 min
Delta R.T.: -0.009 min
Response: 631672
Conc: 472.55 ng/ml

Instrument :
ECD_O
ClientSampleId :
AR1660CCC500



#19 AR-1242-4

R.T.: 4.907 min
Delta R.T.: -0.010 min
Response: 464281
Conc: 477.12 ng/ml



#20 AR-1242-5

R.T.: 0.000 min
Exp R.T. : 6.329 min
Response: 0
Conc: N.D.



#20 AR-1242-5

R.T.: 5.425 min
Delta R.T.: -0.010 min
Response: 366887
Conc: 310.32 ng/ml



#21 AR-1248-1

R.T.: 5.409 min
Delta R.T.: -0.009 min
Response: 858261
Conc: 666.09 ng/ml

Instrument :
ECD_O
ClientSampleId :
AR1660CCC500



#21 AR-1248-1

R.T.: 4.651 min
Delta R.T.: 0.009 min
Response: 854608
Conc: 912.54 ng/ml



#22 AR-1248-2

R.T.: 5.678 min
Delta R.T.: -0.010 min
Response: 535309
Conc: 287.35 ng/ml



#22 AR-1248-2

R.T.: 4.867 min
Delta R.T.: -0.009 min
Response: 388714
Conc: 305.97 ng/ml



#23 AR-1248-3

R.T.: 5.880 min
Delta R.T.: -0.009 min
Response: 646398
Conc: 315.11 ng/ml

Instrument :
ECD_O
ClientSampleId :
AR1660CCC500



#23 AR-1248-3

R.T.: 4.907 min
Delta R.T.: -0.010 min
Response: 464281
Conc: 355.53 ng/ml



#24 AR-1248-4

R.T.: 0.000 min
Exp R.T. : 6.291 min
Response: 0
Conc: N.D.



#24 AR-1248-4

R.T.: 5.077 min
Delta R.T.: -0.010 min
Response: 332120
Conc: 209.72 ng/ml



#25 AR-1248-5

R.T.: 0.000 min
Exp R.T. : 6.329 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
AR1660CCC500



#25 AR-1248-5

R.T.: 5.464 min
Delta R.T.: -0.012 min
Response: 54913
Conc: 33.18 ng/ml



#26 AR-1254-1

R.T.: 0.000 min
Exp R.T. : 6.264 min
Response: 0
Conc: N.D.



#26 AR-1254-1

R.T.: 5.425 min
Delta R.T.: -0.010 min
Response: 366887
Conc: 138.72 ng/ml



#27 AR-1254-2

R.T.: 6.470 min
Delta R.T.: -0.011 min
Response: 482636
Conc: 124.26 ng/ml

Instrument :
ECD_O
ClientSampleId :
AR1660CCC500



#27 AR-1254-2

R.T.: 5.571 min
Delta R.T.: -0.010 min
Response: 322303
Conc: 149.51 ng/ml



#28 AR-1254-3

R.T.: 6.892 min
Delta R.T.: 0.045 min
Response: 805209
Conc: 195.28 ng/ml



#28 AR-1254-3

R.T.: 5.984 min
Delta R.T.: 0.002 min
Response: 658369
Conc: 179.83 ng/ml



#29 AR-1254-4

R.T.: 0.000 min
Exp R.T. : 7.131 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
AR1660CCC500



#29 AR-1254-4

R.T.: 6.199 min
Delta R.T.: -0.010 min
Response: 86668
Conc: 39.45 ng/ml



#30 AR-1254-5

R.T.: 7.535 min
Delta R.T.: -0.012 min
Response: 1596132
Conc: 423.87 ng/ml



#30 AR-1254-5

R.T.: 6.611 min
Delta R.T.: -0.011 min
Response: 1104951
Conc: 348.54 ng/ml



#31 AR-1260-1

R.T.: 6.997 min
Delta R.T.: -0.011 min
Response: 1204838
Conc: 469.51 ng/ml

Instrument :
ECD_O
ClientSampleId :
AR1660CCC500



#31 AR-1260-1

R.T.: 6.098 min
Delta R.T.: -0.012 min
Response: 875713
Conc: 437.77 ng/ml



#32 AR-1260-2

R.T.: 7.253 min
Delta R.T.: -0.011 min
Response: 1317331
Conc: 435.60 ng/ml



#32 AR-1260-2

R.T.: 6.286 min
Delta R.T.: -0.012 min
Response: 1137249
Conc: 461.37 ng/ml



#33 AR-1260-3

R.T.: 7.609 min
Delta R.T.: -0.011 min
Response: 1011524
Conc: 419.88 ng/ml

Instrument :
ECD_O
ClientSampleId :
AR1660CCC500



#33 AR-1260-3

R.T.: 6.438 min
Delta R.T.: -0.012 min
Response: 993171
Conc: 442.74 ng/ml



#34 AR-1260-4

R.T.: 7.835 min
Delta R.T.: -0.010 min
Response: 1068873
Conc: 408.09 ng/ml



#34 AR-1260-4

R.T.: 6.904 min
Delta R.T.: -0.013 min
Response: 829499
Conc: 445.72 ng/ml



#35 AR-1260-5

R.T.: 8.143 min
Delta R.T.: -0.011 min
Response: 1966820
Conc: 411.29 ng/ml

Instrument :
ECD_O
ClientSampleId :
AR1660CCC500



#35 AR-1260-5

R.T.: 7.147 min
Delta R.T.: -0.011 min
Response: 1990815
Conc: 461.66 ng/ml



#36 AR-1262-1

R.T.: 7.609 min
Delta R.T.: -0.011 min
Response: 1011524
Conc: 216.28 ng/ml



#36 AR-1262-1

R.T.: 6.646 min
Delta R.T.: -0.014 min
Response: 1005130
Conc: 240.80 ng/ml



#37 AR-1262-2

R.T.: 8.143 min
Delta R.T.: -0.011 min
Response: 1966820
Conc: 257.98 ng/ml

Instrument :
ECD_O
ClientSampleId :
AR1660CCC500



#37 AR-1262-2

R.T.: 7.147 min
Delta R.T.: -0.012 min
Response: 1990815
Conc: 289.76 ng/ml



#38 AR-1262-3

R.T.: 8.451 min
Delta R.T.: 0.006 min
Response: 1307692
Conc: 249.87 ng/ml



#38 AR-1262-3

R.T.: 7.425 min
Delta R.T.: -0.013 min
Response: 495017
Conc: 167.61 ng/ml



#39 AR-1262-4

R.T.: 8.503 min
Delta R.T.: -0.028 min
Response: 887247
Conc: 207.83 ng/ml

Instrument :
ECD_O
ClientSampleId :
AR1660CCC500



#39 AR-1262-4

R.T.: 7.490 min
Delta R.T.: -0.013 min
Response: 1419577
Conc: 272.44 ng/ml



#40 AR-1262-5

R.T.: 9.135 min
Delta R.T.: -0.014 min
Response: 601715
Conc: 218.99 ng/ml



#40 AR-1262-5

R.T.: 7.982 min
Delta R.T.: -0.012 min
Response: 521646
Conc: 224.64 ng/ml



#41 AR-1268-1

R.T.: 8.451 min
Delta R.T.: 0.006 min
Response: 1307692
Conc: 160.70 ng/ml

Instrument :
ECD_O
ClientSampleId :
AR1660CCC500



#41 AR-1268-1

R.T.: 7.425 min
Delta R.T.: -0.012 min
Response: 495017
Conc: 66.31 ng/ml



#42 AR-1268-2

R.T.: 8.503 min
Delta R.T.: -0.031 min
Response: 887247
Conc: 109.67 ng/ml



#42 AR-1268-2

R.T.: 7.490 min
Delta R.T.: -0.013 min
Response: 1419577
Conc: 203.29 ng/ml



#43 AR-1268-3

R.T.: 0.000 min
Exp R.T. : 8.743 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
AR1660CCC500



#43 AR-1268-3

R.T.: 7.691 min
Delta R.T.: -0.013 min
Response: 25129
Conc: 4.23 ng/ml



#44 AR-1268-4

R.T.: 9.135 min
Delta R.T.: -0.014 min
Response: 601715
Conc: 220.64 ng/ml



#44 AR-1268-4

R.T.: 7.982 min
Delta R.T.: -0.011 min
Response: 521646
Conc: 223.47 ng/ml



#45 AR-1268-5

R.T.: 0.000 min
Exp R.T. : 9.529 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
AR1660CCC500



#45 AR-1268-5

R.T.: 8.259 min
Delta R.T.: -0.013 min
Response: 142019
Conc: 8.21 ng/ml