

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0060619\
 Data File : P0056927.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 06 Jun 2019 15:34
 Operator : SM/SJ
 Sample : K3219-01DL 4X
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 EFFL-B2-7DL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 06 15:48:15 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0052319.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri May 24 00:11:05 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	0.000	3.565	0	161364	N.D.	4.893 #
2)	SA Decachlor...	0.000	8.500	0	57468	N.D.	1.612 #
Target Compounds							
3)	L1 AR-1016-1	5.436	4.634	1087515	278330	604.638	221.163 #
4)	L1 AR-1016-2	5.436	4.653	1087515	449880	433.088	249.708 #
5)	L1 AR-1016-3	5.436	4.827	1087515	217185	676.612	220.281 #
6)	L1 AR-1016-4	5.598	4.868	460848	629080	351.310	759.903 #
7)	L1 AR-1016-5	5.885	5.080	1205174	663906	872.297	618.899 #
8)	L2 AR-1221-1	0.000	3.727	0	25411	N.D.	50.105 #
9)	L2 AR-1221-2	0.000	3.933	0	29798	N.D.	79.066 #
10)	L2 AR-1221-3	0.000	3.933	0	29798	N.D.	24.892 #
11)	L3 AR-1232-1	0.000	3.933	0	29798	N.D.	33.169 #
12)	L3 AR-1232-2	0.000	4.653	0	449880	N.D.	462.898 #
13)	L3 AR-1232-3	5.436	4.827	1087515	217185	766.585	415.035 #
14)	L3 AR-1232-4	5.598	4.908	460848	634055	654.681	1286.931 #
15)	L3 AR-1232-5	5.684	5.080	739560	663906	1308.056	1178.695
16)	L4 AR-1242-1	5.436	4.634	1087515	278330	630.373	224.717 #
17)	L4 AR-1242-2	5.436	4.653	1087515	449880	428.362	250.153 #
18)	L4 AR-1242-3	5.436	4.827	1087515	217185	668.822	220.917 #
19)	L4 AR-1242-4	5.598	4.908	460848	634055	344.759	651.584 #
20)	L4 AR-1242-5	6.325	5.426	1447172	1260687	877.038	1066.326
21)	L5 AR-1248-1	5.436	4.634	1087515	278330	844.007	297.196 #
22)	L5 AR-1248-2	5.684	4.868	739560	629080	396.995	495.164
23)	L5 AR-1248-3	5.885	4.908	1205174	634055	587.502	485.530
24)	L5 AR-1248-4	6.287	5.080	1415858	663906	611.949	419.231 #
25)	L5 AR-1248-5	6.325	5.467	1447172	1160801	657.990	701.360
26)	L6 AR-1254-1	6.259	5.426	928996	1260687	337.481	476.679 #
27)	L6 AR-1254-2	6.480	5.572	1750146	546742	450.593	253.614 #
28)	L6 AR-1254-3	6.841	5.973	1188091	1053277	288.135	287.697
29)	L6 AR-1254-4	7.126	6.200	1003490	868311	333.404	395.238
30)	L6 AR-1254-5	7.542	6.613	760635	691003	201.994	217.966
31)	L7 AR-1260-1	0.000	6.099	0	509511	N.D.	254.707 #
32)	L7 AR-1260-2	7.258	6.287	501763	360824	165.918	146.381
33)	L7 AR-1260-3	0.000	6.438	0	340808	N.D.	151.927 #
34)	L7 AR-1260-4	0.000	6.906	0	120410	N.D.	64.701 #
35)	L7 AR-1260-5	0.000	7.147	0	268623	N.D.	62.292 #
36)	L8 AR-1262-1	0.000	6.644	0	184799	N.D.	44.273 #
37)	L8 AR-1262-2	0.000	7.147	0	268623	N.D.	39.097 #
38)	L8 AR-1262-3	0.000	7.426	0	105518	N.D.	35.727 #
39)	L8 AR-1262-4	0.000	7.491	0	234488	N.D.	45.002 #
40)	L8 AR-1262-5	0.000	7.985	0	69597	N.D.	29.971 #
41)	L9 AR-1268-1	0.000	7.426	0	105518	N.D.	14.135 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0060619\
 Data File : P0056927.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 06 Jun 2019 15:34
 Operator : SM/SJ
 Sample : K3219-01DL 4X
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 EFFL-B2-7DL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 06 15:48:15 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0052319.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri May 24 00:11:05 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	0.000	7.491	0	234488	N.D.	33.579 #
43) L9	AR-1268-3	0.000	7.693	0	3614	N.D.	0.609 #
44) L9	AR-1268-4	0.000	7.985	0	69597	N.D.	29.816 #
45) L9	AR-1268-5	0.000	8.259	0	35217	N.D.	2.035 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0060619\
Data File : P0056927.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 06 Jun 2019 15:34
Operator : SM/SJ
Sample : K3219-01DL 4X
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
EFFL-B2-7DL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 06 15:48:15 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0052319.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri May 24 00:11:05 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 0.000 min
Exp R.T.: 4.256 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
EFFL-B2-7DL




#1 Tetrachloro-m-xylene

R.T.: 3.565 min
Delta R.T.: -0.008 min
Response: 161364
Conc: 4.89 ng/ml




#2 Decachlorobiphenyl

R.T.: 0.000 min
Exp R.T.: 9.836 min
Response: 0
Conc: N.D.



#2 Decachlorobiphenyl


R.T.: 8.500 min
Delta R.T.: -0.013 min
Response: 57468
Conc: 1.61 ng/ml



#3 AR-1016-1


R.T.: 5.436 min
Delta R.T.: 0.018 min
Response: 1087515
Conc: 604.64 ng/ml

Instrument :
ECD_O
ClientSampleId :
EFFL-B2-7DL




#3 AR-1016-1

R.T.: 4.634 min
Delta R.T.: -0.009 min
Response: 278330
Conc: 221.16 ng/ml




#4 AR-1016-2

R.T.: 5.436 min
Delta R.T.: -0.004 min
Response: 1087515
Conc: 433.09 ng/ml



#4 AR-1016-2


R.T.: 4.653 min
Delta R.T.: -0.009 min
Response: 449880
Conc: 249.71 ng/ml



#5 AR-1016-3


R.T.: 5.436 min
Delta R.T.: -0.064 min
Response: 1087515
Conc: 676.61 ng/ml

Instrument :
ECD_O
ClientSampleId :
EFFL-B2-7DL




#5 AR-1016-3

R.T.: 4.827 min
Delta R.T.: -0.009 min
Response: 217185
Conc: 220.28 ng/ml




#6 AR-1016-4

R.T.: 5.598 min
Delta R.T.: 0.000 min
Response: 460848
Conc: 351.31 ng/ml



#6 AR-1016-4


R.T.: 4.868 min
Delta R.T.: -0.009 min
Response: 629080
Conc: 759.90 ng/ml



#7 AR-1016-5


R.T.: 5.885 min
Delta R.T.: -0.005 min
Response: 1205174
Conc: 872.30 ng/ml

Instrument :
ECD_O
ClientSampleId :
EFFL-B2-7DL




#7 AR-1016-5

R.T.: 5.080 min
Delta R.T.: -0.008 min
Response: 663906
Conc: 618.90 ng/ml




#8 AR-1221-1

R.T.: 0.000 min
Exp R.T. : 4.466 min
Response: 0
Conc: N.D.



#8 AR-1221-1


R.T.: 3.727 min
Delta R.T.: -0.056 min
Response: 25411
Conc: 50.11 ng/ml



#9 AR-1221-2


R.T.: 0.000 min
Exp R.T.: 4.553 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
EFFL-B2-7DL




#9 AR-1221-2

R.T.: 3.933 min
Delta R.T.: 0.065 min
Response: 29798
Conc: 79.07 ng/ml




#10 AR-1221-3

R.T.: 0.000 min
Exp R.T.: 4.628 min
Response: 0
Conc: N.D.



#10 AR-1221-3


R.T.: 3.933 min
Delta R.T.: -0.010 min
Response: 29798
Conc: 24.89 ng/ml



#11 AR-1232-1


R.T.: 0.000 min
Exp R.T.: 4.629 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
EFFL-B2-7DL




#11 AR-1232-1

R.T.: 3.933 min
Delta R.T.: -0.010 min
Response: 29798
Conc: 33.17 ng/ml




#12 AR-1232-2

R.T.: 0.000 min
Exp R.T.: 5.152 min
Response: 0
Conc: N.D.



#12 AR-1232-2


R.T.: 4.653 min
Delta R.T.: -0.009 min
Response: 449880
Conc: 462.90 ng/ml



#13 AR-1232-3


R.T.: 5.436 min
Delta R.T.: -0.003 min
Response: 1087515
Conc: 766.58 ng/ml

Instrument :
ECD_O
ClientSampleId :
EFFL-B2-7DL




#13 AR-1232-3

R.T.: 4.827 min
Delta R.T.: -0.009 min
Response: 217185
Conc: 415.04 ng/ml




#14 AR-1232-4

R.T.: 5.598 min
Delta R.T.: 0.000 min
Response: 460848
Conc: 654.68 ng/ml



#14 AR-1232-4


R.T.: 4.908 min
Delta R.T.: -0.010 min
Response: 634055
Conc: 1286.93 ng/ml



#15 AR-1232-5


R.T.: 5.684 min
Delta R.T.: -0.005 min
Response: 739560
Conc: 1308.06 ng/ml

Instrument :
ECD_O
ClientSampleId :
EFFL-B2-7DL




#15 AR-1232-5

R.T.: 5.080 min
Delta R.T.: -0.008 min
Response: 663906
Conc: 1178.70 ng/ml




#16 AR-1242-1

R.T.: 5.436 min
Delta R.T.: 0.018 min
Response: 1087515
Conc: 630.37 ng/ml



#16 AR-1242-1


R.T.: 4.634 min
Delta R.T.: -0.008 min
Response: 278330
Conc: 224.72 ng/ml



#17 AR-1242-2


R.T.: 5.436 min
Delta R.T.: -0.004 min
Response: 1087515
Conc: 428.36 ng/ml

Instrument :
ECD_O
ClientSampleId :
EFFL-B2-7DL




#17 AR-1242-2

R.T.: 4.653 min
Delta R.T.: -0.008 min
Response: 449880
Conc: 250.15 ng/ml




#18 AR-1242-3

R.T.: 5.436 min
Delta R.T.: -0.064 min
Response: 1087515
Conc: 668.82 ng/ml



#18 AR-1242-3


R.T.: 4.827 min
Delta R.T.: -0.008 min
Response: 217185
Conc: 220.92 ng/ml



#19 AR-1242-4


R.T.: 5.598 min
Delta R.T.: 0.000 min
Response: 460848
Conc: 344.76 ng/ml

Instrument :
ECD_O
ClientSampleId :
EFFL-B2-7DL




#19 AR-1242-4

R.T.: 4.908 min
Delta R.T.: -0.009 min
Response: 634055
Conc: 651.58 ng/ml




#20 AR-1242-5

R.T.: 6.325 min
Delta R.T.: -0.004 min
Response: 1447172
Conc: 877.04 ng/ml



#20 AR-1242-5


R.T.: 5.426 min
Delta R.T.: -0.009 min
Response: 1260687
Conc: 1066.33 ng/ml



#21 AR-1248-1


R.T.: 5.436 min
Delta R.T.: 0.018 min
Response: 1087515
Conc: 844.01 ng/ml

Instrument :
ECD_O
ClientSampleId :
EFFL-B2-7DL




#21 AR-1248-1

R.T.: 4.634 min
Delta R.T.: -0.008 min
Response: 278330
Conc: 297.20 ng/ml




#22 AR-1248-2

R.T.: 5.684 min
Delta R.T.: -0.004 min
Response: 739560
Conc: 397.00 ng/ml



#22 AR-1248-2


R.T.: 4.868 min
Delta R.T.: -0.008 min
Response: 629080
Conc: 495.16 ng/ml



#23 AR-1248-3


R.T.: 5.885 min
Delta R.T.: -0.005 min
Response: 1205174
Conc: 587.50 ng/ml

Instrument :
ECD_O
ClientSampleId :
EFFL-B2-7DL




#23 AR-1248-3

R.T.: 4.908 min
Delta R.T.: -0.009 min
Response: 634055
Conc: 485.53 ng/ml




#24 AR-1248-4

R.T.: 6.287 min
Delta R.T.: -0.004 min
Response: 1415858
Conc: 611.95 ng/ml



#24 AR-1248-4


R.T.: 5.080 min
Delta R.T.: -0.007 min
Response: 663906
Conc: 419.23 ng/ml



#25 AR-1248-5


R.T.: 6.325 min
Delta R.T.: -0.004 min
Response: 1447172
Conc: 657.99 ng/ml

Instrument :
ECD_O
ClientSampleId :
EFFL-B2-7DL




#25 AR-1248-5

R.T.: 5.467 min
Delta R.T.: -0.009 min
Response: 1160801
Conc: 701.36 ng/ml




#26 AR-1254-1

R.T.: 6.259 min
Delta R.T.: -0.005 min
Response: 928996
Conc: 337.48 ng/ml



#26 AR-1254-1


R.T.: 5.426 min
Delta R.T.: -0.008 min
Response: 1260687
Conc: 476.68 ng/ml



#27 AR-1254-2


R.T.: 6.480 min
Delta R.T.: -0.001 min
Response: 1750146
Conc: 450.59 ng/ml

Instrument :
ECD_O
ClientSampleId :
EFFL-B2-7DL




#27 AR-1254-2

R.T.: 5.572 min
Delta R.T.: -0.009 min
Response: 546742
Conc: 253.61 ng/ml




#28 AR-1254-3

R.T.: 6.841 min
Delta R.T.: -0.005 min
Response: 1188091
Conc: 288.13 ng/ml



#28 AR-1254-3


R.T.: 5.973 min
Delta R.T.: -0.009 min
Response: 1053277
Conc: 287.70 ng/ml



#29 AR-1254-4


R.T.: 7.126 min
Delta R.T.: -0.006 min
Response: 1003490
Conc: 333.40 ng/ml

Instrument :
ECD_O
ClientSampleId :
EFFL-B2-7DL




#29 AR-1254-4

R.T.: 6.200 min
Delta R.T.: -0.008 min
Response: 868311
Conc: 395.24 ng/ml




#30 AR-1254-5

R.T.: 7.542 min
Delta R.T.: -0.006 min
Response: 760635
Conc: 201.99 ng/ml



#30 AR-1254-5


R.T.: 6.613 min
Delta R.T.: -0.009 min
Response: 691003
Conc: 217.97 ng/ml



#31 AR-1260-1


R.T.: 0.000 min
Exp R.T.: 7.008 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
EFFL-B2-7DL




#31 AR-1260-1

R.T.: 6.099 min
Delta R.T.: -0.011 min
Response: 509511
Conc: 254.71 ng/ml




#32 AR-1260-2

R.T.: 7.258 min
Delta R.T.: -0.006 min
Response: 501763
Conc: 165.92 ng/ml



#32 AR-1260-2


R.T.: 6.287 min
Delta R.T.: -0.010 min
Response: 360824
Conc: 146.38 ng/ml



#33 AR-1260-3


R.T.: 0.000 min
Exp R.T.: 7.620 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
EFFL-B2-7DL




#33 AR-1260-3

R.T.: 6.438 min
Delta R.T.: -0.011 min
Response: 340808
Conc: 151.93 ng/ml




#34 AR-1260-4

R.T.: 0.000 min
Exp R.T.: 7.845 min
Response: 0
Conc: N.D.



#34 AR-1260-4


R.T.: 6.906 min
Delta R.T.: -0.011 min
Response: 120410
Conc: 64.70 ng/ml



#35 AR-1260-5


R.T.: 0.000 min
Exp R.T.: 8.153 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
EFFL-B2-7DL




#35 AR-1260-5

R.T.: 7.147 min
Delta R.T.: -0.011 min
Response: 268623
Conc: 62.29 ng/ml




#36 AR-1262-1

R.T.: 0.000 min
Exp R.T.: 7.620 min
Response: 0
Conc: N.D.



#36 AR-1262-1


R.T.: 6.644 min
Delta R.T.: -0.016 min
Response: 184799
Conc: 44.27 ng/ml



#37 AR-1262-2


R.T.: 0.000 min
Exp R.T.: 8.154 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
EFFL-B2-7DL




#37 AR-1262-2

R.T.: 7.147 min
Delta R.T.: -0.011 min
Response: 268623
Conc: 39.10 ng/ml




#38 AR-1262-3

R.T.: 0.000 min
Exp R.T.: 8.445 min
Response: 0
Conc: N.D.



#38 AR-1262-3


R.T.: 7.426 min
Delta R.T.: -0.012 min
Response: 105518
Conc: 35.73 ng/ml



#39 AR-1262-4


R.T.: 0.000 min
Exp R.T.: 8.530 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
EFFL-B2-7DL




#39 AR-1262-4

R.T.: 7.491 min
Delta R.T.: -0.012 min
Response: 234488
Conc: 45.00 ng/ml




#40 AR-1262-5

R.T.: 0.000 min
Exp R.T.: 9.148 min
Response: 0
Conc: N.D.



#40 AR-1262-5


R.T.: 7.985 min
Delta R.T.: -0.010 min
Response: 69597
Conc: 29.97 ng/ml



#41 AR-1268-1


R.T.: 0.000 min
Exp R.T.: 8.444 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
EFFL-B2-7DL




#41 AR-1268-1

R.T.: 7.426 min
Delta R.T.: -0.011 min
Response: 105518
Conc: 14.13 ng/ml




#42 AR-1268-2

R.T.: 0.000 min
Exp R.T.: 8.534 min
Response: 0
Conc: N.D.



#42 AR-1268-2


R.T.: 7.491 min
Delta R.T.: -0.011 min
Response: 234488
Conc: 33.58 ng/ml



#43 AR-1268-3


R.T.: 0.000 min
Exp R.T.: 8.743 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
EFFL-B2-7DL




#43 AR-1268-3

R.T.: 7.693 min
Delta R.T.: -0.012 min
Response: 3614
Conc: 0.61 ng/ml




#44 AR-1268-4

R.T.: 0.000 min
Exp R.T.: 9.148 min
Response: 0
Conc: N.D.



#44 AR-1268-4


R.T.: 7.985 min
Delta R.T.: -0.009 min
Response: 69597
Conc: 29.82 ng/ml



#45 AR-1268-5

R.T.: 0.000 min
Exp R.T.: 9.529 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
EFFL-B2-7DL



#45 AR-1268-5

R.T.: 8.259 min
Delta R.T.: -0.013 min
Response: 35217
Conc: 2.03 ng/ml