

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0061318\
 Data File : P0045741.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 13 Jun 2018 18:57
 Operator : SM/UA
 Sample : J3459-01
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 MH-RO-341

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 14 01:16:11 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0061218.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jun 13 03:54:48 2018
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	4.398	3.631	3837510	4166508	19.694	36.656 #
2) SA Decachlor...	10.062	8.616	2979013	1227531	21.278	17.554
Target Compounds						
3) L1 AR-1016-1	5.297	4.495	856818	5225671	169.231	1550.870 #
4) L1 AR-1016-2	5.624	4.950	1664277	1528123	260.493	623.776 #
5) L1 AR-1016-3	5.718	5.012	1937096	956804	367.482	299.055
6) L1 AR-1016-4	6.133	5.149	551446	263023	98.248	75.240
7) L1 AR-1016-5	6.397	5.527	912795	1523663	194.916	474.562 #
8) L2 AR-1221-1	4.575	3.826	749005	1679029	259.880	943.604 #
9) L2 AR-1221-2	4.701	3.930	1032269	3055881	487.483	2417.338 #
10) L2 AR-1221-3	4.752	4.010	613350	1173545	93.436	287.493 #
11) L3 AR-1232-1	5.083	4.010	1047878	1173545	438.294	450.755
12) L3 AR-1232-2	5.581	4.718	1858673	2515646	561.116	909.904 #
13) L3 AR-1232-3	5.581	4.783	1858673	1059375	391.639	533.082 #
14) L3 AR-1232-4	5.624	4.900	1664277	1574863	547.647	1053.915 #
15) L3 AR-1232-5	5.718	5.012	1937096	956804	787.620	686.285
16) L4 AR-1242-1	5.083	4.495	1047878	5225671	259.715	2004.372 #
17) L4 AR-1242-2	5.581	4.718	1858673	2515646	229.925	543.146 #
18) L4 AR-1242-3	5.718	4.900	1937096	1574863	458.099	632.662 #
19) L4 AR-1242-4	5.997	5.012	1996767	956804	479.682	388.476
20) L4 AR-1242-5	6.133	5.149	551446	263023	116.589	98.918
21) L5 AR-1248-1	5.997	5.149	1996767	263023	265.899	57.127 #
22) L5 AR-1248-2	6.133	5.305	551446	1342534	82.859	324.811 #
23) L5 AR-1248-3	6.397	5.527	912795	1523663	107.260	242.372 #
24) L5 AR-1248-4	6.441	5.564	1478815	1760863	180.533	383.048 #
25) L5 AR-1248-5	6.617	6.050	2274826	2126007	417.192	703.432 #
26) L6 AR-1254-1	6.617	5.527	2274826	1523663	169.539	223.801 #
27) L6 AR-1254-2	6.886	5.620	2399746	1688399	294.930	278.162
28) L6 AR-1254-3	6.992	6.050	1230069	2126007	86.372	224.353 #
29) L6 AR-1254-4	7.268	6.281	473163	1311989	46.290	220.618 #
30) L6 AR-1254-5	7.534	6.588	224030	872421	29.808	217.008 #
31) L7 AR-1260-1	7.147	6.190	352056	1965692	35.281	308.052 #
32) L7 AR-1260-2	7.389	6.361	708879	1962302	61.764	261.241 #
33) L7 AR-1260-3	7.685	6.737	437775	203226	33.476	37.291
34) L7 AR-1260-4	8.297	7.234	139628	230397	8.042	21.266 #
35) L7 AR-1260-5	8.612	7.590	38889	257631	3.588	34.120 #
36) L8 AR-1262-1	7.147	6.361	352056	1962302	38.869	312.450 #
37) L8 AR-1262-2	7.389	6.528	708879	1030766	68.636	170.384 #
38) L8 AR-1262-3	7.685	6.737	437775	203226	46.836	25.783 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\P0061318\
 Data File : P0045741.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 13 Jun 2018 18:57
 Operator : SM/UA
 Sample : J3459-01
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 MH-RO-341

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 14 01:16:11 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\P0061218.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jun 13 03:54:48 2018
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
39)	L8 AR-1262-4	7.983	6.997	180407	45803	14.066	6.555 #
40)	L8 AR-1262-5	8.297	7.234	139628	230397	6.106	18.516 #
41)	L9 AR-1268-1	8.612	7.521	38889	109828	1.706	9.365 #
42)	L9 AR-1268-2	8.695	7.590	58526	257631	2.848	24.694 #
43)	L9 AR-1268-3	8.859	7.798	63841	79798	3.625	9.171 #
44)	L9 AR-1268-4	9.329	8.073	471963	21276	62.809	5.557 #
45)	L9 AR-1268-5	9.731	8.354	52490	29860	1.003	1.327 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO061318\
Data File : PO045741.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 13 Jun 2018 18:57
Operator : SM/UA
Sample : J3459-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
MH-RO-341

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 14 01:16:11 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO061218.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Jun 13 03:54:48 2018
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.398 min
Delta R.T.: 0.010 min
Response: 3837510
Conc: 19.69 ng/ml

Instrument :
ECD_O
ClientSampleId :
MH-RO-341




#1 Tetrachloro-m-xylene

R.T.: 3.631 min
Delta R.T.: 0.006 min
Response: 4166508
Conc: 36.66 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.062 min
Delta R.T.: 0.020 min
Response: 2979013
Conc: 21.28 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.616 min
Delta R.T.: 0.004 min
Response: 1227531
Conc: 17.55 ng/ml



#3 AR-1016-1


R.T.: 5.297 min
Delta R.T.: 0.017 min
Response: 856818
Conc: 169.23 ng/ml

Instrument :
ECD_O
ClientSampleId :
MH-RO-341




#3 AR-1016-1

R.T.: 4.495 min
Delta R.T.: 0.007 min
Response: 5225671
Conc: 1550.87 ng/ml




#4 AR-1016-2

R.T.: 5.624 min
Delta R.T.: -0.005 min
Response: 1664277
Conc: 260.49 ng/ml



#4 AR-1016-2


R.T.: 4.950 min
Delta R.T.: 0.007 min
Response: 1528123
Conc: 623.78 ng/ml



#5 AR-1016-3


R.T.: 5.718 min
Delta R.T.: -0.008 min
Response: 1937096
Conc: 367.48 ng/ml

Instrument :
ECD_O
ClientSampleId :
MH-RO-341




#5 AR-1016-3

R.T.: 5.012 min
Delta R.T.: 0.027 min
Response: 956804
Conc: 299.05 ng/ml




#6 AR-1016-4

R.T.: 6.133 min
Delta R.T.: -0.025 min
Response: 551446
Conc: 98.25 ng/ml



#6 AR-1016-4


R.T.: 5.149 min
Delta R.T.: -0.007 min
Response: 263023
Conc: 75.24 ng/ml



#7 AR-1016-5


R.T.: 6.397 min
Delta R.T.: 0.005 min
Response: 912795
Conc: 194.92 ng/ml

Instrument :
ECD_O
ClientSampleId :
MH-RO-341




#7 AR-1016-5

R.T.: 5.527 min
Delta R.T.: 0.022 min
Response: 1523663
Conc: 474.56 ng/ml




#8 AR-1221-1

R.T.: 4.575 min
Delta R.T.: -0.017 min
Response: 749005
Conc: 259.88 ng/ml



#8 AR-1221-1


R.T.: 3.826 min
Delta R.T.: -0.015 min
Response: 1679029
Conc: 943.60 ng/ml



#9 AR-1221-2


R.T.: 4.701 min
Delta R.T.: 0.023 min
Response: 1032269
Conc: 487.48 ng/ml

Instrument :
ECD_O
ClientSampleId :
MH-RO-341




#9 AR-1221-2

R.T.: 3.930 min
Delta R.T.: 0.005 min
Response: 3055881
Conc: 2417.34 ng/ml




#10 AR-1221-3

R.T.: 4.752 min
Delta R.T.: 0.000 min
Response: 613350
Conc: 93.44 ng/ml



#10 AR-1221-3


R.T.: 4.010 min
Delta R.T.: 0.009 min
Response: 1173545
Conc: 287.49 ng/ml



#11 AR-1232-1


R.T.: 5.083 min
Delta R.T.: -0.004 min
Response: 1047878
Conc: 438.29 ng/ml

Instrument :
ECD_O
ClientSampleId :
MH-RO-341




#11 AR-1232-1

R.T.: 4.010 min
Delta R.T.: 0.009 min
Response: 1173545
Conc: 450.75 ng/ml




#12 AR-1232-2

R.T.: 5.581 min
Delta R.T.: 0.037 min
Response: 1858673
Conc: 561.12 ng/ml



#12 AR-1232-2


R.T.: 4.718 min
Delta R.T.: -0.009 min
Response: 2515646
Conc: 909.90 ng/ml



#13 AR-1232-3


R.T.: 5.581 min
Delta R.T.: 0.015 min
Response: 1858673
Conc: 391.64 ng/ml

Instrument :
ECD_O
ClientSampleId :
MH-RO-341




#13 AR-1232-3

R.T.: 4.783 min
Delta R.T.: 0.000 min
Response: 1059375
Conc: 533.08 ng/ml




#14 AR-1232-4

R.T.: 5.624 min
Delta R.T.: -0.005 min
Response: 1664277
Conc: 547.65 ng/ml



#14 AR-1232-4


R.T.: 4.900 min
Delta R.T.: -0.002 min
Response: 1574863
Conc: 1053.92 ng/ml



#15 AR-1232-5


R.T.: 5.718 min
Delta R.T.: -0.008 min
Response: 1937096
Conc: 787.62 ng/ml

Instrument :
ECD_O
ClientSampleId :
MH-RO-341




#15 AR-1232-5

R.T.: 5.012 min
Delta R.T.: 0.027 min
Response: 956804
Conc: 686.28 ng/ml




#16 AR-1242-1

R.T.: 5.083 min
Delta R.T.: -0.004 min
Response: 1047878
Conc: 259.71 ng/ml



#16 AR-1242-1


R.T.: 4.495 min
Delta R.T.: 0.006 min
Response: 5225671
Conc: 2004.37 ng/ml



#17 AR-1242-2


R.T.: 5.581 min
Delta R.T.: 0.015 min
Response: 1858673
Conc: 229.93 ng/ml

Instrument :
ECD_O
ClientSampleId :
MH-RO-341




#17 AR-1242-2

R.T.: 4.718 min
Delta R.T.: -0.009 min
Response: 2515646
Conc: 543.15 ng/ml




#18 AR-1242-3

R.T.: 5.718 min
Delta R.T.: -0.007 min
Response: 1937096
Conc: 458.10 ng/ml



#18 AR-1242-3


R.T.: 4.900 min
Delta R.T.: -0.002 min
Response: 1574863
Conc: 632.66 ng/ml



#19 AR-1242-4


R.T.: 5.997 min
Delta R.T.: -0.021 min
Response: 1996767
Conc: 479.68 ng/ml

Instrument :
ECD_O
ClientSampleId :
MH-RO-341




#19 AR-1242-4

R.T.: 5.012 min
Delta R.T.: 0.027 min
Response: 956804
Conc: 388.48 ng/ml




#20 AR-1242-5

R.T.: 6.133 min
Delta R.T.: -0.026 min
Response: 551446
Conc: 116.59 ng/ml



#20 AR-1242-5


R.T.: 5.149 min
Delta R.T.: -0.007 min
Response: 263023
Conc: 98.92 ng/ml



#21 AR-1248-1


R.T.: 5.997 min
Delta R.T.: -0.021 min
Response: 1996767
Conc: 265.90 ng/ml

Instrument :
ECD_O
ClientSampleId :
MH-RO-341




#21 AR-1248-1

R.T.: 5.149 min
Delta R.T.: -0.007 min
Response: 263023
Conc: 57.13 ng/ml




#22 AR-1248-2

R.T.: 6.133 min
Delta R.T.: -0.024 min
Response: 551446
Conc: 82.86 ng/ml



#22 AR-1248-2


R.T.: 5.305 min
Delta R.T.: 0.001 min
Response: 1342534
Conc: 324.81 ng/ml



#23 AR-1248-3


R.T.: 6.397 min
Delta R.T.: -0.021 min
Response: 912795
Conc: 107.26 ng/ml

Instrument :
ECD_O
ClientSampleId :
MH-RO-341




#23 AR-1248-3

R.T.: 5.527 min
Delta R.T.: 0.022 min
Response: 1523663
Conc: 242.37 ng/ml




#24 AR-1248-4

R.T.: 6.441 min
Delta R.T.: -0.015 min
Response: 1478815
Conc: 180.53 ng/ml



#24 AR-1248-4


R.T.: 5.564 min
Delta R.T.: 0.017 min
Response: 1760863
Conc: 383.05 ng/ml



#25 AR-1248-5


R.T.: 6.617 min
Delta R.T.: -0.034 min
Response: 2274826
Conc: 417.19 ng/ml

Instrument :
ECD_O
ClientSampleId :
MH-RO-341




#25 AR-1248-5

R.T.: 6.050 min
Delta R.T.: -0.004 min
Response: 2126007
Conc: 703.43 ng/ml




#26 AR-1254-1

R.T.: 6.617 min
Delta R.T.: 0.008 min
Response: 2274826
Conc: 169.54 ng/ml



#26 AR-1254-1


R.T.: 5.527 min
Delta R.T.: 0.023 min
Response: 1523663
Conc: 223.80 ng/ml



#27 AR-1254-2


R.T.: 6.886 min
Delta R.T.: 0.000 min
Response: 2399746
Conc: 294.93 ng/ml

Instrument :
ECD_O
ClientSampleId :
MH-RO-341




#27 AR-1254-2

R.T.: 5.620 min
Delta R.T.: -0.031 min
Response: 1688399
Conc: 278.16 ng/ml




#28 AR-1254-3

R.T.: 6.992 min
Delta R.T.: 0.021 min
Response: 1230069
Conc: 86.37 ng/ml



#28 AR-1254-3


R.T.: 6.050 min
Delta R.T.: -0.003 min
Response: 2126007
Conc: 224.35 ng/ml



#29 AR-1254-4


R.T.: 7.268 min
Delta R.T.: 0.014 min
Response: 473163
Conc: 46.29 ng/ml

Instrument :
ECD_O
ClientSampleId :
MH-RO-341




#29 AR-1254-4

R.T.: 6.281 min
Delta R.T.: 0.001 min
Response: 1311989
Conc: 220.62 ng/ml




#30 AR-1254-5

R.T.: 7.534 min
Delta R.T.: 0.011 min
Response: 224030
Conc: 29.81 ng/ml



#30 AR-1254-5


R.T.: 6.588 min
Delta R.T.: -0.006 min
Response: 872421
Conc: 217.01 ng/ml



#31 AR-1260-1


R.T.: 7.147 min
Delta R.T.: 0.009 min
Response: 352056
Conc: 35.28 ng/ml

Instrument :
ECD_O
ClientSampleId :
MH-RO-341




#31 AR-1260-1

R.T.: 6.190 min
Delta R.T.: 0.005 min
Response: 1965692
Conc: 308.05 ng/ml




#32 AR-1260-2

R.T.: 7.389 min
Delta R.T.: -0.003 min
Response: 708879
Conc: 61.76 ng/ml



#32 AR-1260-2


R.T.: 6.361 min
Delta R.T.: -0.009 min
Response: 1962302
Conc: 261.24 ng/ml



#33 AR-1260-3


R.T.: 7.685 min
Delta R.T.: 0.013 min
Response: 437775
Conc: 33.48 ng/ml

Instrument :
ECD_O
ClientSampleId :
MH-RO-341




#33 AR-1260-3

R.T.: 6.737 min
Delta R.T.: 0.001 min
Response: 203226
Conc: 37.29 ng/ml




#34 AR-1260-4

R.T.: 8.297 min
Delta R.T.: 0.012 min
Response: 139628
Conc: 8.04 ng/ml



#34 AR-1260-4


R.T.: 7.234 min
Delta R.T.: 0.000 min
Response: 230397
Conc: 21.27 ng/ml



#35 AR-1260-5


R.T.: 8.612 min
Delta R.T.: 0.013 min
Response: 38889
Conc: 3.59 ng/ml

Instrument :
ECD_O
ClientSampleId :
MH-RO-341




#35 AR-1260-5

R.T.: 7.590 min
Delta R.T.: 0.008 min
Response: 257631
Conc: 34.12 ng/ml




#36 AR-1262-1

R.T.: 7.147 min
Delta R.T.: 0.008 min
Response: 352056
Conc: 38.87 ng/ml



#36 AR-1262-1


R.T.: 6.361 min
Delta R.T.: -0.009 min
Response: 1962302
Conc: 312.45 ng/ml



#37 AR-1262-2


R.T.: 7.389 min
Delta R.T.: -0.005 min
Response: 708879
Conc: 68.64 ng/ml

Instrument :
ECD_O
ClientSampleId :
MH-RO-341




#37 AR-1262-2

R.T.: 6.528 min
Delta R.T.: 0.000 min
Response: 1030766
Conc: 170.38 ng/ml




#38 AR-1262-3

R.T.: 7.685 min
Delta R.T.: 0.014 min
Response: 437775
Conc: 46.84 ng/ml



#38 AR-1262-3


R.T.: 6.737 min
Delta R.T.: 0.000 min
Response: 203226
Conc: 25.78 ng/ml



#39 AR-1262-4


R.T.: 7.983 min
Delta R.T.: 0.008 min
Response: 180407
Conc: 14.07 ng/ml

Instrument :
ECD_O
ClientSampleId :
MH-RO-341




#39 AR-1262-4

R.T.: 6.997 min
Delta R.T.: 0.002 min
Response: 45803
Conc: 6.56 ng/ml




#40 AR-1262-5

R.T.: 8.297 min
Delta R.T.: 0.011 min
Response: 139628
Conc: 6.11 ng/ml



#40 AR-1262-5


R.T.: 7.234 min
Delta R.T.: 0.000 min
Response: 230397
Conc: 18.52 ng/ml



#41 AR-1268-1


R.T.: 8.612 min
Delta R.T.: 0.024 min
Response: 38889
Conc: 1.71 ng/ml

Instrument :
ECD_O
ClientSampleId :
MH-RO-341




#41 AR-1268-1

R.T.: 7.521 min
Delta R.T.: 0.003 min
Response: 109828
Conc: 9.36 ng/ml




#42 AR-1268-2

R.T.: 8.695 min
Delta R.T.: 0.017 min
Response: 58526
Conc: 2.85 ng/ml



#42 AR-1268-2


R.T.: 7.590 min
Delta R.T.: 0.008 min
Response: 257631
Conc: 24.69 ng/ml



#43 AR-1268-3


R.T.: 8.859 min
Delta R.T.: -0.043 min
Response: 63841
Conc: 3.63 ng/ml

Instrument :
ECD_O
ClientSampleId :
MH-RO-341




#43 AR-1268-3

R.T.: 7.798 min
Delta R.T.: 0.007 min
Response: 79798
Conc: 9.17 ng/ml




#44 AR-1268-4

R.T.: 9.329 min
Delta R.T.: 0.021 min
Response: 471963
Conc: 62.81 ng/ml



#44 AR-1268-4


R.T.: 8.073 min
Delta R.T.: 0.002 min
Response: 21276
Conc: 5.56 ng/ml



#45 AR-1268-5

R.T.: 9.731 min
Delta R.T.: 0.020 min
Response: 52490
Conc: 1.00 ng/ml

Instrument :
ECD_O
ClientSampleId :
MH-RO-341



#45 AR-1268-5

R.T.: 8.354 min
Delta R.T.: -0.005 min
Response: 29860
Conc: 1.33 ng/ml