

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0062018\
 Data File : P0045996.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 21 Jun 2018 00:43
 Operator : SM/UA
 Sample : J3566-03MSD
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 TP-8-SMSD

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 21 01:15:22 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0061918.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jun 20 03:39:54 2018
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	4.394	3.608	13191884	6683678	27.587	26.586
2) SA Decachlor...	10.077	8.594	7951094	2981488	18.969	19.037
Target Compounds						
3) L1 AR-1016-1	5.291	4.471	3595234	2439545	320.433	358.106
4) L1 AR-1016-2	5.641	4.926	4426137	1755989	303.487	349.088
5) L1 AR-1016-3	5.739	4.969	3582419	1797419	300.454	292.585
6) L1 AR-1016-4	6.173	5.139	2879347	1781581	226.318	269.332
7) L1 AR-1016-5	6.408	5.491	1913207	1590379	168.918	247.346 #
8) L2 AR-1221-1	0.000	3.827	0	482459	N.D.	119.853 #
9) L2 AR-1221-2	0.000	3.907	0	1293291	N.D.	453.004 #
10) L2 AR-1221-3	4.762	3.983	2688167	1996137	175.208	226.960 #
11) L3 AR-1232-1	5.098	3.983	3559798	1996137	622.197	338.979 #
12) L3 AR-1232-2	5.556	4.692	5017902	3272448	639.044	774.740
13) L3 AR-1232-3	5.556	4.710	5017902	4032999	435.688	645.893 #
14) L3 AR-1232-4	5.641	4.766	4426137	3325047	593.970	731.286
15) L3 AR-1232-5	5.739	4.886	3582419	2153296	615.249	649.716
16) L4 AR-1242-1	5.098	4.471	3559798	2439545	404.524	458.766
17) L4 AR-1242-2	5.556	4.710	5017902	4032999	276.072	426.574 #
18) L4 AR-1242-3	5.739	4.886	3582419	2153296	385.697	421.181
19) L4 AR-1242-4	6.033	4.969	3383039	1797419	371.420	368.966
20) L4 AR-1242-5	6.173	5.139	2879347	1781581	278.359	349.574 #
21) L5 AR-1248-1	6.033	5.139	3383039	1781581	213.106	213.567
22) L5 AR-1248-2	6.173	5.288	2879347	1307494	204.031	170.802
23) L5 AR-1248-3	6.408	5.491	1913207	1590379	103.887	138.669 #
24) L5 AR-1248-4	6.408	5.534	1913207	245200	106.571	28.988 #
25) L5 AR-1248-5	6.626	6.053	2885777	3511858	239.840	625.819 #
26) L6 AR-1254-1	6.626	5.491	2885777	1590379	96.953	124.168 #
27) L6 AR-1254-2	6.904	5.636	759780	1415985	40.612	128.248 #
28) L6 AR-1254-3	6.990	6.053	1801435	3511858	53.257	196.439 #
29) L6 AR-1254-4	7.275	6.266	1171135	544487	47.409	49.044
30) L6 AR-1254-5	7.537	6.587	2707001	526054	146.384	68.538 #
31) L7 AR-1260-1	7.154	6.169	5976547	3597421	250.103	296.651
32) L7 AR-1260-2	7.410	6.355	6889981	4315960	239.486	292.597
33) L7 AR-1260-3	7.690	6.682	8494886	4254581	246.822	279.489
34) L7 AR-1260-4	8.306	7.220	9399468	4856804	196.018	219.409
35) L7 AR-1260-5	8.624	7.566	6272963	3623314	210.849	223.816
36) L8 AR-1262-1	7.154	6.355	5976547	4315960	266.951	343.043 #
37) L8 AR-1262-2	7.410	6.509	6889981	3707902	269.194	302.335
38) L8 AR-1262-3	7.690	6.720	8494886	2787640	321.457	166.906 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\P0062018\
 Data File : P0045996.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 21 Jun 2018 00:43
 Operator : SM/UA
 Sample : J3566-03MSD
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 ECD_0
 ClientSampleId :
 TP-8-SMSD

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 21 01:15:22 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\P0061918.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jun 20 03:39:54 2018
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
39)	L8 AR-1262-4	7.992	6.980	5492449	2312565	162.375	152.533
40)	L8 AR-1262-5	8.306	7.220	9399468	4856804	149.724	184.312
41)	L9 AR-1268-1	8.624	7.503	6272963	1029875	98.849	40.823 #
42)	L9 AR-1268-2	8.683	7.566	2047678	3623314	33.965	150.608 #
44)	L9 AR-1268-4	9.339	8.059	2426270	1011386	126.462	117.611
45)	L9 AR-1268-5	0.000	8.344	0	335501	N.D.	6.314 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0062018\
Data File : P0045996.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 21 Jun 2018 00:43
Operator : SM/UA
Sample : J3566-03MSD
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
TP-8-SMSD

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 21 01:15:22 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0061918.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Jun 20 03:39:54 2018
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.394 min
Delta R.T.: 0.011 min
Response: 13191884
Conc: 27.59 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-8-SMSD




#1 Tetrachloro-m-xylene

R.T.: 3.608 min
Delta R.T.: -0.004 min
Response: 6683678
Conc: 26.59 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.077 min
Delta R.T.: 0.023 min
Response: 7951094
Conc: 18.97 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.594 min
Delta R.T.: 0.000 min
Response: 2981488
Conc: 19.04 ng/ml



#3 AR-1016-1


R.T.: 5.291 min
Delta R.T.: 0.013 min
Response: 3595234
Conc: 320.43 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-8-SMSD




#3 AR-1016-1

R.T.: 4.471 min
Delta R.T.: -0.004 min
Response: 2439545
Conc: 358.11 ng/ml




#4 AR-1016-2

R.T.: 5.641 min
Delta R.T.: 0.012 min
Response: 4426137
Conc: 303.49 ng/ml



#4 AR-1016-2


R.T.: 4.926 min
Delta R.T.: -0.003 min
Response: 1755989
Conc: 349.09 ng/ml



#5 AR-1016-3


R.T.: 5.739 min
Delta R.T.: 0.013 min
Response: 3582419
Conc: 300.45 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-8-SMSD




#5 AR-1016-3

R.T.: 4.969 min
Delta R.T.: -0.002 min
Response: 1797419
Conc: 292.59 ng/ml




#6 AR-1016-4

R.T.: 6.173 min
Delta R.T.: 0.013 min
Response: 2879347
Conc: 226.32 ng/ml



#6 AR-1016-4


R.T.: 5.139 min
Delta R.T.: -0.003 min
Response: 1781581
Conc: 269.33 ng/ml



#7 AR-1016-5


R.T.: 6.408 min
Delta R.T.: 0.013 min
Response: 1913207
Conc: 168.92 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-8-SMSD




#7 AR-1016-5

R.T.: 5.491 min
Delta R.T.: -0.001 min
Response: 1590379
Conc: 247.35 ng/ml




#8 AR-1221-1

R.T.: 0.000 min
Exp R.T.: 4.587 min
Response: 0
Conc: N.D.



#8 AR-1221-1


R.T.: 3.827 min
Delta R.T.: 0.003 min
Response: 482459
Conc: 119.85 ng/ml



#9 AR-1221-2


R.T.: 0.000 min
Exp R.T.: 4.672 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
TP-8-SMSD




#9 AR-1221-2

R.T.: 3.907 min
Delta R.T.: -0.002 min
Response: 1293291
Conc: 453.00 ng/ml




#10 AR-1221-3

R.T.: 4.762 min
Delta R.T.: 0.014 min
Response: 2688167
Conc: 175.21 ng/ml



#10 AR-1221-3


R.T.: 3.983 min
Delta R.T.: -0.003 min
Response: 1996137
Conc: 226.96 ng/ml



#11 AR-1232-1


R.T.: 5.098 min
Delta R.T.: 0.013 min
Response: 3559798
Conc: 622.20 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-8-SMSD




#11 AR-1232-1

R.T.: 3.983 min
Delta R.T.: -0.002 min
Response: 1996137
Conc: 338.98 ng/ml




#12 AR-1232-2

R.T.: 5.556 min
Delta R.T.: 0.013 min
Response: 5017902
Conc: 639.04 ng/ml



#12 AR-1232-2


R.T.: 4.692 min
Delta R.T.: 0.000 min
Response: 3272448
Conc: 774.74 ng/ml



#13 AR-1232-3


R.T.: 5.556 min
Delta R.T.: -0.009 min
Response: 5017902
Conc: 435.69 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-8-SMSD




#13 AR-1232-3

R.T.: 4.710 min
Delta R.T.: 0.000 min
Response: 4032999
Conc: 645.89 ng/ml




#14 AR-1232-4

R.T.: 5.641 min
Delta R.T.: 0.013 min
Response: 4426137
Conc: 593.97 ng/ml



#14 AR-1232-4


R.T.: 4.766 min
Delta R.T.: 0.000 min
Response: 3325047
Conc: 731.29 ng/ml



#15 AR-1232-5


R.T.: 5.739 min
Delta R.T.: 0.013 min
Response: 3582419
Conc: 615.25 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-8-SMSD




#15 AR-1232-5

R.T.: 4.886 min
Delta R.T.: -0.001 min
Response: 2153296
Conc: 649.72 ng/ml




#16 AR-1242-1

R.T.: 5.098 min
Delta R.T.: 0.014 min
Response: 3559798
Conc: 404.52 ng/ml



#16 AR-1242-1


R.T.: 4.471 min
Delta R.T.: -0.001 min
Response: 2439545
Conc: 458.77 ng/ml



#17 AR-1242-2


R.T.: 5.556 min
Delta R.T.: -0.008 min
Response: 5017902
Conc: 276.07 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-8-SMSD




#17 AR-1242-2

R.T.: 4.710 min
Delta R.T.: -0.001 min
Response: 4032999
Conc: 426.57 ng/ml




#18 AR-1242-3

R.T.: 5.739 min
Delta R.T.: 0.015 min
Response: 3582419
Conc: 385.70 ng/ml



#18 AR-1242-3


R.T.: 4.886 min
Delta R.T.: -0.001 min
Response: 2153296
Conc: 421.18 ng/ml



#19 AR-1242-4


R.T.: 6.033 min
Delta R.T.: 0.015 min
Response: 3383039
Conc: 371.42 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-8-SMSD




#19 AR-1242-4

R.T.: 4.969 min
Delta R.T.: 0.000 min
Response: 1797419
Conc: 368.97 ng/ml




#20 AR-1242-5

R.T.: 6.173 min
Delta R.T.: 0.015 min
Response: 2879347
Conc: 278.36 ng/ml



#20 AR-1242-5


R.T.: 5.139 min
Delta R.T.: -0.001 min
Response: 1781581
Conc: 349.57 ng/ml



#21 AR-1248-1


R.T.: 6.033 min
Delta R.T.: 0.015 min
Response: 3383039
Conc: 213.11 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-8-SMSD




#21 AR-1248-1

R.T.: 5.139 min
Delta R.T.: -0.001 min
Response: 1781581
Conc: 213.57 ng/ml




#22 AR-1248-2

R.T.: 6.173 min
Delta R.T.: 0.015 min
Response: 2879347
Conc: 204.03 ng/ml



#22 AR-1248-2


R.T.: 5.288 min
Delta R.T.: 0.000 min
Response: 1307494
Conc: 170.80 ng/ml



#23 AR-1248-3


R.T.: 6.408 min
Delta R.T.: -0.011 min
Response: 1913207
Conc: 103.89 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-8-SMSD




#23 AR-1248-3

R.T.: 5.491 min
Delta R.T.: 0.000 min
Response: 1590379
Conc: 138.67 ng/ml




#24 AR-1248-4

R.T.: 6.408 min
Delta R.T.: -0.049 min
Response: 1913207
Conc: 106.57 ng/ml



#24 AR-1248-4


R.T.: 5.534 min
Delta R.T.: 0.003 min
Response: 245200
Conc: 28.99 ng/ml



#25 AR-1248-5


R.T.: 6.626 min
Delta R.T.: -0.027 min
Response: 2885777
Conc: 239.84 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-8-SMSD




#25 AR-1248-5

R.T.: 6.053 min
Delta R.T.: 0.014 min
Response: 3511858
Conc: 625.82 ng/ml




#26 AR-1254-1

R.T.: 6.626 min
Delta R.T.: 0.013 min
Response: 2885777
Conc: 96.95 ng/ml



#26 AR-1254-1


R.T.: 5.491 min
Delta R.T.: 0.000 min
Response: 1590379
Conc: 124.17 ng/ml



#27 AR-1254-2


R.T.: 6.904 min
Delta R.T.: 0.014 min
Response: 759780
Conc: 40.61 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-8-SMSD




#27 AR-1254-2

R.T.: 5.636 min
Delta R.T.: 0.000 min
Response: 1415985
Conc: 128.25 ng/ml




#28 AR-1254-3

R.T.: 6.990 min
Delta R.T.: 0.014 min
Response: 1801435
Conc: 53.26 ng/ml



#28 AR-1254-3


R.T.: 6.053 min
Delta R.T.: 0.014 min
Response: 3511858
Conc: 196.44 ng/ml



#29 AR-1254-4


R.T.: 7.275 min
Delta R.T.: 0.015 min
Response: 1171135
Conc: 47.41 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-8-SMSD




#29 AR-1254-4

R.T.: 6.266 min
Delta R.T.: 0.000 min
Response: 544487
Conc: 49.04 ng/ml




#30 AR-1254-5

R.T.: 7.537 min
Delta R.T.: 0.008 min
Response: 2707001
Conc: 146.38 ng/ml



#30 AR-1254-5


R.T.: 6.587 min
Delta R.T.: 0.006 min
Response: 526054
Conc: 68.54 ng/ml



#31 AR-1260-1


R.T.: 7.154 min
Delta R.T.: 0.014 min
Response: 5976547
Conc: 250.10 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-8-SMSD




#31 AR-1260-1

R.T.: 6.169 min
Delta R.T.: -0.001 min
Response: 3597421
Conc: 296.65 ng/ml




#32 AR-1260-2

R.T.: 7.410 min
Delta R.T.: 0.014 min
Response: 6889981
Conc: 239.49 ng/ml



#32 AR-1260-2


R.T.: 6.355 min
Delta R.T.: -0.001 min
Response: 4315960
Conc: 292.60 ng/ml



#33 AR-1260-3


R.T.: 7.690 min
Delta R.T.: 0.013 min
Response: 8494886
Conc: 246.82 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-8-SMSD




#33 AR-1260-3

R.T.: 6.682 min
Delta R.T.: -0.001 min
Response: 4254581
Conc: 279.49 ng/ml




#34 AR-1260-4

R.T.: 8.306 min
Delta R.T.: 0.016 min
Response: 9399468
Conc: 196.02 ng/ml



#34 AR-1260-4


R.T.: 7.220 min
Delta R.T.: 0.000 min
Response: 4856804
Conc: 219.41 ng/ml



#35 AR-1260-5


R.T.: 8.624 min
Delta R.T.: 0.017 min
Response: 6272963
Conc: 210.85 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-8-SMSD




#35 AR-1260-5

R.T.: 7.566 min
Delta R.T.: 0.000 min
Response: 3623314
Conc: 223.82 ng/ml




#36 AR-1262-1

R.T.: 7.154 min
Delta R.T.: 0.014 min
Response: 5976547
Conc: 266.95 ng/ml



#36 AR-1262-1


R.T.: 6.355 min
Delta R.T.: 0.000 min
Response: 4315960
Conc: 343.04 ng/ml



#37 AR-1262-2


R.T.: 7.410 min
Delta R.T.: 0.014 min
Response: 6889981
Conc: 269.19 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-8-SMSD




#37 AR-1262-2

R.T.: 6.509 min
Delta R.T.: -0.003 min
Response: 3707902
Conc: 302.34 ng/ml




#38 AR-1262-3

R.T.: 7.690 min
Delta R.T.: 0.016 min
Response: 8494886
Conc: 321.46 ng/ml



#38 AR-1262-3


R.T.: 6.720 min
Delta R.T.: 0.000 min
Response: 2787640
Conc: 166.91 ng/ml



#39 AR-1262-4


R.T.: 7.992 min
Delta R.T.: 0.014 min
Response: 5492449
Conc: 162.37 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-8-SMSD




#39 AR-1262-4

R.T.: 6.980 min
Delta R.T.: 0.000 min
Response: 2312565
Conc: 152.53 ng/ml




#40 AR-1262-5

R.T.: 8.306 min
Delta R.T.: 0.015 min
Response: 9399468
Conc: 149.72 ng/ml



#40 AR-1262-5


R.T.: 7.220 min
Delta R.T.: 0.001 min
Response: 4856804
Conc: 184.31 ng/ml



#41 AR-1268-1


R.T.: 8.624 min
Delta R.T.: 0.030 min
Response: 6272963
Conc: 98.85 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-8-SMSD




#41 AR-1268-1

R.T.: 7.503 min
Delta R.T.: 0.000 min
Response: 1029875
Conc: 40.82 ng/ml




#42 AR-1268-2

R.T.: 8.683 min
Delta R.T.: -0.003 min
Response: 2047678
Conc: 33.97 ng/ml



#42 AR-1268-2


R.T.: 7.566 min
Delta R.T.: 0.000 min
Response: 3623314
Conc: 150.61 ng/ml



#44 AR-1268-4


R.T.: 9.339 min
Delta R.T.: 0.020 min
Response: 2426270
Conc: 126.46 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-8-SMSD




#44 AR-1268-4

R.T.: 8.059 min
Delta R.T.: 0.002 min
Response: 1011386
Conc: 117.61 ng/ml



#45 AR-1268-5

R.T.: 0.000 min
Exp R.T.: 9.722 min
Response: 0
Conc: N.D.



#45 AR-1268-5

R.T.: 8.344 min
Delta R.T.: 0.002 min
Response: 335501
Conc: 6.31 ng/ml