

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0062419\
 Data File : P0057406.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 24 Jun 2019 16:33
 Operator : SM/SJ
 Sample : K3482-03MSD
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 TP-2MSD

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 24 17:35:43 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0062419.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Mon Jun 24 14:02:43 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.229	3.555	773434	767974	19.689	21.840
2)	SA Decachlor...	9.781	8.477	1086840	731230	19.327	19.548
Target Compounds							
3)	L1 AR-1016-1	5.390	4.621	211184	176005	119.485	131.644
4)	L1 AR-1016-2	5.411	4.639	313242	255375	121.554	131.171
5)	L1 AR-1016-3	5.472	4.813	215134	134806	138.008	127.327
6)	L1 AR-1016-4	5.570	4.854	145689	111567	112.346	125.397
7)	L1 AR-1016-5	5.861	5.064	154669	141072	113.158	123.487
9)	L2 AR-1221-2	4.603	0.000	88870	0	267.435	N.D. #
10)	L2 AR-1221-3	4.603	3.923	88870	81942	84.187	93.558
11)	L3 AR-1232-1	4.603	3.923	88870	81942	98.997	109.686
12)	L3 AR-1232-2	5.124	4.639	143681	255375	296.502	309.947
13)	L3 AR-1232-3	5.411	4.813	313242	134806	298.667	312.097
14)	L3 AR-1232-4	5.570	4.894	145689	129644	274.099	340.986
15)	L3 AR-1232-5	5.659	5.064	131685	141072	318.898	331.358
16)	L4 AR-1242-1	5.390	4.621	211184	176005	149.010	166.310
17)	L4 AR-1242-2	5.411	4.639	313242	255375	150.608	163.917
18)	L4 AR-1242-3	5.472	4.813	215134	134806	170.410	158.989
19)	L4 AR-1242-4	5.570	4.894	145689	129644	134.286	155.357
20)	L4 AR-1242-5	0.000	5.410	0	106321	N.D.	106.166 #
21)	L5 AR-1248-1	5.390	4.621	211184	176005	181.318	189.813
22)	L5 AR-1248-2	5.659	4.854	131685	111567	75.860	86.798
23)	L5 AR-1248-3	5.861	4.894	154669	129644	79.414	98.245
24)	L5 AR-1248-4	6.234	5.064	100894	141072	43.046	87.164 #
25)	L5 AR-1248-5	0.000	5.410	0	106321	N.D.	68.747 #
26)	L6 AR-1254-1	6.234	5.410	100894	106321	51.800	49.993
27)	L6 AR-1254-2	6.449	5.556	149146	104786	47.853	56.299
28)	L6 AR-1254-3	6.816	5.968	77610	203383	23.475	67.542 #
29)	L6 AR-1254-4	7.098	6.210	52722	64806	19.426	36.002 #
30)	L6 AR-1254-5	7.514	6.594	495585	368724	177.255	136.105
31)	L7 AR-1260-1	6.976	6.082	341427	277344	123.198	129.582
32)	L7 AR-1260-2	7.232	6.270	437630	341069	118.709	124.313
33)	L7 AR-1260-3	7.587	6.421	309529	303245	101.881	124.204
34)	L7 AR-1260-4	7.812	6.888	339354	214465	111.897	103.007
35)	L7 AR-1260-5	8.119	7.130	595405	521189	95.211	102.755
36)	L8 AR-1262-1	7.587	6.630	309529	270284	68.106	72.206
37)	L8 AR-1262-2	8.119	7.130	595405	521189	83.103	87.715
38)	L8 AR-1262-3	8.426	7.408	392076	118518	79.851	46.336 #
39)	L8 AR-1262-4	8.475	7.473	238814	357878	58.701	81.200 #
40)	L8 AR-1262-5	9.103	7.965	149168	108049	59.154	59.164
41)	L9 AR-1268-1	8.426	7.408	392076	118518	46.498	17.310 #
42)	L9 AR-1268-2	8.475	7.473	238814	357878	29.910	56.385 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0062419\
Data File : P0057406.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 24 Jun 2019 16:33
Operator : SM/SJ
Sample : K3482-03MSD
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
TP-2MSD

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 24 17:35:43 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0062419.M
Quant Title : GC EXTRACTABLES
QLast Update : Mon Jun 24 14:02:43 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
44)	L9 AR-1268-4	9.103	7.965	149168	108049	57.893	53.933
45)	L9 AR-1268-5	9.480	8.241	57889	38522	2.926	2.507



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0062419\
Data File : P0057406.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 24 Jun 2019 16:33
Operator : SM/SJ
Sample : K3482-03MSD
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampled :
TP-2MSD

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 24 17:35:43 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0062419.M
Quant Title : GC EXTRACTABLES
QLast Update : Mon Jun 24 14:02:43 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.229 min
Delta R.T.: 0.000 min
Response: 773434
Conc: 19.69 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2MSD




#1 Tetrachloro-m-xylene

R.T.: 3.555 min
Delta R.T.: 0.000 min
Response: 767974
Conc: 21.84 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.781 min
Delta R.T.: 0.000 min
Response: 1086840
Conc: 19.33 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.477 min
Delta R.T.: 0.000 min
Response: 731230
Conc: 19.55 ng/ml



#3 AR-1016-1


R.T.: 5.390 min
Delta R.T.: -0.001 min
Response: 211184
Conc: 119.48 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2MSD




#3 AR-1016-1

R.T.: 4.621 min
Delta R.T.: -0.001 min
Response: 176005
Conc: 131.64 ng/ml




#4 AR-1016-2

R.T.: 5.411 min
Delta R.T.: 0.000 min
Response: 313242
Conc: 121.55 ng/ml



#4 AR-1016-2


R.T.: 4.639 min
Delta R.T.: -0.001 min
Response: 255375
Conc: 131.17 ng/ml



#5 AR-1016-3


R.T.: 5.472 min
Delta R.T.: 0.000 min
Response: 215134
Conc: 138.01 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2MSD




#5 AR-1016-3

R.T.: 4.813 min
Delta R.T.: 0.000 min
Response: 134806
Conc: 127.33 ng/ml




#6 AR-1016-4

R.T.: 5.570 min
Delta R.T.: -0.001 min
Response: 145689
Conc: 112.35 ng/ml



#6 AR-1016-4


R.T.: 4.854 min
Delta R.T.: 0.000 min
Response: 111567
Conc: 125.40 ng/ml



#7 AR-1016-5


R.T.: 5.861 min
Delta R.T.: 0.000 min
Response: 154669
Conc: 113.16 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2MSD




#7 AR-1016-5

R.T.: 5.064 min
Delta R.T.: 0.000 min
Response: 141072
Conc: 123.49 ng/ml




#9 AR-1221-2

R.T.: 4.603 min
Delta R.T.: 0.068 min
Response: 88870
Conc: 267.44 ng/ml



#9 AR-1221-2


R.T.: 0.000 min
Exp R.T.: 3.851 min
Response: 0
Conc: N.D.



#10 AR-1221-3


R.T.: 4.603 min
Delta R.T.: -0.008 min
Response: 88870
Conc: 84.19 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2MSD




#10 AR-1221-3

R.T.: 3.923 min
Delta R.T.: -0.002 min
Response: 81942
Conc: 93.56 ng/ml




#11 AR-1232-1

R.T.: 4.603 min
Delta R.T.: -0.001 min
Response: 88870
Conc: 99.00 ng/ml



#11 AR-1232-1


R.T.: 3.923 min
Delta R.T.: -0.001 min
Response: 81942
Conc: 109.69 ng/ml



#12 AR-1232-2


R.T.: 5.124 min
Delta R.T.: 0.000 min
Response: 143681
Conc: 296.50 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2MSD




#12 AR-1232-2

R.T.: 4.639 min
Delta R.T.: -0.001 min
Response: 255375
Conc: 309.95 ng/ml




#13 AR-1232-3

R.T.: 5.411 min
Delta R.T.: 0.000 min
Response: 313242
Conc: 298.67 ng/ml



#13 AR-1232-3


R.T.: 4.813 min
Delta R.T.: -0.001 min
Response: 134806
Conc: 312.10 ng/ml



#14 AR-1232-4


R.T.: 5.570 min
Delta R.T.: -0.001 min
Response: 145689
Conc: 274.10 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2MSD




#14 AR-1232-4

R.T.: 4.894 min
Delta R.T.: -0.001 min
Response: 129644
Conc: 340.99 ng/ml




#15 AR-1232-5

R.T.: 5.659 min
Delta R.T.: -0.001 min
Response: 131685
Conc: 318.90 ng/ml



#15 AR-1232-5


R.T.: 5.064 min
Delta R.T.: -0.002 min
Response: 141072
Conc: 331.36 ng/ml



#16 AR-1242-1


R.T.: 5.390 min
Delta R.T.: -0.007 min
Response: 211184
Conc: 149.01 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2MSD




#16 AR-1242-1

R.T.: 4.621 min
Delta R.T.: -0.002 min
Response: 176005
Conc: 166.31 ng/ml




#17 AR-1242-2

R.T.: 5.411 min
Delta R.T.: -0.007 min
Response: 313242
Conc: 150.61 ng/ml



#17 AR-1242-2


R.T.: 4.639 min
Delta R.T.: -0.003 min
Response: 255375
Conc: 163.92 ng/ml



#18 AR-1242-3


R.T.: 5.472 min
Delta R.T.: -0.007 min
Response: 215134
Conc: 170.41 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2MSD




#18 AR-1242-3

R.T.: 4.813 min
Delta R.T.: -0.002 min
Response: 134806
Conc: 158.99 ng/ml




#19 AR-1242-4

R.T.: 5.570 min
Delta R.T.: -0.007 min
Response: 145689
Conc: 134.29 ng/ml



#19 AR-1242-4


R.T.: 4.894 min
Delta R.T.: -0.001 min
Response: 129644
Conc: 155.36 ng/ml



#20 AR-1242-5


R.T.: 0.000 min
Exp R.T.: 6.306 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
TP-2MSD




#20 AR-1242-5

R.T.: 5.410 min
Delta R.T.: -0.004 min
Response: 106321
Conc: 106.17 ng/ml




#21 AR-1248-1

R.T.: 5.390 min
Delta R.T.: -0.007 min
Response: 211184
Conc: 181.32 ng/ml



#21 AR-1248-1


R.T.: 4.621 min
Delta R.T.: -0.002 min
Response: 176005
Conc: 189.81 ng/ml



#22 AR-1248-2


R.T.: 5.659 min
Delta R.T.: -0.007 min
Response: 131685
Conc: 75.86 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2MSD




#22 AR-1248-2

R.T.: 4.854 min
Delta R.T.: -0.002 min
Response: 111567
Conc: 86.80 ng/ml




#23 AR-1248-3

R.T.: 5.861 min
Delta R.T.: -0.007 min
Response: 154669
Conc: 79.41 ng/ml



#23 AR-1248-3


R.T.: 4.894 min
Delta R.T.: -0.002 min
Response: 129644
Conc: 98.24 ng/ml



#24 AR-1248-4


R.T.: 6.234 min
Delta R.T.: -0.035 min
Response: 100894
Conc: 43.05 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2MSD




#24 AR-1248-4

R.T.: 5.064 min
Delta R.T.: -0.003 min
Response: 141072
Conc: 87.16 ng/ml




#25 AR-1248-5

R.T.: 0.000 min
Exp R.T. : 6.306 min
Response: 0
Conc: N.D.



#25 AR-1248-5


R.T.: 5.410 min
Delta R.T.: -0.044 min
Response: 106321
Conc: 68.75 ng/ml



#26 AR-1254-1


R.T.: 6.234 min
Delta R.T.: -0.007 min
Response: 100894
Conc: 51.80 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2MSD




#26 AR-1254-1

R.T.: 5.410 min
Delta R.T.: -0.002 min
Response: 106321
Conc: 49.99 ng/ml




#27 AR-1254-2

R.T.: 6.449 min
Delta R.T.: -0.007 min
Response: 149146
Conc: 47.85 ng/ml



#27 AR-1254-2


R.T.: 5.556 min
Delta R.T.: -0.002 min
Response: 104786
Conc: 56.30 ng/ml



#28 AR-1254-3


R.T.: 6.816 min
Delta R.T.: -0.006 min
Response: 77610
Conc: 23.48 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2MSD




#28 AR-1254-3

R.T.: 5.968 min
Delta R.T.: 0.011 min
Response: 203383
Conc: 67.54 ng/ml




#29 AR-1254-4

R.T.: 7.098 min
Delta R.T.: -0.008 min
Response: 52722
Conc: 19.43 ng/ml



#29 AR-1254-4


R.T.: 6.210 min
Delta R.T.: 0.025 min
Response: 64806
Conc: 36.00 ng/ml



#30 AR-1254-5


R.T.: 7.514 min
Delta R.T.: -0.007 min
Response: 495585
Conc: 177.25 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2MSD




#30 AR-1254-5

R.T.: 6.594 min
Delta R.T.: -0.003 min
Response: 368724
Conc: 136.11 ng/ml




#31 AR-1260-1

R.T.: 6.976 min
Delta R.T.: 0.000 min
Response: 341427
Conc: 123.20 ng/ml



#31 AR-1260-1


R.T.: 6.082 min
Delta R.T.: -0.002 min
Response: 277344
Conc: 129.58 ng/ml



#32 AR-1260-2


R.T.: 7.232 min
Delta R.T.: 0.000 min
Response: 437630
Conc: 118.71 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2MSD




#32 AR-1260-2

R.T.: 6.270 min
Delta R.T.: 0.000 min
Response: 341069
Conc: 124.31 ng/ml




#33 AR-1260-3

R.T.: 7.587 min
Delta R.T.: 0.000 min
Response: 309529
Conc: 101.88 ng/ml



#33 AR-1260-3


R.T.: 6.421 min
Delta R.T.: -0.002 min
Response: 303245
Conc: 124.20 ng/ml



#34 AR-1260-4


R.T.: 7.812 min
Delta R.T.: 0.000 min
Response: 339354
Conc: 111.90 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2MSD




#34 AR-1260-4

R.T.: 6.888 min
Delta R.T.: 0.000 min
Response: 214465
Conc: 103.01 ng/ml




#35 AR-1260-5

R.T.: 8.119 min
Delta R.T.: 0.000 min
Response: 595405
Conc: 95.21 ng/ml



#35 AR-1260-5


R.T.: 7.130 min
Delta R.T.: 0.000 min
Response: 521189
Conc: 102.76 ng/ml



#36 AR-1262-1


R.T.: 7.587 min
Delta R.T.: -0.006 min
Response: 309529
Conc: 68.11 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2MSD




#36 AR-1262-1

R.T.: 6.630 min
Delta R.T.: -0.002 min
Response: 270284
Conc: 72.21 ng/ml




#37 AR-1262-2

R.T.: 8.119 min
Delta R.T.: -0.007 min
Response: 595405
Conc: 83.10 ng/ml



#37 AR-1262-2


R.T.: 7.130 min
Delta R.T.: -0.002 min
Response: 521189
Conc: 87.72 ng/ml



#38 AR-1262-3


R.T.: 8.426 min
Delta R.T.: 0.013 min
Response: 392076
Conc: 79.85 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2MSD




#38 AR-1262-3

R.T.: 7.408 min
Delta R.T.: -0.002 min
Response: 118518
Conc: 46.34 ng/ml




#39 AR-1262-4

R.T.: 8.475 min
Delta R.T.: -0.025 min
Response: 238814
Conc: 58.70 ng/ml



#39 AR-1262-4


R.T.: 7.473 min
Delta R.T.: -0.003 min
Response: 357878
Conc: 81.20 ng/ml



#40 AR-1262-5


R.T.: 9.103 min
Delta R.T.: -0.009 min
Response: 149168
Conc: 59.15 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2MSD




#40 AR-1262-5

R.T.: 7.965 min
Delta R.T.: -0.002 min
Response: 108049
Conc: 59.16 ng/ml




#41 AR-1268-1

R.T.: 8.426 min
Delta R.T.: 0.014 min
Response: 392076
Conc: 46.50 ng/ml



#41 AR-1268-1


R.T.: 7.408 min
Delta R.T.: -0.002 min
Response: 118518
Conc: 17.31 ng/ml



#42 AR-1268-2


R.T.: 8.475 min
Delta R.T.: -0.027 min
Response: 238814
Conc: 29.91 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2MSD




#42 AR-1268-2

R.T.: 7.473 min
Delta R.T.: -0.003 min
Response: 357878
Conc: 56.38 ng/ml




#44 AR-1268-4

R.T.: 9.103 min
Delta R.T.: -0.008 min
Response: 149168
Conc: 57.89 ng/ml



#44 AR-1268-4


R.T.: 7.965 min
Delta R.T.: -0.003 min
Response: 108049
Conc: 53.93 ng/ml



#45 AR-1268-5

R.T.: 9.480 min
Delta R.T.: -0.007 min
Response: 57889
Conc: 2.93 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2MSD



#45 AR-1268-5

R.T.: 8.241 min
Delta R.T.: -0.002 min
Response: 38522
Conc: 2.51 ng/ml