

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0072719\
 Data File : P0058444.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 26 Jul 2019 11:29
 Operator : SM/AJ
 Sample : K4006-07DL 2X
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 S6-01-BDL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 26 12:37:56 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0071719.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jul 17 11:13:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.179	3.524	395650	363610	11.676	11.337
2)	SA Decachlor...	9.672	8.414	563749	237831	11.019	6.939 #
Target Compounds							
3)	L1 AR-1016-1	5.357	4.600	112222	69687	72.718	58.310
4)	L1 AR-1016-2	5.357	4.600	112222	69687	49.684	39.333
5)	L1 AR-1016-3	5.418	4.773	64572	55792	45.625	59.432 #
6)	L1 AR-1016-4	5.514	4.814	67813	156965	59.542	201.631 #
7)	L1 AR-1016-5	5.843	5.062	58077	41484	50.631	40.465
8)	L2 AR-1221-1	4.421	0.000	31666	0	76.750	N.D. #
10)	L2 AR-1221-3	4.632	3.934	64725	28489	65.163	33.630 #
11)	L3 AR-1232-1	4.632	3.934	64725	28489	78.782	40.414 #
12)	L3 AR-1232-2	5.071	4.600	86811	69687	187.706	88.287 #
13)	L3 AR-1232-3	5.357	4.773	112222	55792	112.676	135.565
14)	L3 AR-1232-4	5.514	4.884	67813	34004	135.990	92.654 #
15)	L3 AR-1232-5	5.646	5.062	130144	41484	345.147	100.223 #
16)	L4 AR-1242-1	5.357	4.600	112222	69687	91.627	73.125
17)	L4 AR-1242-2	5.357	4.600	112222	69687	61.121	49.950
18)	L4 AR-1242-3	5.418	4.773	64572	55792	55.611	72.768 #
19)	L4 AR-1242-4	5.514	4.884	67813	34004	71.926	44.802 #
20)	L4 AR-1242-5	6.241	5.408	331276	164049	286.078	172.164 #
21)	L5 AR-1248-1	5.357	4.600	112222	69687	120.044	94.894
22)	L5 AR-1248-2	5.646	4.814	130144	156965	96.586	154.039 #
23)	L5 AR-1248-3	5.843	4.884	58077	34004	37.463	32.349
24)	L5 AR-1248-4	6.241	5.023	331276	149548	169.205	116.144 #
25)	L5 AR-1248-5	6.241	5.408	331276	164049	173.821	129.766 #
26)	L6 AR-1254-1	6.203	5.408	416682	164049	212.031	80.517 #
27)	L6 AR-1254-2	6.389	5.513	1284254	740036	392.853	408.382
28)	L6 AR-1254-3	6.753	5.911	1988882	1565927	563.775	534.731
29)	L6 AR-1254-4	7.074	6.177	1148174	983718	388.051	532.419 #
30)	L6 AR-1254-5	7.476	6.573	5677785	836756	1934.346	307.802 #
31)	L7 AR-1260-1	6.911	6.036	1151304	837779	460.314	413.679
32)	L7 AR-1260-2	7.212	6.261	843915	164280	240.031	63.882 #
33)	L7 AR-1260-3	7.578	6.410	384594	52569	130.984	23.050 #
34)	L7 AR-1260-4	7.779	6.877	188815	646977	69.119	334.139 #
35)	L7 AR-1260-5	8.051	7.112	991204	89217	170.856	19.384 #
36)	L8 AR-1262-1	7.578	6.615	384594	149071	69.612	37.530 #
37)	L8 AR-1262-2	8.051	7.112	991204	89217	116.561	13.812 #
38)	L8 AR-1262-3	8.353	7.384	505250	39203	89.758	14.223 #
39)	L8 AR-1262-4	0.000	7.471	0	30753	N.D.	6.441 #
40)	L8 AR-1262-5	9.015	7.913	89677	104257	32.274	52.419 #
41)	L9 AR-1268-1	8.353	7.384	505250	39203	49.135	5.022 #
42)	L9 AR-1268-2	0.000	7.471	0	30753	N.D.	4.316 #
43)	L9 AR-1268-3	8.618	7.620	35692	29517	4.469	4.900

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0072719\
 Data File : P0058444.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 26 Jul 2019 11:29
 Operator : SM/AJ
 Sample : K4006-07DL 2X
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 S6-01-BDL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 26 12:37:56 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0071719.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jul 17 11:13:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
44) L9	AR-1268-4	9.015	7.913	89677	104257	30.263	49.840 #
45) L9	AR-1268-5	9.380	8.183	100769	61774	4.626	3.704



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO072719\
Data File : PO058444.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 26 Jul 2019 11:29
Operator : SM/AJ
Sample : K4006-07DL 2X
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
S6-01-BDL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 26 12:37:56 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO071719.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Jul 17 11:13:08 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.179 min
Delta R.T.: -0.021 min
Response: 395650
Conc: 11.68 ng/ml

Instrument :
ECD_O
ClientSampleId :
S6-01-BDL




#1 Tetrachloro-m-xylene

R.T.: 3.524 min
Delta R.T.: -0.016 min
Response: 363610
Conc: 11.34 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.672 min
Delta R.T.: -0.046 min
Response: 563749
Conc: 11.02 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.414 min
Delta R.T.: -0.032 min
Response: 237831
Conc: 6.94 ng/ml



#3 AR-1016-1


R.T.: 5.357 min
Delta R.T.: 0.000 min
Response: 112222
Conc: 72.72 ng/ml

Instrument :
ECD_O
ClientSampleId :
S6-01-BDL




#3 AR-1016-1

R.T.: 4.600 min
Delta R.T.: -0.002 min
Response: 69687
Conc: 58.31 ng/ml




#4 AR-1016-2

R.T.: 5.357 min
Delta R.T.: -0.022 min
Response: 112222
Conc: 49.68 ng/ml



#4 AR-1016-2


R.T.: 4.600 min
Delta R.T.: -0.019 min
Response: 69687
Conc: 39.33 ng/ml



#5 AR-1016-3


R.T.: 5.418 min
Delta R.T.: -0.021 min
Response: 64572
Conc: 45.62 ng/ml

Instrument :
ECD_O
ClientSampleId :
S6-01-BDL




#5 AR-1016-3

R.T.: 4.773 min
Delta R.T.: -0.019 min
Response: 55792
Conc: 59.43 ng/ml




#6 AR-1016-4

R.T.: 5.514 min
Delta R.T.: -0.024 min
Response: 67813
Conc: 59.54 ng/ml



#6 AR-1016-4


R.T.: 4.814 min
Delta R.T.: -0.019 min
Response: 156965
Conc: 201.63 ng/ml



#7 AR-1016-5


R.T.: 5.843 min
Delta R.T.: 0.017 min
Response: 58077
Conc: 50.63 ng/ml

Instrument :
ECD_O
ClientSampleId :
S6-01-BDL




#7 AR-1016-5

R.T.: 5.062 min
Delta R.T.: 0.018 min
Response: 41484
Conc: 40.46 ng/ml




#8 AR-1221-1

R.T.: 4.421 min
Delta R.T.: 0.011 min
Response: 31666
Conc: 76.75 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T. : 3.748 min
Response: 0
Conc: N.D.



#10 AR-1221-3


R.T.: 4.632 min
Delta R.T.: 0.060 min
Response: 64725
Conc: 65.16 ng/ml

Instrument :
ECD_O
ClientSampleId :
S6-01-BDL




#10 AR-1221-3

R.T.: 3.934 min
Delta R.T.: 0.028 min
Response: 28489
Conc: 33.63 ng/ml




#11 AR-1232-1

R.T.: 4.632 min
Delta R.T.: 0.060 min
Response: 64725
Conc: 78.78 ng/ml



#11 AR-1232-1


R.T.: 3.934 min
Delta R.T.: 0.029 min
Response: 28489
Conc: 40.41 ng/ml



#12 AR-1232-2


R.T.: 5.071 min
Delta R.T.: -0.020 min
Response: 86811
Conc: 187.71 ng/ml

Instrument :
ECD_O
ClientSampleId :
S6-01-BDL




#12 AR-1232-2

R.T.: 4.600 min
Delta R.T.: -0.019 min
Response: 69687
Conc: 88.29 ng/ml




#13 AR-1232-3

R.T.: 5.357 min
Delta R.T.: -0.021 min
Response: 112222
Conc: 112.68 ng/ml



#13 AR-1232-3


R.T.: 4.773 min
Delta R.T.: -0.019 min
Response: 55792
Conc: 135.57 ng/ml



#14 AR-1232-4


R.T.: 5.514 min
Delta R.T.: -0.023 min
Response: 67813
Conc: 135.99 ng/ml

Instrument :
ECD_O
ClientSampleId :
S6-01-BDL




#14 AR-1232-4

R.T.: 4.884 min
Delta R.T.: 0.010 min
Response: 34004
Conc: 92.65 ng/ml




#15 AR-1232-5

R.T.: 5.646 min
Delta R.T.: 0.022 min
Response: 130144
Conc: 345.15 ng/ml



#15 AR-1232-5


R.T.: 5.062 min
Delta R.T.: 0.018 min
Response: 41484
Conc: 100.22 ng/ml



#16 AR-1242-1


R.T.: 5.357 min
Delta R.T.: 0.000 min
Response: 112222
Conc: 91.63 ng/ml

Instrument :
ECD_O
ClientSampleId :
S6-01-BDL




#16 AR-1242-1

R.T.: 4.600 min
Delta R.T.: -0.001 min
Response: 69687
Conc: 73.13 ng/ml




#17 AR-1242-2

R.T.: 5.357 min
Delta R.T.: -0.020 min
Response: 112222
Conc: 61.12 ng/ml



#17 AR-1242-2


R.T.: 4.600 min
Delta R.T.: -0.019 min
Response: 69687
Conc: 49.95 ng/ml



#18 AR-1242-3


R.T.: 5.418 min
Delta R.T.: -0.021 min
Response: 64572
Conc: 55.61 ng/ml

Instrument :
ECD_O
ClientSampleId :
S6-01-BDL




#18 AR-1242-3

R.T.: 4.773 min
Delta R.T.: -0.019 min
Response: 55792
Conc: 72.77 ng/ml




#19 AR-1242-4

R.T.: 5.514 min
Delta R.T.: -0.022 min
Response: 67813
Conc: 71.93 ng/ml



#19 AR-1242-4


R.T.: 4.884 min
Delta R.T.: 0.010 min
Response: 34004
Conc: 44.80 ng/ml



#20 AR-1242-5


R.T.: 6.241 min
Delta R.T.: -0.022 min
Response: 331276
Conc: 286.08 ng/ml

Instrument :
ECD_O
ClientSampleId :
S6-01-BDL




#20 AR-1242-5

R.T.: 5.408 min
Delta R.T.: 0.019 min
Response: 164049
Conc: 172.16 ng/ml




#21 AR-1248-1

R.T.: 5.357 min
Delta R.T.: 0.001 min
Response: 112222
Conc: 120.04 ng/ml



#21 AR-1248-1


R.T.: 4.600 min
Delta R.T.: 0.000 min
Response: 69687
Conc: 94.89 ng/ml



#22 AR-1248-2


R.T.: 5.646 min
Delta R.T.: 0.022 min
Response: 130144
Conc: 96.59 ng/ml

Instrument :
ECD_O
ClientSampleId :
S6-01-BDL




#22 AR-1248-2

R.T.: 4.814 min
Delta R.T.: -0.019 min
Response: 156965
Conc: 154.04 ng/ml




#23 AR-1248-3

R.T.: 5.843 min
Delta R.T.: 0.018 min
Response: 58077
Conc: 37.46 ng/ml



#23 AR-1248-3


R.T.: 4.884 min
Delta R.T.: 0.011 min
Response: 34004
Conc: 32.35 ng/ml



#24 AR-1248-4


R.T.: 6.241 min
Delta R.T.: 0.015 min
Response: 331276
Conc: 169.20 ng/ml

Instrument :
ECD_O
ClientSampleId :
S6-01-BDL




#24 AR-1248-4

R.T.: 5.023 min
Delta R.T.: -0.019 min
Response: 149548
Conc: 116.14 ng/ml




#25 AR-1248-5

R.T.: 6.241 min
Delta R.T.: -0.022 min
Response: 331276
Conc: 173.82 ng/ml



#25 AR-1248-5


R.T.: 5.408 min
Delta R.T.: -0.021 min
Response: 164049
Conc: 129.77 ng/ml



#26 AR-1254-1


R.T.: 6.203 min
Delta R.T.: 0.006 min
Response: 416682
Conc: 212.03 ng/ml

Instrument :
ECD_O
ClientSampleId :
S6-01-BDL




#26 AR-1254-1

R.T.: 5.408 min
Delta R.T.: 0.019 min
Response: 164049
Conc: 80.52 ng/ml




#27 AR-1254-2

R.T.: 6.389 min
Delta R.T.: -0.023 min
Response: 1284254
Conc: 392.85 ng/ml



#27 AR-1254-2


R.T.: 5.513 min
Delta R.T.: -0.022 min
Response: 740036
Conc: 408.38 ng/ml



#28 AR-1254-3


R.T.: 6.753 min
Delta R.T.: -0.024 min
Response: 1988882
Conc: 563.78 ng/ml

Instrument :
ECD_O
ClientSampleId :
S6-01-BDL




#28 AR-1254-3

R.T.: 5.911 min
Delta R.T.: -0.022 min
Response: 1565927
Conc: 534.73 ng/ml




#29 AR-1254-4

R.T.: 7.074 min
Delta R.T.: 0.012 min
Response: 1148174
Conc: 388.05 ng/ml



#29 AR-1254-4


R.T.: 6.177 min
Delta R.T.: 0.018 min
Response: 983718
Conc: 532.42 ng/ml



#30 AR-1254-5


R.T.: 7.476 min
Delta R.T.: 0.000 min
Response: 5677785
Conc: 1934.35 ng/ml

Instrument :
ECD_O
ClientSampleId :
S6-01-BDL




#30 AR-1254-5

R.T.: 6.573 min
Delta R.T.: 0.002 min
Response: 836756
Conc: 307.80 ng/ml




#31 AR-1260-1

R.T.: 6.911 min
Delta R.T.: -0.026 min
Response: 1151304
Conc: 460.31 ng/ml



#31 AR-1260-1


R.T.: 6.036 min
Delta R.T.: -0.024 min
Response: 837779
Conc: 413.68 ng/ml



#32 AR-1260-2


R.T.: 7.212 min
Delta R.T.: 0.018 min
Response: 843915
Conc: 240.03 ng/ml

Instrument :
ECD_O
ClientSampleId :
S6-01-BDL




#32 AR-1260-2

R.T.: 6.261 min
Delta R.T.: 0.015 min
Response: 164280
Conc: 63.88 ng/ml




#33 AR-1260-3

R.T.: 7.578 min
Delta R.T.: 0.030 min
Response: 384594
Conc: 130.98 ng/ml



#33 AR-1260-3


R.T.: 6.410 min
Delta R.T.: 0.013 min
Response: 52569
Conc: 23.05 ng/ml



#34 AR-1260-4


R.T.: 7.779 min
Delta R.T.: 0.006 min
Response: 188815
Conc: 69.12 ng/ml

Instrument :
ECD_O
ClientSampleId :
S6-01-BDL




#34 AR-1260-4

R.T.: 6.877 min
Delta R.T.: 0.015 min
Response: 646977
Conc: 334.14 ng/ml




#35 AR-1260-5

R.T.: 8.051 min
Delta R.T.: -0.029 min
Response: 991204
Conc: 170.86 ng/ml



#35 AR-1260-5


R.T.: 7.112 min
Delta R.T.: 0.007 min
Response: 89217
Conc: 19.38 ng/ml



#36 AR-1262-1


R.T.: 7.578 min
Delta R.T.: 0.030 min
Response: 384594
Conc: 69.61 ng/ml

Instrument :
ECD_O
ClientSampleId :
S6-01-BDL




#36 AR-1262-1

R.T.: 6.615 min
Delta R.T.: 0.009 min
Response: 149071
Conc: 37.53 ng/ml




#37 AR-1262-2

R.T.: 8.051 min
Delta R.T.: -0.029 min
Response: 991204
Conc: 116.56 ng/ml



#37 AR-1262-2


R.T.: 7.112 min
Delta R.T.: 0.007 min
Response: 89217
Conc: 13.81 ng/ml



#38 AR-1262-3


R.T.: 8.353 min
Delta R.T.: -0.010 min
Response: 505250
Conc: 89.76 ng/ml

Instrument :
ECD_O
ClientSampleId :
S6-01-BDL




#38 AR-1262-3

R.T.: 7.384 min
Delta R.T.: 0.002 min
Response: 39203
Conc: 14.22 ng/ml




#39 AR-1262-4

R.T.: 0.000 min
Exp R.T. : 8.447 min
Response: 0
Conc: N.D.



#39 AR-1262-4


R.T.: 7.471 min
Delta R.T.: 0.025 min
Response: 30753
Conc: 6.44 ng/ml



#40 AR-1262-5


R.T.: 9.015 min
Delta R.T.: -0.037 min
Response: 89677
Conc: 32.27 ng/ml

Instrument :
ECD_O
ClientSampleId :
S6-01-BDL




#40 AR-1262-5

R.T.: 7.913 min
Delta R.T.: -0.026 min
Response: 104257
Conc: 52.42 ng/ml




#41 AR-1268-1

R.T.: 8.353 min
Delta R.T.: -0.008 min
Response: 505250
Conc: 49.14 ng/ml



#41 AR-1268-1


R.T.: 7.384 min
Delta R.T.: 0.003 min
Response: 39203
Conc: 5.02 ng/ml



#42 AR-1268-2


R.T.: 0.000 min
Exp R.T.: 8.449 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
S6-01-BDL




#42 AR-1268-2

R.T.: 7.471 min
Delta R.T.: 0.024 min
Response: 30753
Conc: 4.32 ng/ml




#43 AR-1268-3

R.T.: 8.618 min
Delta R.T.: -0.035 min
Response: 35692
Conc: 4.47 ng/ml



#43 AR-1268-3


R.T.: 7.620 min
Delta R.T.: -0.025 min
Response: 29517
Conc: 4.90 ng/ml



#44 AR-1268-4


R.T.: 9.015 min
Delta R.T.: -0.035 min
Response: 89677
Conc: 30.26 ng/ml

Instrument :
ECD_O
ClientSampleId :
S6-01-BDL




#44 AR-1268-4

R.T.: 7.913 min
Delta R.T.: -0.026 min
Response: 104257
Conc: 49.84 ng/ml



#45 AR-1268-5

R.T.: 9.380 min
Delta R.T.: -0.040 min
Response: 100769
Conc: 4.63 ng/ml



#45 AR-1268-5

R.T.: 8.183 min
Delta R.T.: -0.027 min
Response: 61774
Conc: 3.70 ng/ml