

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\PO100319\
 Data File : PO061663.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 03 Oct 2019 21:49
 Operator : HP/AJ
 Sample : K5160-01
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 04 01:36:30 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\PO100119.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Oct 01 15:34:04 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.379	3.538	1280465	949356	31.220	29.356
2)	SA Decachlor...	10.047	8.404	977493	596338	20.989	18.419
Target Compounds							
3)	L1 AR-1016-1	5.565	4.609	4881	18981	2.662	14.116 #
4)	L1 AR-1016-2	5.565	4.609	4881	18981	1.888	10.242 #
5)	L1 AR-1016-3	5.663	4.769	6566	34802	4.087	34.742 #
6)	L1 AR-1016-4	5.745	4.830	43811	26794	32.770	30.920
7)	L1 AR-1016-5	6.016	5.007	11631	24399	8.481	21.376 #
8)	L2 AR-1221-1	4.580	3.736	3784	40512	8.186	102.310 #
9)	L2 AR-1221-2	4.640	3.826	1860	18566	5.180	60.202 #
10)	L2 AR-1221-3	4.764	3.900	87691	64264	77.022	70.454
11)	L3 AR-1232-1	4.764	3.900	87691	64264	62.708	57.235
12)	L3 AR-1232-2	5.259	4.609	32306	18981	41.177	15.550 #
13)	L3 AR-1232-3	5.565	4.769	4881	34802	2.857	52.710 #
14)	L3 AR-1232-4	5.701	4.830	36399	26794	41.139	42.507
15)	L3 AR-1232-5	5.812	5.007	25179	24399	36.316	35.560
16)	L4 AR-1242-1	5.565	4.609	4881	18981	3.437	18.527 #
17)	L4 AR-1242-2	5.565	4.609	4881	18981	2.429	13.460 #
18)	L4 AR-1242-3	5.663	4.769	6566	34802	5.203	44.567 #
19)	L4 AR-1242-4	5.745	4.876	43811	21153	41.694	25.778 #
20)	L4 AR-1242-5	6.485	5.365	14474	69350	10.822	64.738 #
21)	L5 AR-1248-1	5.565	4.609	4881	18981	4.155	21.213 #
22)	L5 AR-1248-2	5.812	4.830	25179	26794	14.924	22.740 #
23)	L5 AR-1248-3	6.016	4.876	11631	21153	6.224	17.041 #
24)	L5 AR-1248-4	6.411	5.007	143614	24399	60.780	16.230 #
25)	L5 AR-1248-5	6.485	5.407	14474	48725	6.383	31.760 #
26)	L6 AR-1254-1	6.376	5.365	59358	69350	26.018	31.619
27)	L6 AR-1254-2	6.614	5.509	117274	42375	32.458	21.614 #
28)	L6 AR-1254-3	6.984	5.903	130612	33794	33.427	10.615 #
29)	L6 AR-1254-4	7.258	6.130	69376	59153	22.907	29.156 #
30)	L6 AR-1254-5	7.674	6.537	98613	80015	31.401	28.289
31)	L7 AR-1260-1	7.138	6.033	59181	43054	22.670	21.107
32)	L7 AR-1260-2	7.389	6.220	176577	101317	55.388	42.185
33)	L7 AR-1260-3	7.755	6.366	90268	33898	37.582	15.045 #
34)	L7 AR-1260-4	7.971	6.837	126797	46952	47.453	25.432 #
35)	L7 AR-1260-5	8.293	7.069	207447	68202	41.924	17.516 #
36)	L8 AR-1262-1	7.755	6.629	90268	25428	23.560	20.832
37)	L8 AR-1262-2	8.293	7.069	207447	68202	33.416	14.833 #
38)	L8 AR-1262-3	8.591	7.349	59579	68832	14.334	36.538 #
39)	L8 AR-1262-4	8.712	7.411	226384	42201	71.712	12.557 #
40)	L8 AR-1262-5	9.322	7.861	16559	295576	8.143	194.975 #
41)	L9 AR-1268-1	8.591	7.349	59579	68832	8.860	14.253 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO100319\
 Data File : PO061663.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 03 Oct 2019 21:49
 Operator : HP/AJ
 Sample : K5160-01
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 04 01:36:30 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO100119.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Oct 01 15:34:04 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.712	7.411	226384	42201	36.558	9.792 #
43) L9	AR-1268-3	8.905	7.613	73255	73812	14.330	20.594 #
44) L9	AR-1268-4	9.322	7.861	16559	295576	7.573	183.657 #
45) L9	AR-1268-5	9.722	8.170	173462	166331	11.547	16.540 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO100319\
Data File : P0061663.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 03 Oct 2019 21:49
Operator : HP/AJ
Sample : K5160-01
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampled :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 04 01:36:30 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO100119.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Oct 01 15:34:04 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.379 min
Delta R.T.: -0.009 min
Response: 1280465
Conc: 31.22 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.538 min
Delta R.T.: 0.000 min
Response: 949356
Conc: 29.36 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.047 min
Delta R.T.: 0.011 min
Response: 977493
Conc: 20.99 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.404 min
Delta R.T.: -0.005 min
Response: 596338
Conc: 18.42 ng/ml



#3 AR-1016-1


R.T.: 5.565 min
Delta R.T.: 0.015 min
Response: 4881
Conc: 2.66 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.609 min
Delta R.T.: 0.019 min
Response: 18981
Conc: 14.12 ng/ml




#4 AR-1016-2

R.T.: 5.565 min
Delta R.T.: -0.005 min
Response: 4881
Conc: 1.89 ng/ml



#4 AR-1016-2


R.T.: 4.609 min
Delta R.T.: -0.001 min
Response: 18981
Conc: 10.24 ng/ml



#5 AR-1016-3


R.T.: 5.663 min
Delta R.T.: 0.023 min
Response: 6566
Conc: 4.09 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.769 min
Delta R.T.: -0.011 min
Response: 34802
Conc: 34.74 ng/ml




#6 AR-1016-4

R.T.: 5.745 min
Delta R.T.: 0.015 min
Response: 43811
Conc: 32.77 ng/ml



#6 AR-1016-4


R.T.: 4.830 min
Delta R.T.: 0.010 min
Response: 26794
Conc: 30.92 ng/ml



#7 AR-1016-5


R.T.: 6.016 min
Delta R.T.: -0.014 min
Response: 11631
Conc: 8.48 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.007 min
Delta R.T.: -0.023 min
Response: 24399
Conc: 21.38 ng/ml




#8 AR-1221-1

R.T.: 4.580 min
Delta R.T.: 0.006 min
Response: 3784
Conc: 8.19 ng/ml



#8 AR-1221-1


R.T.: 3.736 min
Delta R.T.: 0.002 min
Response: 40512
Conc: 102.31 ng/ml



#9 AR-1221-2


R.T.: 4.640 min
Delta R.T.: -0.020 min
Response: 1860
Conc: 5.18 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.826 min
Delta R.T.: 0.010 min
Response: 18566
Conc: 60.20 ng/ml




#10 AR-1221-3

R.T.: 4.764 min
Delta R.T.: 0.028 min
Response: 87691
Conc: 77.02 ng/ml



#10 AR-1221-3


R.T.: 3.900 min
Delta R.T.: 0.010 min
Response: 64264
Conc: 70.45 ng/ml



#11 AR-1232-1


R.T.: 4.764 min
Delta R.T.: 0.029 min
Response: 87691
Conc: 62.71 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 3.900 min
Delta R.T.: 0.010 min
Response: 64264
Conc: 57.24 ng/ml




#12 AR-1232-2

R.T.: 5.259 min
Delta R.T.: -0.002 min
Response: 32306
Conc: 41.18 ng/ml



#12 AR-1232-2


R.T.: 4.609 min
Delta R.T.: 0.014 min
Response: 18981
Conc: 15.55 ng/ml



#13 AR-1232-3


R.T.: 5.565 min
Delta R.T.: 0.015 min
Response: 4881
Conc: 2.86 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.769 min
Delta R.T.: 0.004 min
Response: 34802
Conc: 52.71 ng/ml




#14 AR-1232-4

R.T.: 5.701 min
Delta R.T.: -0.009 min
Response: 36399
Conc: 41.14 ng/ml



#14 AR-1232-4


R.T.: 4.830 min
Delta R.T.: -0.017 min
Response: 26794
Conc: 42.51 ng/ml



#15 AR-1232-5


R.T.: 5.812 min
Delta R.T.: 0.013 min
Response: 25179
Conc: 36.32 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.007 min
Delta R.T.: -0.006 min
Response: 24399
Conc: 35.56 ng/ml




#16 AR-1242-1

R.T.: 5.565 min
Delta R.T.: 0.015 min
Response: 4881
Conc: 3.44 ng/ml



#16 AR-1242-1


R.T.: 4.609 min
Delta R.T.: 0.019 min
Response: 18981
Conc: 18.53 ng/ml



#17 AR-1242-2


R.T.: 5.565 min
Delta R.T.: -0.005 min
Response: 4881
Conc: 2.43 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.609 min
Delta R.T.: -0.001 min
Response: 18981
Conc: 13.46 ng/ml




#18 AR-1242-3

R.T.: 5.663 min
Delta R.T.: 0.023 min
Response: 6566
Conc: 5.20 ng/ml



#18 AR-1242-3


R.T.: 4.769 min
Delta R.T.: -0.011 min
Response: 34802
Conc: 44.57 ng/ml



#19 AR-1242-4


R.T.: 5.745 min
Delta R.T.: 0.015 min
Response: 43811
Conc: 41.69 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 4.876 min
Delta R.T.: 0.016 min
Response: 21153
Conc: 25.78 ng/ml




#20 AR-1242-5

R.T.: 6.485 min
Delta R.T.: 0.015 min
Response: 14474
Conc: 10.82 ng/ml



#20 AR-1242-5


R.T.: 5.365 min
Delta R.T.: -0.005 min
Response: 69350
Conc: 64.74 ng/ml



#21 AR-1248-1


R.T.: 5.565 min
Delta R.T.: 0.015 min
Response: 4881
Conc: 4.15 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.609 min
Delta R.T.: 0.019 min
Response: 18981
Conc: 21.21 ng/ml




#22 AR-1248-2

R.T.: 5.812 min
Delta R.T.: -0.008 min
Response: 25179
Conc: 14.92 ng/ml



#22 AR-1248-2


R.T.: 4.830 min
Delta R.T.: 0.010 min
Response: 26794
Conc: 22.74 ng/ml



#23 AR-1248-3


R.T.: 6.016 min
Delta R.T.: -0.014 min
Response: 11631
Conc: 6.22 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 4.876 min
Delta R.T.: 0.016 min
Response: 21153
Conc: 17.04 ng/ml




#24 AR-1248-4

R.T.: 6.411 min
Delta R.T.: -0.019 min
Response: 143614
Conc: 60.78 ng/ml



#24 AR-1248-4


R.T.: 5.007 min
Delta R.T.: -0.023 min
Response: 24399
Conc: 16.23 ng/ml



#25 AR-1248-5


R.T.: 6.485 min
Delta R.T.: 0.015 min
Response: 14474
Conc: 6.38 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.407 min
Delta R.T.: -0.003 min
Response: 48725
Conc: 31.76 ng/ml




#26 AR-1254-1

R.T.: 6.376 min
Delta R.T.: -0.005 min
Response: 59358
Conc: 26.02 ng/ml



#26 AR-1254-1


R.T.: 5.365 min
Delta R.T.: 0.008 min
Response: 69350
Conc: 31.62 ng/ml



#27 AR-1254-2


R.T.: 6.614 min
Delta R.T.: 0.015 min
Response: 117274
Conc: 32.46 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.509 min
Delta R.T.: 0.008 min
Response: 42375
Conc: 21.61 ng/ml




#28 AR-1254-3

R.T.: 6.984 min
Delta R.T.: 0.020 min
Response: 130612
Conc: 33.43 ng/ml



#28 AR-1254-3


R.T.: 5.903 min
Delta R.T.: 0.008 min
Response: 33794
Conc: 10.61 ng/ml



#29 AR-1254-4


R.T.: 7.258 min
Delta R.T.: 0.009 min
Response: 69376
Conc: 22.91 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.130 min
Delta R.T.: 0.011 min
Response: 59153
Conc: 29.16 ng/ml




#30 AR-1254-5

R.T.: 7.674 min
Delta R.T.: 0.007 min
Response: 98613
Conc: 31.40 ng/ml



#30 AR-1254-5


R.T.: 6.537 min
Delta R.T.: 0.007 min
Response: 80015
Conc: 28.29 ng/ml



#31 AR-1260-1


R.T.: 7.138 min
Delta R.T.: -0.012 min
Response: 59181
Conc: 22.67 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.033 min
Delta R.T.: -0.007 min
Response: 43054
Conc: 21.11 ng/ml




#32 AR-1260-2

R.T.: 7.389 min
Delta R.T.: -0.011 min
Response: 176577
Conc: 55.39 ng/ml



#32 AR-1260-2


R.T.: 6.220 min
Delta R.T.: 0.000 min
Response: 101317
Conc: 42.18 ng/ml



#33 AR-1260-3


R.T.: 7.755 min
Delta R.T.: -0.005 min
Response: 90268
Conc: 37.58 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.366 min
Delta R.T.: -0.004 min
Response: 33898
Conc: 15.05 ng/ml




#34 AR-1260-4

R.T.: 7.971 min
Delta R.T.: -0.019 min
Response: 126797
Conc: 47.45 ng/ml



#34 AR-1260-4


R.T.: 6.837 min
Delta R.T.: -0.003 min
Response: 46952
Conc: 25.43 ng/ml



#35 AR-1260-5


R.T.: 8.293 min
Delta R.T.: -0.008 min
Response: 207447
Conc: 41.92 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.069 min
Delta R.T.: 0.000 min
Response: 68202
Conc: 17.52 ng/ml




#36 AR-1262-1

R.T.: 7.755 min
Delta R.T.: 0.016 min
Response: 90268
Conc: 23.56 ng/ml



#36 AR-1262-1


R.T.: 6.629 min
Delta R.T.: 0.010 min
Response: 25428
Conc: 20.83 ng/ml



#37 AR-1262-2


R.T.: 8.293 min
Delta R.T.: 0.014 min
Response: 207447
Conc: 33.42 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 7.069 min
Delta R.T.: 0.008 min
Response: 68202
Conc: 14.83 ng/ml




#38 AR-1262-3

R.T.: 8.591 min
Delta R.T.: 0.009 min
Response: 59579
Conc: 14.33 ng/ml



#38 AR-1262-3


R.T.: 7.349 min
Delta R.T.: 0.009 min
Response: 68832
Conc: 36.54 ng/ml



#39 AR-1262-4


R.T.: 8.712 min
Delta R.T.: 0.043 min
Response: 226384
Conc: 71.71 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.411 min
Delta R.T.: 0.008 min
Response: 42201
Conc: 12.56 ng/ml




#40 AR-1262-5

R.T.: 9.322 min
Delta R.T.: 0.015 min
Response: 16559
Conc: 8.14 ng/ml



#40 AR-1262-5


R.T.: 7.861 min
Delta R.T.: -0.030 min
Response: 295576
Conc: 194.97 ng/ml



#41 AR-1268-1


R.T.: 8.591 min
Delta R.T.: 0.009 min
Response: 59579
Conc: 8.86 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.349 min
Delta R.T.: 0.009 min
Response: 68832
Conc: 14.25 ng/ml




#42 AR-1268-2

R.T.: 8.712 min
Delta R.T.: 0.038 min
Response: 226384
Conc: 36.56 ng/ml



#42 AR-1268-2


R.T.: 7.411 min
Delta R.T.: 0.007 min
Response: 42201
Conc: 9.79 ng/ml



#43 AR-1268-3


R.T.: 8.905 min
Delta R.T.: 0.011 min
Response: 73255
Conc: 14.33 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.613 min
Delta R.T.: 0.006 min
Response: 73812
Conc: 20.59 ng/ml




#44 AR-1268-4

R.T.: 9.322 min
Delta R.T.: 0.013 min
Response: 16559
Conc: 7.57 ng/ml



#44 AR-1268-4


R.T.: 7.861 min
Delta R.T.: -0.030 min
Response: 295576
Conc: 183.66 ng/ml



#45 AR-1268-5

R.T.: 9.722 min
Delta R.T.: 0.014 min
Response: 173462
Conc: 11.55 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.170 min
Delta R.T.: 0.007 min
Response: 166331
Conc: 16.54 ng/ml