

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0100419\
 Data File : P0061698.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 04 Oct 2019 13:39
 Operator : HP/AJ
 Sample : K5158-01
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 ROLL-OFF

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 04 16:02:36 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0100119.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Oct 01 15:34:04 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.357	3.517	1142504	847230	27.856	26.198
2)	SA Decachlor...	10.016	8.431	1009006	413011	21.666	12.757 #
Target Compounds							
3)	L1 AR-1016-1	5.544	4.601	-8747	27816	N.D.	20.686 #
4)	L1 AR-1016-2	5.544	4.601	-8747	27816	N.D.	15.009 #
5)	L1 AR-1016-3	5.638	4.809	4898	24413	3.049	24.371 #
6)	L1 AR-1016-4	5.723	4.809	33471	24413	25.035	28.172
7)	L1 AR-1016-5	6.051	5.038	719	15831	0.525	13.869 #
8)	L2 AR-1221-1	4.578	3.716	1370	35974	2.964	90.850 #
9)	L2 AR-1221-2	4.660	3.823	18512	4461	51.562	14.467 #
10)	L2 AR-1221-3	4.743	3.879	75816	54179	66.592	59.398
11)	L3 AR-1232-1	4.743	3.879	75816	54179	54.216	48.254
12)	L3 AR-1232-2	5.238	4.601	32982	27816	42.039	22.787 #
13)	L3 AR-1232-3	5.544	4.749	-8747	32416	N.D.	49.096 #
14)	L3 AR-1232-4	5.723	4.849	33471	2882	37.829	4.571 #
15)	L3 AR-1232-5	5.792	5.038	21872	15831	31.546	23.072 #
17)	L4 AR-1242-2	5.544	4.601	-8747	27816	N.D.	19.725 #
18)	L4 AR-1242-3	5.598	4.749	9675	32416	7.667	41.511 #
19)	L4 AR-1242-4	5.723	4.840	33471	6320	31.854	7.701 #
20)	L4 AR-1242-5	6.440	5.347	50260	56665	37.578	52.897 #
21)	L5 AR-1248-1	5.544	4.601	-8747	27816	N.D.	31.086 #
22)	L5 AR-1248-2	5.837	4.809	9848	24413	5.837	20.719 #
23)	L5 AR-1248-3	6.051	4.855	719	8879	0.385	7.153 #
24)	L5 AR-1248-4	6.440	5.038	50260	15831	21.271	10.531 #
25)	L5 AR-1248-5	6.484	5.412	24943	24015	11.001	15.654 #
26)	L6 AR-1254-1	6.391	5.347	112613	56665	49.361	25.836 #
27)	L6 AR-1254-2	6.598	5.489	142034	49403	39.311	25.199 #
28)	L6 AR-1254-3	6.965	5.902	118073	45133	30.218	14.176 #
29)	L6 AR-1254-4	7.237	6.109	125855	55909	41.555	27.557 #
30)	L6 AR-1254-5	7.678	6.518	168725	146538	53.727	51.808
31)	L7 AR-1260-1	7.138	6.048	41284	75005	15.814	36.771 #
32)	L7 AR-1260-2	7.419	6.228	128581	92782	40.333	38.631
33)	L7 AR-1260-3	7.735	6.394	218148	132958	90.824	59.011 #
34)	L7 AR-1260-4	7.950	6.848	294823	30446	110.336	16.491 #
35)	L7 AR-1260-5	8.313	7.049	130482	87431	26.370	22.455
36)	L8 AR-1262-1	7.735	6.610	218148	44495	56.936	36.452 #
37)	L8 AR-1262-2	8.268	7.049	154989	87431	24.966	19.015
38)	L8 AR-1262-3	8.571	7.329	128429	160954	30.900	85.440 #
39)	L8 AR-1262-4	8.661	7.391	107106	68055	33.928	20.250 #
40)	L8 AR-1262-5	9.294	7.841	48218	349333	23.710	230.436 #
41)	L9 AR-1268-1	8.571	7.329	128429	160954	19.099	33.330 #
42)	L9 AR-1268-2	8.661	7.391	107106	68055	17.296	15.791
43)	L9 AR-1268-3	8.882	7.592	124357	52613	24.327	14.679 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0100419\
 Data File : P0061698.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 04 Oct 2019 13:39
 Operator : HP/AJ
 Sample : K5158-01
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 ROLL-OFF

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 04 16:02:36 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0100119.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Oct 01 15:34:04 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
44) L9	AR-1268-4	9.294	7.841	48218	349333	22.052	217.060 #
45) L9	AR-1268-5	9.695	8.149	159798	137784	10.637	13.702 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO100419\
Data File : PO061698.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 04 Oct 2019 13:39
Operator : HP/AJ
Sample : K5158-01
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampled :
ROLL-OFF

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 04 16:02:36 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO100119.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Oct 01 15:34:04 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.357 min
Delta R.T.: -0.006 min
Response: 1142504
Conc: 27.86 ng/ml

Instrument :
ECD_O
ClientSampleId :
ROLL-OFF




#1 Tetrachloro-m-xylene

R.T.: 3.517 min
Delta R.T.: -0.002 min
Response: 847230
Conc: 26.20 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.016 min
Delta R.T.: -0.020 min
Response: 1009006
Conc: 21.67 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.431 min
Delta R.T.: 0.022 min
Response: 413011
Conc: 12.76 ng/ml



#3 AR-1016-1


R.T.: 5.544 min
Delta R.T.: -0.006 min
Response: -8747
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
ROLL-OFF




#3 AR-1016-1

R.T.: 4.601 min
Delta R.T.: 0.011 min
Response: 27816
Conc: 20.69 ng/ml




#4 AR-1016-2

R.T.: 5.544 min
Delta R.T.: -0.026 min
Response: -8747
Conc: N.D.



#4 AR-1016-2


R.T.: 4.601 min
Delta R.T.: -0.009 min
Response: 27816
Conc: 15.01 ng/ml



#5 AR-1016-3


R.T.: 5.638 min
Delta R.T.: -0.002 min
Response: 4898
Conc: 3.05 ng/ml

Instrument :
ECD_O
ClientSampleId :
ROLL-OFF




#5 AR-1016-3

R.T.: 4.809 min
Delta R.T.: 0.029 min
Response: 24413
Conc: 24.37 ng/ml




#6 AR-1016-4

R.T.: 5.723 min
Delta R.T.: -0.007 min
Response: 33471
Conc: 25.04 ng/ml



#6 AR-1016-4


R.T.: 4.809 min
Delta R.T.: -0.011 min
Response: 24413
Conc: 28.17 ng/ml



#7 AR-1016-5


R.T.: 6.051 min
Delta R.T.: 0.021 min
Response: 719
Conc: 0.52 ng/ml

Instrument :
ECD_O
ClientSampleId :
ROLL-OFF




#7 AR-1016-5

R.T.: 5.038 min
Delta R.T.: 0.008 min
Response: 15831
Conc: 13.87 ng/ml




#8 AR-1221-1

R.T.: 4.578 min
Delta R.T.: 0.004 min
Response: 1370
Conc: 2.96 ng/ml



#8 AR-1221-1


R.T.: 3.716 min
Delta R.T.: -0.019 min
Response: 35974
Conc: 90.85 ng/ml



#9 AR-1221-2


R.T.: 4.660 min
Delta R.T.: 0.000 min
Response: 18512
Conc: 51.56 ng/ml

Instrument :
ECD_O
ClientSampleId :
ROLL-OFF




#9 AR-1221-2

R.T.: 3.823 min
Delta R.T.: 0.006 min
Response: 4461
Conc: 14.47 ng/ml




#10 AR-1221-3

R.T.: 4.743 min
Delta R.T.: 0.007 min
Response: 75816
Conc: 66.59 ng/ml



#10 AR-1221-3


R.T.: 3.879 min
Delta R.T.: -0.011 min
Response: 54179
Conc: 59.40 ng/ml



#11 AR-1232-1


R.T.: 4.743 min
Delta R.T.: 0.007 min
Response: 75816
Conc: 54.22 ng/ml

Instrument :
ECD_O
ClientSampleId :
ROLL-OFF




#11 AR-1232-1

R.T.: 3.879 min
Delta R.T.: -0.011 min
Response: 54179
Conc: 48.25 ng/ml




#12 AR-1232-2

R.T.: 5.238 min
Delta R.T.: -0.023 min
Response: 32982
Conc: 42.04 ng/ml



#12 AR-1232-2


R.T.: 4.601 min
Delta R.T.: 0.006 min
Response: 27816
Conc: 22.79 ng/ml



#13 AR-1232-3


R.T.: 5.544 min
Delta R.T.: -0.006 min
Response: -8747
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
ROLL-OFF




#13 AR-1232-3

R.T.: 4.749 min
Delta R.T.: -0.017 min
Response: 32416
Conc: 49.10 ng/ml




#14 AR-1232-4

R.T.: 5.723 min
Delta R.T.: 0.013 min
Response: 33471
Conc: 37.83 ng/ml



#14 AR-1232-4


R.T.: 4.849 min
Delta R.T.: 0.002 min
Response: 2882
Conc: 4.57 ng/ml



#15 AR-1232-5


R.T.: 5.792 min
Delta R.T.: -0.008 min
Response: 21872
Conc: 31.55 ng/ml

Instrument :
ECD_O
ClientSampleId :
ROLL-OFF




#15 AR-1232-5

R.T.: 5.038 min
Delta R.T.: 0.025 min
Response: 15831
Conc: 23.07 ng/ml




#16 AR-1242-1

R.T.: 5.544 min
Delta R.T.: 0.014 min
Response: -8747
Conc: N.D.



#16 AR-1242-1


R.T.: 4.568 min
Delta R.T.: -0.002 min
Response: 2718
Conc: 2.65 ng/ml



#17 AR-1242-2


R.T.: 5.544 min
Delta R.T.: -0.006 min
Response: -8747
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
ROLL-OFF




#17 AR-1242-2

R.T.: 4.601 min
Delta R.T.: 0.011 min
Response: 27816
Conc: 19.72 ng/ml




#18 AR-1242-3

R.T.: 5.598 min
Delta R.T.: -0.012 min
Response: 9675
Conc: 7.67 ng/ml



#18 AR-1242-3


R.T.: 4.749 min
Delta R.T.: -0.011 min
Response: 32416
Conc: 41.51 ng/ml



#19 AR-1242-4


R.T.: 5.723 min
Delta R.T.: 0.013 min
Response: 33471
Conc: 31.85 ng/ml

Instrument :
ECD_O
ClientSampleId :
ROLL-OFF




#19 AR-1242-4

R.T.: 4.840 min
Delta R.T.: 0.000 min
Response: 6320
Conc: 7.70 ng/ml




#20 AR-1242-5

R.T.: 6.440 min
Delta R.T.: 0.000 min
Response: 50260
Conc: 37.58 ng/ml



#20 AR-1242-5


R.T.: 5.347 min
Delta R.T.: -0.003 min
Response: 56665
Conc: 52.90 ng/ml



#21 AR-1248-1


R.T.: 5.544 min
Delta R.T.: -0.006 min
Response: -8747
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
ROLL-OFF




#21 AR-1248-1

R.T.: 4.601 min
Delta R.T.: 0.011 min
Response: 27816
Conc: 31.09 ng/ml




#22 AR-1248-2

R.T.: 5.837 min
Delta R.T.: 0.017 min
Response: 9848
Conc: 5.84 ng/ml



#22 AR-1248-2


R.T.: 4.809 min
Delta R.T.: -0.011 min
Response: 24413
Conc: 20.72 ng/ml



#23 AR-1248-3


R.T.: 6.051 min
Delta R.T.: 0.021 min
Response: 719
Conc: 0.38 ng/ml

Instrument :
ECD_O
ClientSampleId :
ROLL-OFF




#23 AR-1248-3

R.T.: 4.855 min
Delta R.T.: -0.005 min
Response: 8879
Conc: 7.15 ng/ml




#24 AR-1248-4

R.T.: 6.440 min
Delta R.T.: 0.010 min
Response: 50260
Conc: 21.27 ng/ml



#24 AR-1248-4


R.T.: 5.038 min
Delta R.T.: 0.008 min
Response: 15831
Conc: 10.53 ng/ml



#25 AR-1248-5


R.T.: 6.484 min
Delta R.T.: 0.014 min
Response: 24943
Conc: 11.00 ng/ml

Instrument :
ECD_O
ClientSampleId :
ROLL-OFF




#25 AR-1248-5

R.T.: 5.412 min
Delta R.T.: 0.002 min
Response: 24015
Conc: 15.65 ng/ml




#26 AR-1254-1

R.T.: 6.391 min
Delta R.T.: 0.010 min
Response: 112613
Conc: 49.36 ng/ml



#26 AR-1254-1


R.T.: 5.347 min
Delta R.T.: -0.010 min
Response: 56665
Conc: 25.84 ng/ml



#27 AR-1254-2


R.T.: 6.598 min
Delta R.T.: -0.002 min
Response: 142034
Conc: 39.31 ng/ml

Instrument :
ECD_O
ClientSampleId :
ROLL-OFF




#27 AR-1254-2

R.T.: 5.489 min
Delta R.T.: -0.012 min
Response: 49403
Conc: 25.20 ng/ml




#28 AR-1254-3

R.T.: 6.965 min
Delta R.T.: 0.000 min
Response: 118073
Conc: 30.22 ng/ml



#28 AR-1254-3


R.T.: 5.902 min
Delta R.T.: 0.007 min
Response: 45133
Conc: 14.18 ng/ml



#29 AR-1254-4


R.T.: 7.237 min
Delta R.T.: -0.012 min
Response: 125855
Conc: 41.56 ng/ml

Instrument :
ECD_O
ClientSampleId :
ROLL-OFF




#29 AR-1254-4

R.T.: 6.109 min
Delta R.T.: -0.010 min
Response: 55909
Conc: 27.56 ng/ml




#30 AR-1254-5

R.T.: 7.678 min
Delta R.T.: 0.012 min
Response: 168725
Conc: 53.73 ng/ml



#30 AR-1254-5


R.T.: 6.518 min
Delta R.T.: -0.012 min
Response: 146538
Conc: 51.81 ng/ml



#31 AR-1260-1


R.T.: 7.138 min
Delta R.T.: -0.012 min
Response: 41284
Conc: 15.81 ng/ml

Instrument :
ECD_O
ClientSampleId :
ROLL-OFF




#31 AR-1260-1

R.T.: 6.048 min
Delta R.T.: 0.008 min
Response: 75005
Conc: 36.77 ng/ml




#32 AR-1260-2

R.T.: 7.419 min
Delta R.T.: 0.019 min
Response: 128581
Conc: 40.33 ng/ml



#32 AR-1260-2


R.T.: 6.228 min
Delta R.T.: 0.008 min
Response: 92782
Conc: 38.63 ng/ml



#33 AR-1260-3


R.T.: 7.735 min
Delta R.T.: -0.025 min
Response: 218148
Conc: 90.82 ng/ml

Instrument :
ECD_O
ClientSampleId :
ROLL-OFF




#33 AR-1260-3

R.T.: 6.394 min
Delta R.T.: 0.024 min
Response: 132958
Conc: 59.01 ng/ml




#34 AR-1260-4

R.T.: 7.950 min
Delta R.T.: -0.040 min
Response: 294823
Conc: 110.34 ng/ml



#34 AR-1260-4


R.T.: 6.848 min
Delta R.T.: 0.008 min
Response: 30446
Conc: 16.49 ng/ml



#35 AR-1260-5


R.T.: 8.313 min
Delta R.T.: 0.013 min
Response: 130482
Conc: 26.37 ng/ml

Instrument :
ECD_O
ClientSampleId :
ROLL-OFF




#35 AR-1260-5

R.T.: 7.049 min
Delta R.T.: -0.021 min
Response: 87431
Conc: 22.45 ng/ml




#36 AR-1262-1

R.T.: 7.735 min
Delta R.T.: -0.004 min
Response: 218148
Conc: 56.94 ng/ml



#36 AR-1262-1


R.T.: 6.610 min
Delta R.T.: -0.009 min
Response: 44495
Conc: 36.45 ng/ml



#37 AR-1262-2


R.T.: 8.268 min
Delta R.T.: -0.011 min
Response: 154989
Conc: 24.97 ng/ml

Instrument :
ECD_O
ClientSampleId :
ROLL-OFF




#37 AR-1262-2

R.T.: 7.049 min
Delta R.T.: -0.012 min
Response: 87431
Conc: 19.01 ng/ml




#38 AR-1262-3

R.T.: 8.571 min
Delta R.T.: -0.011 min
Response: 128429
Conc: 30.90 ng/ml



#38 AR-1262-3


R.T.: 7.329 min
Delta R.T.: -0.011 min
Response: 160954
Conc: 85.44 ng/ml



#39 AR-1262-4


R.T.: 8.661 min
Delta R.T.: -0.009 min
Response: 107106
Conc: 33.93 ng/ml

Instrument :
ECD_O
ClientSampleId :
ROLL-OFF




#39 AR-1262-4

R.T.: 7.391 min
Delta R.T.: -0.012 min
Response: 68055
Conc: 20.25 ng/ml




#40 AR-1262-5

R.T.: 9.294 min
Delta R.T.: -0.012 min
Response: 48218
Conc: 23.71 ng/ml



#40 AR-1262-5


R.T.: 7.841 min
Delta R.T.: -0.051 min
Response: 349333
Conc: 230.44 ng/ml



#41 AR-1268-1


R.T.: 8.571 min
Delta R.T.: -0.011 min
Response: 128429
Conc: 19.10 ng/ml

Instrument :
ECD_O
ClientSampleId :
ROLL-OFF




#41 AR-1268-1

R.T.: 7.329 min
Delta R.T.: -0.012 min
Response: 160954
Conc: 33.33 ng/ml




#42 AR-1268-2

R.T.: 8.661 min
Delta R.T.: -0.014 min
Response: 107106
Conc: 17.30 ng/ml



#42 AR-1268-2


R.T.: 7.391 min
Delta R.T.: -0.013 min
Response: 68055
Conc: 15.79 ng/ml



#43 AR-1268-3


R.T.: 8.882 min
Delta R.T.: -0.012 min
Response: 124357
Conc: 24.33 ng/ml

Instrument :
ECD_O
ClientSampleId :
ROLL-OFF




#43 AR-1268-3

R.T.: 7.592 min
Delta R.T.: -0.016 min
Response: 52613
Conc: 14.68 ng/ml




#44 AR-1268-4

R.T.: 9.294 min
Delta R.T.: -0.015 min
Response: 48218
Conc: 22.05 ng/ml



#44 AR-1268-4


R.T.: 7.841 min
Delta R.T.: -0.051 min
Response: 349333
Conc: 217.06 ng/ml



#45 AR-1268-5

R.T.: 9.695 min
Delta R.T.: -0.013 min
Response: 159798
Conc: 10.64 ng/ml

Instrument :
ECD_O
ClientSampleId :
ROLL-OFF



#45 AR-1268-5

R.T.: 8.149 min
Delta R.T.: -0.014 min
Response: 137784
Conc: 13.70 ng/ml