

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO100819\
 Data File : PO061807.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 08 Oct 2019 22:04
 Operator : HP/AJ
 Sample : K5152-01
 Misc :
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 09 01:23:24 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO100119.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Oct 01 15:34:04 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.361	3.521	1108515	963517	27.028	29.794
2)	SA Decachlor...	10.023	8.384	786191	500196	16.882	15.450
Target Compounds							
3)	L1 AR-1016-1	5.547	4.585	5787	41519	3.156	30.877 #
4)	L1 AR-1016-2	5.547	4.606	5787	38095	2.239	20.555 #
5)	L1 AR-1016-3	5.648	4.768	8655	37954	5.388	37.889 #
6)	L1 AR-1016-4	5.729	4.813	220057	47440	164.597	54.745 #
7)	L1 AR-1016-5	6.053	5.040	10696	53272	7.799	46.671 #
8)	L2 AR-1221-1	4.596	3.731	17014	9883	36.804	24.958 #
9)	L2 AR-1221-2	4.666	3.810	47851	112656	133.281	365.300 #
10)	L2 AR-1221-3	4.746	3.883	47063	85496	41.337	93.732 #
11)	L3 AR-1232-1	4.746	3.883	47063	85496	33.655	76.146 #
12)	L3 AR-1232-2	5.265	4.585	49229	41519	62.747	34.013 #
13)	L3 AR-1232-3	5.547	4.768	5787	37954	3.387	57.484 #
14)	L3 AR-1232-4	5.729	4.846	220057	35608	248.712	56.489 #
15)	L3 AR-1232-5	5.797	5.001	30169	30272	43.513	44.118
16)	L4 AR-1242-1	5.524	4.585	2890	41519	2.035	40.526 #
17)	L4 AR-1242-2	5.547	4.585	5787	41519	2.879	29.441 #
18)	L4 AR-1242-3	5.601	4.768	11893	37954	9.425	48.604 #
19)	L4 AR-1242-4	5.729	4.846	220057	35608	209.425	43.393 #
20)	L4 AR-1242-5	6.469	5.350	61667	62599	46.107	58.436 #
21)	L5 AR-1248-1	5.547	4.585	5787	41519	4.926	46.399 #
22)	L5 AR-1248-2	5.797	4.813	30169	47440	17.881	40.263 #
23)	L5 AR-1248-3	6.053	4.863	10696	54531	5.723	43.931 #
24)	L5 AR-1248-4	6.408	5.040	138073	53272	58.435	35.437 #
25)	L5 AR-1248-5	6.469	5.418	61667	17946	27.197	11.698 #
26)	L6 AR-1254-1	6.377	5.350	35382	62599	15.509	28.541 #
27)	L6 AR-1254-2	6.596	5.495	111267	31612	30.796	16.125 #
28)	L6 AR-1254-3	6.965	5.887	116701	21294	29.867	6.688 #
29)	L6 AR-1254-4	7.241	6.111	47591	13938	15.714	6.870 #
30)	L6 AR-1254-5	7.659	6.519	89912	36180	28.631	12.792 #
31)	L7 AR-1260-1	7.157	6.054	61487	4813	23.554	2.360 #
32)	L7 AR-1260-2	7.371	6.209	182254	36837	57.169	15.338 #
33)	L7 AR-1260-3	7.783	6.373	142627	9846	59.382	4.370 #
34)	L7 AR-1260-4	7.978	6.834	283237	1531	106.000	0.829 #
35)	L7 AR-1260-5	8.273	7.052	145914	26261	29.489	6.745 #
36)	L8 AR-1262-1	7.733	6.617	82585	21011	21.554	17.213
37)	L8 AR-1262-2	8.273	7.052	145914	26261	23.504	5.711 #
38)	L8 AR-1262-3	8.595	7.332	308821	27310	74.302	14.497 #
39)	L8 AR-1262-4	8.679	7.388	269283	34790	85.301	10.352 #
40)	L8 AR-1262-5	9.308	7.875	85789	37167	42.185	24.517 #
41)	L9 AR-1268-1	8.595	7.332	308821	27310	45.925	5.655 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO100819\
Data File : PO061807.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 08 Oct 2019 22:04
Operator : HP/AJ
Sample : K5152-01
Misc :
ALS Vial : 36 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 09 01:23:24 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO100119.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Oct 01 15:34:04 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.679	7.388	269283	34790	43.486	8.072 #
43)	L9 AR-1268-3	8.888	7.588	79692	16576	15.589	4.625 #
44)	L9 AR-1268-4	9.308	7.875	85789	37167	39.234	23.094 #
45)	L9 AR-1268-5	9.700	8.149	5965	10389	0.397	1.033 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\PO100819\
Data File : P0061807.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 08 Oct 2019 22:04
Operator : HP/AJ
Sample : K5152-01
Misc :
ALS Vial : 36 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampled :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 09 01:23:24 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\PO100119.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Oct 01 15:34:04 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.361 min
Delta R.T.: -0.002 min
Response: 1108515
Conc: 27.03 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.521 min
Delta R.T.: 0.002 min
Response: 963517
Conc: 29.79 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.023 min
Delta R.T.: -0.013 min
Response: 786191
Conc: 16.88 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.384 min
Delta R.T.: -0.025 min
Response: 500196
Conc: 15.45 ng/ml



#3 AR-1016-1


R.T.: 5.547 min
Delta R.T.: -0.003 min
Response: 5787
Conc: 3.16 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.585 min
Delta R.T.: -0.005 min
Response: 41519
Conc: 30.88 ng/ml




#4 AR-1016-2

R.T.: 5.547 min
Delta R.T.: -0.023 min
Response: 5787
Conc: 2.24 ng/ml



#4 AR-1016-2


R.T.: 4.606 min
Delta R.T.: -0.004 min
Response: 38095
Conc: 20.55 ng/ml



#5 AR-1016-3


R.T.: 5.648 min
Delta R.T.: 0.008 min
Response: 8655
Conc: 5.39 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.768 min
Delta R.T.: -0.012 min
Response: 37954
Conc: 37.89 ng/ml




#6 AR-1016-4

R.T.: 5.729 min
Delta R.T.: 0.000 min
Response: 220057
Conc: 164.60 ng/ml



#6 AR-1016-4


R.T.: 4.813 min
Delta R.T.: -0.007 min
Response: 47440
Conc: 54.75 ng/ml



#7 AR-1016-5


R.T.: 6.053 min
Delta R.T.: 0.023 min
Response: 10696
Conc: 7.80 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.040 min
Delta R.T.: 0.010 min
Response: 53272
Conc: 46.67 ng/ml




#8 AR-1221-1

R.T.: 4.596 min
Delta R.T.: 0.022 min
Response: 17014
Conc: 36.80 ng/ml



#8 AR-1221-1


R.T.: 3.731 min
Delta R.T.: -0.003 min
Response: 9883
Conc: 24.96 ng/ml



#9 AR-1221-2


R.T.: 4.666 min
Delta R.T.: 0.006 min
Response: 47851
Conc: 133.28 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.810 min
Delta R.T.: -0.006 min
Response: 112656
Conc: 365.30 ng/ml




#10 AR-1221-3

R.T.: 4.746 min
Delta R.T.: 0.010 min
Response: 47063
Conc: 41.34 ng/ml



#10 AR-1221-3


R.T.: 3.883 min
Delta R.T.: -0.008 min
Response: 85496
Conc: 93.73 ng/ml



#11 AR-1232-1


R.T.: 4.746 min
Delta R.T.: 0.011 min
Response: 47063
Conc: 33.65 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 3.883 min
Delta R.T.: -0.007 min
Response: 85496
Conc: 76.15 ng/ml




#12 AR-1232-2

R.T.: 5.265 min
Delta R.T.: 0.004 min
Response: 49229
Conc: 62.75 ng/ml



#12 AR-1232-2


R.T.: 4.585 min
Delta R.T.: -0.010 min
Response: 41519
Conc: 34.01 ng/ml



#13 AR-1232-3


R.T.: 5.547 min
Delta R.T.: -0.003 min
Response: 5787
Conc: 3.39 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.768 min
Delta R.T.: 0.003 min
Response: 37954
Conc: 57.48 ng/ml




#14 AR-1232-4

R.T.: 5.729 min
Delta R.T.: 0.019 min
Response: 220057
Conc: 248.71 ng/ml



#14 AR-1232-4


R.T.: 4.846 min
Delta R.T.: -0.001 min
Response: 35608
Conc: 56.49 ng/ml



#15 AR-1232-5


R.T.: 5.797 min
Delta R.T.: -0.002 min
Response: 30169
Conc: 43.51 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.001 min
Delta R.T.: -0.012 min
Response: 30272
Conc: 44.12 ng/ml




#16 AR-1242-1

R.T.: 5.524 min
Delta R.T.: -0.006 min
Response: 2890
Conc: 2.03 ng/ml



#16 AR-1242-1


R.T.: 4.585 min
Delta R.T.: 0.015 min
Response: 41519
Conc: 40.53 ng/ml



#17 AR-1242-2


R.T.: 5.547 min
Delta R.T.: -0.003 min
Response: 5787
Conc: 2.88 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.585 min
Delta R.T.: -0.005 min
Response: 41519
Conc: 29.44 ng/ml




#18 AR-1242-3

R.T.: 5.601 min
Delta R.T.: -0.009 min
Response: 11893
Conc: 9.42 ng/ml



#18 AR-1242-3


R.T.: 4.768 min
Delta R.T.: 0.008 min
Response: 37954
Conc: 48.60 ng/ml



#19 AR-1242-4


R.T.: 5.729 min
Delta R.T.: 0.019 min
Response: 220057
Conc: 209.43 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 4.846 min
Delta R.T.: 0.006 min
Response: 35608
Conc: 43.39 ng/ml




#20 AR-1242-5

R.T.: 6.469 min
Delta R.T.: 0.029 min
Response: 61667
Conc: 46.11 ng/ml



#20 AR-1242-5


R.T.: 5.350 min
Delta R.T.: 0.000 min
Response: 62599
Conc: 58.44 ng/ml



#21 AR-1248-1


R.T.: 5.547 min
Delta R.T.: -0.003 min
Response: 5787
Conc: 4.93 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.585 min
Delta R.T.: -0.005 min
Response: 41519
Conc: 46.40 ng/ml




#22 AR-1248-2

R.T.: 5.797 min
Delta R.T.: -0.023 min
Response: 30169
Conc: 17.88 ng/ml



#22 AR-1248-2


R.T.: 4.813 min
Delta R.T.: -0.007 min
Response: 47440
Conc: 40.26 ng/ml



#23 AR-1248-3


R.T.: 6.053 min
Delta R.T.: 0.023 min
Response: 10696
Conc: 5.72 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 4.863 min
Delta R.T.: 0.003 min
Response: 54531
Conc: 43.93 ng/ml




#24 AR-1248-4

R.T.: 6.408 min
Delta R.T.: -0.022 min
Response: 138073
Conc: 58.44 ng/ml



#24 AR-1248-4


R.T.: 5.040 min
Delta R.T.: 0.010 min
Response: 53272
Conc: 35.44 ng/ml



#25 AR-1248-5


R.T.: 6.469 min
Delta R.T.: -0.001 min
Response: 61667
Conc: 27.20 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.418 min
Delta R.T.: 0.008 min
Response: 17946
Conc: 11.70 ng/ml




#26 AR-1254-1

R.T.: 6.377 min
Delta R.T.: -0.004 min
Response: 35382
Conc: 15.51 ng/ml



#26 AR-1254-1


R.T.: 5.350 min
Delta R.T.: -0.007 min
Response: 62599
Conc: 28.54 ng/ml



#27 AR-1254-2


R.T.: 6.596 min
Delta R.T.: -0.003 min
Response: 111267
Conc: 30.80 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.495 min
Delta R.T.: -0.006 min
Response: 31612
Conc: 16.12 ng/ml




#28 AR-1254-3

R.T.: 6.965 min
Delta R.T.: 0.001 min
Response: 116701
Conc: 29.87 ng/ml



#28 AR-1254-3


R.T.: 5.887 min
Delta R.T.: -0.008 min
Response: 21294
Conc: 6.69 ng/ml



#29 AR-1254-4


R.T.: 7.241 min
Delta R.T.: -0.008 min
Response: 47591
Conc: 15.71 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.111 min
Delta R.T.: -0.008 min
Response: 13938
Conc: 6.87 ng/ml




#30 AR-1254-5

R.T.: 7.659 min
Delta R.T.: -0.008 min
Response: 89912
Conc: 28.63 ng/ml



#30 AR-1254-5


R.T.: 6.519 min
Delta R.T.: -0.011 min
Response: 36180
Conc: 12.79 ng/ml



#31 AR-1260-1


R.T.: 7.157 min
Delta R.T.: 0.007 min
Response: 61487
Conc: 23.55 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.054 min
Delta R.T.: 0.014 min
Response: 4813
Conc: 2.36 ng/ml




#32 AR-1260-2

R.T.: 7.371 min
Delta R.T.: -0.029 min
Response: 182254
Conc: 57.17 ng/ml



#32 AR-1260-2


R.T.: 6.209 min
Delta R.T.: -0.011 min
Response: 36837
Conc: 15.34 ng/ml



#33 AR-1260-3


R.T.: 7.783 min
Delta R.T.: 0.023 min
Response: 142627
Conc: 59.38 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.373 min
Delta R.T.: 0.003 min
Response: 9846
Conc: 4.37 ng/ml




#34 AR-1260-4

R.T.: 7.978 min
Delta R.T.: -0.012 min
Response: 283237
Conc: 106.00 ng/ml



#34 AR-1260-4


R.T.: 6.834 min
Delta R.T.: -0.006 min
Response: 1531
Conc: 0.83 ng/ml



#35 AR-1260-5


R.T.: 8.273 min
Delta R.T.: -0.027 min
Response: 145914
Conc: 29.49 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.052 min
Delta R.T.: -0.018 min
Response: 26261
Conc: 6.74 ng/ml




#36 AR-1262-1

R.T.: 7.733 min
Delta R.T.: -0.006 min
Response: 82585
Conc: 21.55 ng/ml



#36 AR-1262-1


R.T.: 6.617 min
Delta R.T.: -0.002 min
Response: 21011
Conc: 17.21 ng/ml



#37 AR-1262-2


R.T.: 8.273 min
Delta R.T.: -0.006 min
Response: 145914
Conc: 23.50 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 7.052 min
Delta R.T.: -0.009 min
Response: 26261
Conc: 5.71 ng/ml




#38 AR-1262-3

R.T.: 8.595 min
Delta R.T.: 0.014 min
Response: 308821
Conc: 74.30 ng/ml



#38 AR-1262-3


R.T.: 7.332 min
Delta R.T.: -0.008 min
Response: 27310
Conc: 14.50 ng/ml



#39 AR-1262-4


R.T.: 8.679 min
Delta R.T.: 0.010 min
Response: 269283
Conc: 85.30 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.388 min
Delta R.T.: -0.016 min
Response: 34790
Conc: 10.35 ng/ml




#40 AR-1262-5

R.T.: 9.308 min
Delta R.T.: 0.000 min
Response: 85789
Conc: 42.19 ng/ml



#40 AR-1262-5


R.T.: 7.875 min
Delta R.T.: -0.017 min
Response: 37167
Conc: 24.52 ng/ml



#41 AR-1268-1


R.T.: 8.595 min
Delta R.T.: 0.014 min
Response: 308821
Conc: 45.93 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.332 min
Delta R.T.: -0.009 min
Response: 27310
Conc: 5.66 ng/ml




#42 AR-1268-2

R.T.: 8.679 min
Delta R.T.: 0.005 min
Response: 269283
Conc: 43.49 ng/ml



#42 AR-1268-2


R.T.: 7.388 min
Delta R.T.: -0.017 min
Response: 34790
Conc: 8.07 ng/ml



#43 AR-1268-3


R.T.: 8.888 min
Delta R.T.: -0.006 min
Response: 79692
Conc: 15.59 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.588 min
Delta R.T.: -0.019 min
Response: 16576
Conc: 4.62 ng/ml




#44 AR-1268-4

R.T.: 9.308 min
Delta R.T.: -0.002 min
Response: 85789
Conc: 39.23 ng/ml



#44 AR-1268-4


R.T.: 7.875 min
Delta R.T.: -0.017 min
Response: 37167
Conc: 23.09 ng/ml



#45 AR-1268-5

R.T.: 9.700 min
Delta R.T.: -0.007 min
Response: 5965
Conc: 0.40 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.149 min
Delta R.T.: -0.014 min
Response: 10389
Conc: 1.03 ng/ml