

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO101519\
 Data File : PO062022.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 15 Oct 2019 18:06
 Operator : HP/AJ
 Sample : K5355-04
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 COMP-33

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 16 01:08:33 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO101119.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat Oct 12 06:25:38 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.322	3.482	1056455	777091	17.082	18.122
2)	SA Decachlor...	9.949	8.337	1030628	495345	18.420	16.882
Target Compounds							
3)	L1 AR-1016-1	5.483	4.525	47131	29623	19.914	18.939
4)	L1 AR-1016-2	5.505	4.547	43946	48367	12.902	20.795 #
5)	L1 AR-1016-3	5.505	4.726	43946	71742	21.236	58.041 #
6)	L1 AR-1016-4	5.638	4.756	61945	38883	36.548	39.568
7)	L1 AR-1016-5	5.955	4.962	68810	29844	38.694	23.143 #
8)	L2 AR-1221-1	0.000	3.680	0	39771	N.D.	78.219 #
10)	L2 AR-1221-3	0.000	3.885	0	94942	N.D.	80.678 #
11)	L3 AR-1232-1	0.000	3.885	0	94942	N.D.	61.272 #
12)	L3 AR-1232-2	0.000	4.547	0	48367	N.D.	28.015 #
13)	L3 AR-1232-3	5.505	4.726	43946	71742	17.178	78.489 #
14)	L3 AR-1232-4	5.638	4.756	61945	38883	48.189	47.796
15)	L3 AR-1232-5	5.754	4.962	58164	29844	58.768	33.792 #
16)	L4 AR-1242-1	5.483	4.525	47131	29623	25.435	24.631
17)	L4 AR-1242-2	5.505	4.547	43946	48367	16.567	27.154 #
18)	L4 AR-1242-3	5.505	4.726	43946	71742	26.909	75.356 #
19)	L4 AR-1242-4	5.638	4.756	61945	38883	45.887	41.188
20)	L4 AR-1242-5	6.397	5.304	164539	178301	107.652	149.422 #
21)	L5 AR-1248-1	5.483	4.525	47131	29623	32.884	30.174
22)	L5 AR-1248-2	5.754	4.756	58164	38883	29.051	30.691
23)	L5 AR-1248-3	5.955	4.756	68810	38883	31.156	29.291
24)	L5 AR-1248-4	6.333	4.962	315060	29844	123.327	18.860 #
25)	L5 AR-1248-5	6.397	5.343	164539	34175	67.292	22.206 #
26)	L6 AR-1254-1	6.333	5.304	315060	178301	118.194	72.901 #
27)	L6 AR-1254-2	6.550	5.447	354840	95980	86.790	45.319 #
28)	L6 AR-1254-3	6.914	5.840	234133	230794	55.958	70.836 #
29)	L6 AR-1254-4	7.197	6.064	109134	71807	36.217	37.178
30)	L6 AR-1254-5	7.613	6.473	331702	275748	105.843	104.403
31)	L7 AR-1260-1	7.074	5.966	341611	174779	119.984	82.259 #
32)	L7 AR-1260-2	7.328	6.153	439427	220665	128.092	86.957 #
33)	L7 AR-1260-3	7.688	6.301	201896	138891	76.299	61.508
34)	L7 AR-1260-4	7.912	6.764	116237	111677	41.557	63.603 #
35)	L7 AR-1260-5	8.224	7.004	258860	265145	49.442	73.601 #
36)	L8 AR-1262-1	7.688	6.564	201896	72502	49.184	60.836
37)	L8 AR-1262-2	8.224	7.004	258860	265145	40.146	63.103 #
38)	L8 AR-1262-3	8.522	7.283	328147	134115	74.623	76.253
39)	L8 AR-1262-4	8.612	7.347	265102	212758	76.731	69.594
40)	L8 AR-1262-5	9.238	7.836	151810	79299	67.211	60.718
41)	L9 AR-1268-1	8.522	7.283	328147	134115	43.348	28.639 #
42)	L9 AR-1268-2	8.612	7.347	265102	212758	37.738	50.926 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO101519\
 Data File : P0062022.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 15 Oct 2019 18:06
 Operator : HP/AJ
 Sample : K5355-04
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 COMP-33

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 16 01:08:33 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO101119.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat Oct 12 06:25:38 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
43) L9	AR-1268-3	8.829	7.548	105760	77628	17.643	22.279 #
44) L9	AR-1268-4	9.238	7.836	151810	79299	63.893	55.653
45) L9	AR-1268-5	9.630	8.106	426569	212362	23.667	22.939



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO101519\
Data File : P0062022.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 15 Oct 2019 18:06
Operator : HP/AJ
Sample : K5355-04
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampled :
COMP-33

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 16 01:08:33 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO101119.M
Quant Title : GC EXTRACTABLES
QLast Update : Sat Oct 12 06:25:38 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.322 min
Delta R.T.: -0.003 min
Response: 1056455
Conc: 17.08 ng/ml

Instrument :
ECD_O
ClientSampleId :
COMP-33




#1 Tetrachloro-m-xylene

R.T.: 3.482 min
Delta R.T.: 0.000 min
Response: 777091
Conc: 18.12 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.949 min
Delta R.T.: -0.008 min
Response: 1030628
Conc: 18.42 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.337 min
Delta R.T.: -0.001 min
Response: 495345
Conc: 16.88 ng/ml



#3 AR-1016-1


R.T.: 5.483 min
Delta R.T.: -0.004 min
Response: 47131
Conc: 19.91 ng/ml

Instrument :
ECD_O
ClientSampleId :
COMP-33




#3 AR-1016-1

R.T.: 4.525 min
Delta R.T.: -0.003 min
Response: 29623
Conc: 18.94 ng/ml




#4 AR-1016-2

R.T.: 5.505 min
Delta R.T.: -0.004 min
Response: 43946
Conc: 12.90 ng/ml



#4 AR-1016-2


R.T.: 4.547 min
Delta R.T.: 0.002 min
Response: 48367
Conc: 20.79 ng/ml



#5 AR-1016-3


R.T.: 5.505 min
Delta R.T.: -0.066 min
Response: 43946
Conc: 21.24 ng/ml

Instrument :
ECD_O
ClientSampleId :
COMP-33




#5 AR-1016-3

R.T.: 4.726 min
Delta R.T.: 0.012 min
Response: 71742
Conc: 58.04 ng/ml




#6 AR-1016-4

R.T.: 5.638 min
Delta R.T.: -0.031 min
Response: 61945
Conc: 36.55 ng/ml



#6 AR-1016-4


R.T.: 4.756 min
Delta R.T.: 0.000 min
Response: 38883
Conc: 39.57 ng/ml



#7 AR-1016-5


R.T.: 5.955 min
Delta R.T.: -0.006 min
Response: 68810
Conc: 38.69 ng/ml

Instrument :
ECD_O
ClientSampleId :
COMP-33




#7 AR-1016-5

R.T.: 4.962 min
Delta R.T.: 0.000 min
Response: 29844
Conc: 23.14 ng/ml




#8 AR-1221-1

R.T.: 0.000 min
Exp R.T. : 4.535 min
Response: 0
Conc: N.D.



#8 AR-1221-1


R.T.: 3.680 min
Delta R.T.: -0.009 min
Response: 39771
Conc: 78.22 ng/ml



#10 AR-1221-3


R.T.: 0.000 min
Exp R.T.: 4.696 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
COMP-33




#10 AR-1221-3

R.T.: 3.885 min
Delta R.T.: 0.040 min
Response: 94942
Conc: 80.68 ng/ml




#11 AR-1232-1

R.T.: 0.000 min
Exp R.T.: 4.696 min
Response: 0
Conc: N.D.



#11 AR-1232-1


R.T.: 3.885 min
Delta R.T.: 0.040 min
Response: 94942
Conc: 61.27 ng/ml



#12 AR-1232-2


R.T.: 0.000 min
Exp R.T.: 5.221 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
COMP-33




#12 AR-1232-2

R.T.: 4.547 min
Delta R.T.: 0.001 min
Response: 48367
Conc: 28.02 ng/ml




#13 AR-1232-3

R.T.: 5.505 min
Delta R.T.: -0.004 min
Response: 43946
Conc: 17.18 ng/ml



#13 AR-1232-3


R.T.: 4.726 min
Delta R.T.: 0.012 min
Response: 71742
Conc: 78.49 ng/ml



#14 AR-1232-4


R.T.: 5.638 min
Delta R.T.: -0.031 min
Response: 61945
Conc: 48.19 ng/ml

Instrument :
ECD_O
ClientSampleId :
COMP-33




#14 AR-1232-4

R.T.: 4.756 min
Delta R.T.: -0.041 min
Response: 38883
Conc: 47.80 ng/ml




#15 AR-1232-5

R.T.: 5.754 min
Delta R.T.: -0.005 min
Response: 58164
Conc: 58.77 ng/ml



#15 AR-1232-5


R.T.: 4.962 min
Delta R.T.: 0.000 min
Response: 29844
Conc: 33.79 ng/ml



#16 AR-1242-1


R.T.: 5.483 min
Delta R.T.: -0.004 min
Response: 47131
Conc: 25.43 ng/ml

Instrument :
ECD_O
ClientSampleId :
COMP-33




#16 AR-1242-1

R.T.: 4.525 min
Delta R.T.: -0.004 min
Response: 29623
Conc: 24.63 ng/ml




#17 AR-1242-2

R.T.: 5.505 min
Delta R.T.: -0.004 min
Response: 43946
Conc: 16.57 ng/ml



#17 AR-1242-2


R.T.: 4.547 min
Delta R.T.: 0.000 min
Response: 48367
Conc: 27.15 ng/ml



#18 AR-1242-3


R.T.: 5.505 min
Delta R.T.: -0.066 min
Response: 43946
Conc: 26.91 ng/ml

Instrument :
ECD_O
ClientSampleId :
COMP-33




#18 AR-1242-3

R.T.: 4.726 min
Delta R.T.: 0.011 min
Response: 71742
Conc: 75.36 ng/ml




#19 AR-1242-4

R.T.: 5.638 min
Delta R.T.: -0.031 min
Response: 61945
Conc: 45.89 ng/ml



#19 AR-1242-4


R.T.: 4.756 min
Delta R.T.: -0.041 min
Response: 38883
Conc: 41.19 ng/ml



#20 AR-1242-5


R.T.: 6.397 min
Delta R.T.: -0.005 min
Response: 164539
Conc: 107.65 ng/ml

Instrument :
ECD_O
ClientSampleId :
COMP-33




#20 AR-1242-5

R.T.: 5.304 min
Delta R.T.: 0.000 min
Response: 178301
Conc: 149.42 ng/ml




#21 AR-1248-1

R.T.: 5.483 min
Delta R.T.: -0.004 min
Response: 47131
Conc: 32.88 ng/ml



#21 AR-1248-1


R.T.: 4.525 min
Delta R.T.: -0.003 min
Response: 29623
Conc: 30.17 ng/ml



#22 AR-1248-2


R.T.: 5.754 min
Delta R.T.: -0.004 min
Response: 58164
Conc: 29.05 ng/ml

Instrument :
ECD_O
ClientSampleId :
COMP-33




#22 AR-1248-2

R.T.: 4.756 min
Delta R.T.: 0.000 min
Response: 38883
Conc: 30.69 ng/ml




#23 AR-1248-3

R.T.: 5.955 min
Delta R.T.: -0.005 min
Response: 68810
Conc: 31.16 ng/ml



#23 AR-1248-3


R.T.: 4.756 min
Delta R.T.: -0.041 min
Response: 38883
Conc: 29.29 ng/ml



#24 AR-1248-4


R.T.: 6.333 min
Delta R.T.: -0.030 min
Response: 315060
Conc: 123.33 ng/ml

Instrument :
ECD_O
ClientSampleId :
COMP-33




#24 AR-1248-4

R.T.: 4.962 min
Delta R.T.: 0.000 min
Response: 29844
Conc: 18.86 ng/ml




#25 AR-1248-5

R.T.: 6.397 min
Delta R.T.: -0.004 min
Response: 164539
Conc: 67.29 ng/ml



#25 AR-1248-5


R.T.: 5.343 min
Delta R.T.: 0.000 min
Response: 34175
Conc: 22.21 ng/ml



#26 AR-1254-1


R.T.: 6.333 min
Delta R.T.: -0.003 min
Response: 315060
Conc: 118.19 ng/ml

Instrument :
ECD_O
ClientSampleId :
COMP-33




#26 AR-1254-1

R.T.: 5.304 min
Delta R.T.: 0.000 min
Response: 178301
Conc: 72.90 ng/ml




#27 AR-1254-2

R.T.: 6.550 min
Delta R.T.: -0.004 min
Response: 354840
Conc: 86.79 ng/ml



#27 AR-1254-2


R.T.: 5.447 min
Delta R.T.: -0.002 min
Response: 95980
Conc: 45.32 ng/ml



#28 AR-1254-3


R.T.: 6.914 min
Delta R.T.: -0.004 min
Response: 234133
Conc: 55.96 ng/ml

Instrument :
ECD_O
ClientSampleId :
COMP-33




#28 AR-1254-3

R.T.: 5.840 min
Delta R.T.: -0.002 min
Response: 230794
Conc: 70.84 ng/ml




#29 AR-1254-4

R.T.: 7.197 min
Delta R.T.: -0.006 min
Response: 109134
Conc: 36.22 ng/ml



#29 AR-1254-4


R.T.: 6.064 min
Delta R.T.: -0.002 min
Response: 71807
Conc: 37.18 ng/ml



#30 AR-1254-5


R.T.: 7.613 min
Delta R.T.: -0.007 min
Response: 331702
Conc: 105.84 ng/ml

Instrument :
ECD_O
ClientSampleId :
COMP-33




#30 AR-1254-5

R.T.: 6.473 min
Delta R.T.: -0.003 min
Response: 275748
Conc: 104.40 ng/ml




#31 AR-1260-1

R.T.: 7.074 min
Delta R.T.: -0.006 min
Response: 341611
Conc: 119.98 ng/ml



#31 AR-1260-1


R.T.: 5.966 min
Delta R.T.: -0.002 min
Response: 174779
Conc: 82.26 ng/ml



#32 AR-1260-2


R.T.: 7.328 min
Delta R.T.: -0.009 min
Response: 439427
Conc: 128.09 ng/ml

Instrument :
ECD_O
ClientSampleId :
COMP-33




#32 AR-1260-2

R.T.: 6.153 min
Delta R.T.: 0.000 min
Response: 220665
Conc: 86.96 ng/ml




#33 AR-1260-3

R.T.: 7.688 min
Delta R.T.: -0.006 min
Response: 201896
Conc: 76.30 ng/ml



#33 AR-1260-3


R.T.: 6.301 min
Delta R.T.: -0.002 min
Response: 138891
Conc: 61.51 ng/ml



#34 AR-1260-4


R.T.: 7.912 min
Delta R.T.: -0.006 min
Response: 116237
Conc: 41.56 ng/ml

Instrument :
ECD_O
ClientSampleId :
COMP-33




#34 AR-1260-4

R.T.: 6.764 min
Delta R.T.: -0.002 min
Response: 111677
Conc: 63.60 ng/ml




#35 AR-1260-5

R.T.: 8.224 min
Delta R.T.: -0.006 min
Response: 258860
Conc: 49.44 ng/ml



#35 AR-1260-5


R.T.: 7.004 min
Delta R.T.: -0.002 min
Response: 265145
Conc: 73.60 ng/ml



#36 AR-1262-1


R.T.: 7.688 min
Delta R.T.: -0.005 min
Response: 201896
Conc: 49.18 ng/ml

Instrument :
ECD_O
ClientSampleId :
COMP-33




#36 AR-1262-1

R.T.: 6.564 min
Delta R.T.: 0.000 min
Response: 72502
Conc: 60.84 ng/ml




#37 AR-1262-2

R.T.: 8.224 min
Delta R.T.: -0.005 min
Response: 258860
Conc: 40.15 ng/ml



#37 AR-1262-2


R.T.: 7.004 min
Delta R.T.: -0.003 min
Response: 265145
Conc: 63.10 ng/ml



#38 AR-1262-3


R.T.: 8.522 min
Delta R.T.: -0.006 min
Response: 328147
Conc: 74.62 ng/ml

Instrument :
ECD_O
ClientSampleId :
COMP-33




#38 AR-1262-3

R.T.: 7.283 min
Delta R.T.: -0.003 min
Response: 134115
Conc: 76.25 ng/ml




#39 AR-1262-4

R.T.: 8.612 min
Delta R.T.: -0.003 min
Response: 265102
Conc: 76.73 ng/ml



#39 AR-1262-4


R.T.: 7.347 min
Delta R.T.: -0.003 min
Response: 212758
Conc: 69.59 ng/ml



#40 AR-1262-5


R.T.: 9.238 min
Delta R.T.: -0.007 min
Response: 151810
Conc: 67.21 ng/ml

Instrument :
ECD_O
ClientSampleId :
COMP-33




#40 AR-1262-5

R.T.: 7.836 min
Delta R.T.: -0.003 min
Response: 79299
Conc: 60.72 ng/ml




#41 AR-1268-1

R.T.: 8.522 min
Delta R.T.: -0.005 min
Response: 328147
Conc: 43.35 ng/ml



#41 AR-1268-1


R.T.: 7.283 min
Delta R.T.: -0.003 min
Response: 134115
Conc: 28.64 ng/ml



#42 AR-1268-2


R.T.: 8.612 min
Delta R.T.: -0.006 min
Response: 265102
Conc: 37.74 ng/ml

Instrument :
ECD_O
ClientSampleId :
COMP-33




#42 AR-1268-2

R.T.: 7.347 min
Delta R.T.: -0.003 min
Response: 212758
Conc: 50.93 ng/ml




#43 AR-1268-3

R.T.: 8.829 min
Delta R.T.: -0.006 min
Response: 105760
Conc: 17.64 ng/ml



#43 AR-1268-3


R.T.: 7.548 min
Delta R.T.: -0.003 min
Response: 77628
Conc: 22.28 ng/ml



#44 AR-1268-4


R.T.: 9.238 min
Delta R.T.: -0.007 min
Response: 151810
Conc: 63.89 ng/ml

Instrument :
ECD_O
ClientSampleId :
COMP-33




#44 AR-1268-4

R.T.: 7.836 min
Delta R.T.: -0.002 min
Response: 79299
Conc: 55.65 ng/ml



#45 AR-1268-5

R.T.: 9.630 min
Delta R.T.: -0.007 min
Response: 426569
Conc: 23.67 ng/ml



#45 AR-1268-5

R.T.: 8.106 min
Delta R.T.: -0.003 min
Response: 212362
Conc: 22.94 ng/ml