

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0120719\
 Data File : P0064465.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 07 Dec 2019 8:51
 Operator : SM/AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 I.BLK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 09 01:17:18 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0112719.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Nov 28 01:28:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.311	3.560	666637	568419	22.510	23.898
2)	SA Decachlor...	9.930	8.515	760512	778565	18.556	19.059
Target Compounds							
3)	L1 AR-1016-1	5.489	0.000	3812	0	2.936	N.D. #
4)	L1 AR-1016-2	5.502	0.000	2440	0	1.339	N.D. #
5)	L1 AR-1016-3	5.541	0.000	7021	0	6.117	N.D. #
6)	L1 AR-1016-4	5.654	0.000	11404	0	12.126	N.D. #
7)	L1 AR-1016-5	5.956	5.094	8580	69988	8.817	84.068 #
8)	L2 AR-1221-1	4.512	0.000	4059	0	11.427	N.D. #
9)	L2 AR-1221-2	4.618	3.857	16110	9775	58.266	48.911
10)	L2 AR-1221-3	4.653	0.000	703	0	0.837	N.D. #
11)	L3 AR-1232-1	4.653	0.000	703	0	0.548	N.D. #
12)	L3 AR-1232-2	5.211	0.000	3414	0	4.860	N.D. #
13)	L3 AR-1232-3	5.502	0.000	2440	0	1.762	N.D. #
14)	L3 AR-1232-4	5.654	0.000	11404	0	16.028	N.D. #
15)	L3 AR-1232-5	5.787	5.094	8601	69988	15.272	119.532 #
16)	L4 AR-1242-1	5.489	0.000	3812	0	4.003	N.D. #
17)	L4 AR-1242-2	5.502	0.000	2440	0	1.807	N.D. #
18)	L4 AR-1242-3	5.541	0.000	7021	0	8.182	N.D. #
19)	L4 AR-1242-4	5.654	0.000	11404	0	16.310	N.D. #
20)	L4 AR-1242-5	6.447	5.454	142420	134411	168.580	171.268
21)	L5 AR-1248-1	5.489	0.000	3812	0	6.796	N.D. #
22)	L5 AR-1248-2	5.787	0.000	8601	0	10.379	N.D. #
23)	L5 AR-1248-3	5.956	0.000	8580	0	9.327	N.D. #
24)	L5 AR-1248-4	6.323	5.094	390013	69988	351.872	88.788 #
25)	L5 AR-1248-5	6.447	5.454	142420	134411	132.733	110.940
26)	L6 AR-1254-1	6.323	5.454	390013	134411	238.960	68.390 #
27)	L6 AR-1254-2	6.536	5.635	64935	94335	24.910	52.675 #
28)	L6 AR-1254-3	6.908	5.975	90188	94065	31.247	30.394
29)	L6 AR-1254-4	7.186	6.280	22426	55978	9.792	27.131 #
30)	L6 AR-1254-5	7.607	6.617	62532	30244	24.472	10.027 #
31)	L7 AR-1260-1	7.100	6.059	15185	10379	8.046	5.913 #
32)	L7 AR-1260-2	7.320	6.280	97594	55978	41.730	25.161 #
33)	L7 AR-1260-3	7.655	6.506	29828	19430	16.112	9.556 #
34)	L7 AR-1260-4	7.893	6.857	50912	25834	23.231	13.929 #
35)	L7 AR-1260-5	8.215	0.000	24740	0	5.604	N.D. #
36)	L8 AR-1262-1	7.655	0.000	29828	0	9.990	N.D. #
37)	L8 AR-1262-2	8.215	0.000	24740	0	4.487	N.D. #
38)	L8 AR-1262-3	8.521	7.501	14551	119296	3.761	51.173 #
39)	L8 AR-1262-4	8.594	7.501	4694	119296	1.606	26.789 #
40)	L8 AR-1262-5	9.231	0.000	26377	0	12.567	N.D. #
41)	L9 AR-1268-1	8.521	7.501	14551	119296	2.232	17.087 #
42)	L9 AR-1268-2	8.612	7.501	16585	119296	2.745	18.633 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0120719\
 Data File : P0064465.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 07 Dec 2019 8:51
 Operator : SM/AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 I.BLK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 09 01:17:18 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0112719.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Nov 28 01:28:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml	
43)	L9 AR-1268-3	8.814	0.000	30217	0	6.086	N.D.	#
44)	L9 AR-1268-4	9.231	0.000	26377	0	11.274	N.D.	#
45)	L9 AR-1268-5	9.605	0.000	52571	0	3.422	N.D.	#



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO120719\
Data File : PO064465.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 07 Dec 2019 8:51
Operator : SM/AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
I.BLK

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 09 01:17:18 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO112719.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Nov 28 01:28:08 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.311 min
Delta R.T.: -0.002 min
Response: 666637
Conc: 22.51 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#1 Tetrachloro-m-xylene

R.T.: 3.560 min
Delta R.T.: -0.002 min
Response: 568419
Conc: 23.90 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.930 min
Delta R.T.: -0.011 min
Response: 760512
Conc: 18.56 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.515 min
Delta R.T.: -0.012 min
Response: 778565
Conc: 19.06 ng/ml



#3 AR-1016-1


R.T.: 5.489 min
Delta R.T.: 0.014 min
Response: 3812
Conc: 2.94 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#3 AR-1016-1

R.T.: 0.000 min
Exp R.T. : 4.638 min
Response: 0
Conc: N.D.




#4 AR-1016-2

R.T.: 5.502 min
Delta R.T.: 0.005 min
Response: 2440
Conc: 1.34 ng/ml



#4 AR-1016-2


R.T.: 0.000 min
Exp R.T. : 4.657 min
Response: 0
Conc: N.D.



#5 AR-1016-3


R.T.: 5.541 min
Delta R.T.: -0.017 min
Response: 7021
Conc: 6.12 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#5 AR-1016-3

R.T.: 0.000 min
Exp R.T. : 4.832 min
Response: 0
Conc: N.D.




#6 AR-1016-4

R.T.: 5.654 min
Delta R.T.: -0.002 min
Response: 11404
Conc: 12.13 ng/ml



#6 AR-1016-4


R.T.: 0.000 min
Exp R.T. : 4.872 min
Response: 0
Conc: N.D.



#7 AR-1016-5


R.T.: 5.956 min
Delta R.T.: 0.008 min
Response: 8580
Conc: 8.82 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#7 AR-1016-5

R.T.: 5.094 min
Delta R.T.: 0.010 min
Response: 69988
Conc: 84.07 ng/ml




#8 AR-1221-1

R.T.: 4.512 min
Delta R.T.: -0.009 min
Response: 4059
Conc: 11.43 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T. : 3.775 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.618 min
Delta R.T.: 0.010 min
Response: 16110
Conc: 58.27 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#9 AR-1221-2

R.T.: 3.857 min
Delta R.T.: -0.002 min
Response: 9775
Conc: 48.91 ng/ml




#10 AR-1221-3

R.T.: 4.653 min
Delta R.T.: -0.030 min
Response: 703
Conc: 0.84 ng/ml



#10 AR-1221-3


R.T.: 0.000 min
Exp R.T. : 3.935 min
Response: 0
Conc: N.D.



#11 AR-1232-1


R.T.: 4.653 min
Delta R.T.: -0.031 min
Response: 703
Conc: 0.55 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#11 AR-1232-1

R.T.: 0.000 min
Exp R.T. : 3.935 min
Response: 0
Conc: N.D.




#12 AR-1232-2

R.T.: 5.211 min
Delta R.T.: 0.002 min
Response: 3414
Conc: 4.86 ng/ml



#12 AR-1232-2


R.T.: 0.000 min
Exp R.T. : 4.657 min
Response: 0
Conc: N.D.



#13 AR-1232-3


R.T.: 5.502 min
Delta R.T.: 0.003 min
Response: 2440
Conc: 1.76 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#13 AR-1232-3

R.T.: 0.000 min
Exp R.T. : 4.832 min
Response: 0
Conc: N.D.




#14 AR-1232-4

R.T.: 5.654 min
Delta R.T.: -0.003 min
Response: 11404
Conc: 16.03 ng/ml



#14 AR-1232-4


R.T.: 0.000 min
Exp R.T. : 4.914 min
Response: 0
Conc: N.D.



#15 AR-1232-5


R.T.: 5.787 min
Delta R.T.: 0.040 min
Response: 8601
Conc: 15.27 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#15 AR-1232-5

R.T.: 5.094 min
Delta R.T.: 0.009 min
Response: 69988
Conc: 119.53 ng/ml




#16 AR-1242-1

R.T.: 5.489 min
Delta R.T.: 0.013 min
Response: 3812
Conc: 4.00 ng/ml



#16 AR-1242-1


R.T.: 0.000 min
Exp R.T. : 4.639 min
Response: 0
Conc: N.D.



#17 AR-1242-2


R.T.: 5.502 min
Delta R.T.: 0.004 min
Response: 2440
Conc: 1.81 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#17 AR-1242-2

R.T.: 0.000 min
Exp R.T. : 4.658 min
Response: 0
Conc: N.D.




#18 AR-1242-3

R.T.: 5.541 min
Delta R.T.: -0.018 min
Response: 7021
Conc: 8.18 ng/ml



#18 AR-1242-3


R.T.: 0.000 min
Exp R.T. : 4.832 min
Response: 0
Conc: N.D.



#19 AR-1242-4


R.T.: 5.654 min
Delta R.T.: -0.003 min
Response: 11404
Conc: 16.31 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#19 AR-1242-4

R.T.: 0.000 min
Exp R.T. : 4.914 min
Response: 0
Conc: N.D.




#20 AR-1242-5

R.T.: 6.447 min
Delta R.T.: 0.057 min
Response: 142420
Conc: 168.58 ng/ml



#20 AR-1242-5


R.T.: 5.454 min
Delta R.T.: 0.020 min
Response: 134411
Conc: 171.27 ng/ml



#21 AR-1248-1


R.T.: 5.489 min
Delta R.T.: 0.013 min
Response: 3812
Conc: 6.80 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#21 AR-1248-1

R.T.: 0.000 min
Exp R.T. : 4.638 min
Response: 0
Conc: N.D.




#22 AR-1248-2

R.T.: 5.787 min
Delta R.T.: 0.041 min
Response: 8601
Conc: 10.38 ng/ml



#22 AR-1248-2


R.T.: 0.000 min
Exp R.T. : 4.872 min
Response: 0
Conc: N.D.



#23 AR-1248-3


R.T.: 5.956 min
Delta R.T.: 0.006 min
Response: 8580
Conc: 9.33 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#23 AR-1248-3

R.T.: 0.000 min
Exp R.T. : 4.914 min
Response: 0
Conc: N.D.




#24 AR-1248-4

R.T.: 6.323 min
Delta R.T.: -0.029 min
Response: 390013
Conc: 351.87 ng/ml



#24 AR-1248-4


R.T.: 5.094 min
Delta R.T.: 0.009 min
Response: 69988
Conc: 88.79 ng/ml



#25 AR-1248-5


R.T.: 6.447 min
Delta R.T.: 0.057 min
Response: 142420
Conc: 132.73 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#25 AR-1248-5

R.T.: 5.454 min
Delta R.T.: 0.020 min
Response: 134411
Conc: 110.94 ng/ml




#26 AR-1254-1

R.T.: 6.323 min
Delta R.T.: -0.002 min
Response: 390013
Conc: 238.96 ng/ml



#26 AR-1254-1


R.T.: 5.454 min
Delta R.T.: 0.019 min
Response: 134411
Conc: 68.39 ng/ml



#27 AR-1254-2


R.T.: 6.536 min
Delta R.T.: -0.006 min
Response: 64935
Conc: 24.91 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#27 AR-1254-2

R.T.: 5.635 min
Delta R.T.: 0.055 min
Response: 94335
Conc: 52.67 ng/ml




#28 AR-1254-3

R.T.: 6.908 min
Delta R.T.: 0.000 min
Response: 90188
Conc: 31.25 ng/ml



#28 AR-1254-3


R.T.: 5.975 min
Delta R.T.: -0.008 min
Response: 94065
Conc: 30.39 ng/ml



#29 AR-1254-4


R.T.: 7.186 min
Delta R.T.: -0.007 min
Response: 22426
Conc: 9.79 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#29 AR-1254-4

R.T.: 6.280 min
Delta R.T.: 0.070 min
Response: 55978
Conc: 27.13 ng/ml




#30 AR-1254-5

R.T.: 7.607 min
Delta R.T.: -0.002 min
Response: 62532
Conc: 24.47 ng/ml



#30 AR-1254-5


R.T.: 6.617 min
Delta R.T.: -0.009 min
Response: 30244
Conc: 10.03 ng/ml



#31 AR-1260-1


R.T.: 7.100 min
Delta R.T.: 0.032 min
Response: 15185
Conc: 8.05 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#31 AR-1260-1

R.T.: 6.059 min
Delta R.T.: -0.052 min
Response: 10379
Conc: 5.91 ng/ml




#32 AR-1260-2

R.T.: 7.320 min
Delta R.T.: -0.006 min
Response: 97594
Conc: 41.73 ng/ml



#32 AR-1260-2


R.T.: 6.280 min
Delta R.T.: -0.017 min
Response: 55978
Conc: 25.16 ng/ml



#33 AR-1260-3


R.T.: 7.655 min
Delta R.T.: -0.028 min
Response: 29828
Conc: 16.11 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#33 AR-1260-3

R.T.: 6.506 min
Delta R.T.: 0.055 min
Response: 19430
Conc: 9.56 ng/ml




#34 AR-1260-4

R.T.: 7.893 min
Delta R.T.: -0.014 min
Response: 50912
Conc: 23.23 ng/ml



#34 AR-1260-4


R.T.: 6.857 min
Delta R.T.: -0.064 min
Response: 25834
Conc: 13.93 ng/ml



#35 AR-1260-5


R.T.: 8.215 min
Delta R.T.: -0.004 min
Response: 24740
Conc: 5.60 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#35 AR-1260-5

R.T.: 0.000 min
Exp R.T. : 7.161 min
Response: 0
Conc: N.D.




#36 AR-1262-1

R.T.: 7.655 min
Delta R.T.: -0.028 min
Response: 29828
Conc: 9.99 ng/ml



#36 AR-1262-1


R.T.: 0.000 min
Exp R.T. : 6.716 min
Response: 0
Conc: N.D.



#37 AR-1262-2


R.T.: 8.215 min
Delta R.T.: -0.005 min
Response: 24740
Conc: 4.49 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#37 AR-1262-2

R.T.: 0.000 min
Exp R.T. : 7.163 min
Response: 0
Conc: N.D.




#38 AR-1262-3

R.T.: 8.521 min
Delta R.T.: 0.003 min
Response: 14551
Conc: 3.76 ng/ml



#38 AR-1262-3


R.T.: 7.501 min
Delta R.T.: 0.056 min
Response: 119296
Conc: 51.17 ng/ml



#39 AR-1262-4


R.T.: 8.594 min
Delta R.T.: -0.009 min
Response: 4694
Conc: 1.61 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#39 AR-1262-4

R.T.: 7.501 min
Delta R.T.: -0.008 min
Response: 119296
Conc: 26.79 ng/ml




#40 AR-1262-5

R.T.: 9.231 min
Delta R.T.: 0.000 min
Response: 26377
Conc: 12.57 ng/ml



#40 AR-1262-5


R.T.: 0.000 min
Exp R.T. : 8.001 min
Response: 0
Conc: N.D.



#41 AR-1268-1


R.T.: 8.521 min
Delta R.T.: 0.005 min
Response: 14551
Conc: 2.23 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#41 AR-1268-1

R.T.: 7.501 min
Delta R.T.: 0.056 min
Response: 119296
Conc: 17.09 ng/ml




#42 AR-1268-2

R.T.: 8.612 min
Delta R.T.: 0.006 min
Response: 16585
Conc: 2.75 ng/ml



#42 AR-1268-2


R.T.: 7.501 min
Delta R.T.: -0.009 min
Response: 119296
Conc: 18.63 ng/ml



#43 AR-1268-3


R.T.: 8.814 min
Delta R.T.: -0.008 min
Response: 30217
Conc: 6.09 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#43 AR-1268-3

R.T.: 0.000 min
Exp R.T. : 7.715 min
Response: 0
Conc: N.D.




#44 AR-1268-4

R.T.: 9.231 min
Delta R.T.: -0.002 min
Response: 26377
Conc: 11.27 ng/ml



#44 AR-1268-4


R.T.: 0.000 min
Exp R.T. : 8.001 min
Response: 0
Conc: N.D.



#45 AR-1268-5

R.T.: 9.605 min
Delta R.T.: -0.019 min
Response: 52571
Conc: 3.42 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK



#45 AR-1268-5

R.T.: 0.000 min
Exp R.T. : 8.281 min
Response: 0
Conc: N.D.