

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\PO122619\
 Data File : P0064995.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 27 Dec 2019 4:51
 Operator : SM/AJ
 Sample : K6396-05MSD
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 ECD_0
 ClientSampleId :
 SB-2-(4-5)MSD

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 27 07:00:51 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\PO122619.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Dec 26 13:32:04 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.171	3.446	545232	686535	23.214	24.374
2)	SA Decachlor...	9.680	8.357	676280	899632	26.638	27.461
Target Compounds							
3)	L1 AR-1016-1	5.322	4.508	268916	345541	239.986	253.639
4)	L1 AR-1016-2	5.344	4.526	388577	483104	240.077	258.320
5)	L1 AR-1016-3	5.405	4.698	235862	254288	238.132	254.516
6)	L1 AR-1016-4	5.501	4.741	192314	221303	242.550	253.121
7)	L1 AR-1016-5	5.792	4.950	199996	283998	252.734	254.416
8)	L2 AR-1221-1	0.000	3.654	0	28072	N.D.	101.194 #
9)	L2 AR-1221-2	4.464	3.740	29444	39462	165.265	185.925
10)	L2 AR-1221-3	4.539	3.813	118251	148160	208.173	215.046
11)	L3 AR-1232-1	4.539	3.813	118251	148160	119.920	126.708
12)	L3 AR-1232-2	5.057	4.526	174246	483104	336.383	349.383
13)	L3 AR-1232-3	5.344	4.698	388577	254288	332.803	356.183
14)	L3 AR-1232-4	5.501	4.782	192314	268892	337.582	396.406
15)	L3 AR-1232-5	5.592	4.950	177868	283998	442.658	386.644
16)	L4 AR-1242-1	5.322	4.508	268916	345541	343.263	366.904
17)	L4 AR-1242-2	5.344	4.526	388577	483104	342.407	366.062
18)	L4 AR-1242-3	5.405	4.698	235862	254288	335.059	362.627
19)	L4 AR-1242-4	5.501	4.782	192314	268892	340.507	363.128
20)	L4 AR-1242-5	6.230	5.297	33856	213572	47.231	212.749 #
21)	L5 AR-1248-1	5.322	4.508	268916	345541	441.296	460.467
22)	L5 AR-1248-2	5.592	4.741	177868	221303	202.308	210.948
23)	L5 AR-1248-3	5.792	4.782	199996	268892	203.508	247.708
24)	L5 AR-1248-4	6.192	4.950	39673	283998	32.316	217.096 #
25)	L5 AR-1248-5	6.230	5.297	33856	213572	28.735	108.471 #
26)	L6 AR-1254-1	6.164	5.297	143429	213572	112.616	94.351
27)	L6 AR-1254-2	6.381	5.443	160069	203166	79.988	100.797 #
28)	L6 AR-1254-3	6.744	5.856	100088	397071	44.767	117.522 #
29)	L6 AR-1254-4	7.027	6.068	72398	65722	42.952	30.431 #
30)	L6 AR-1254-5	7.441	6.482	550643	743188	281.793	246.944
31)	L7 AR-1260-1	6.906	5.970	390285	567500	243.066	257.989
32)	L7 AR-1260-2	7.162	6.158	474967	697465	245.596	252.407
33)	L7 AR-1260-3	7.517	6.308	360376	617341	250.459	252.345
34)	L7 AR-1260-4	7.740	6.776	441135	532651	259.519	264.196
35)	L7 AR-1260-5	8.046	7.018	789087	1220448	244.193	259.606
36)	L8 AR-1262-1	7.517	6.572	360376	291791	158.330	222.262 #
37)	L8 AR-1262-2	8.046	7.018	789087	1220448	204.990	217.475
38)	L8 AR-1262-3	8.345	7.298	515226	273631	197.310	130.647 #
39)	L8 AR-1262-4	8.396	7.361	322616	887990	162.262	223.842 #
40)	L8 AR-1262-5	9.011	7.853	222602	311476	166.797	187.807
41)	L9 AR-1268-1	8.345	7.298	515226	273631	121.445	46.089 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0122619\
 Data File : P0064995.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 27 Dec 2019 4:51
 Operator : SM/AJ
 Sample : K6396-05MSD
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 SB-2-(4-5)MSD

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 27 07:00:51 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0122619.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Dec 26 13:32:04 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.396	7.361	322616	887990	83.315	165.817 #
43) L9	AR-1268-3	0.000	7.567	0	21224	N.D.	4.834 #
44) L9	AR-1268-4	9.011	7.853	222602	311476	165.968	180.382
45) L9	AR-1268-5	9.382	8.124	68172	82118	7.481	6.673



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO122619\
Data File : P0064995.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 27 Dec 2019 4:51
Operator : SM/AJ
Sample : K6396-05MSD
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampled :
SB-2-(4-5)MSD

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 27 07:00:51 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO122619.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Dec 26 13:32:04 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.171 min
Delta R.T.: -0.006 min
Response: 545232
Conc: 23.21 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-2-(4-5)MSD




#1 Tetrachloro-m-xylene

R.T.: 3.446 min
Delta R.T.: -0.006 min
Response: 686535
Conc: 24.37 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.680 min
Delta R.T.: -0.012 min
Response: 676280
Conc: 26.64 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.357 min
Delta R.T.: -0.007 min
Response: 899632
Conc: 27.46 ng/ml



#3 AR-1016-1


R.T.: 5.322 min
Delta R.T.: -0.006 min
Response: 268916
Conc: 239.99 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-2-(4-5)MSD




#3 AR-1016-1

R.T.: 4.508 min
Delta R.T.: -0.006 min
Response: 345541
Conc: 253.64 ng/ml




#4 AR-1016-2

R.T.: 5.344 min
Delta R.T.: -0.006 min
Response: 388577
Conc: 240.08 ng/ml



#4 AR-1016-2


R.T.: 4.526 min
Delta R.T.: -0.006 min
Response: 483104
Conc: 258.32 ng/ml



#5 AR-1016-3


R.T.: 5.405 min
Delta R.T.: -0.006 min
Response: 235862
Conc: 238.13 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-2-(4-5)MSD




#5 AR-1016-3

R.T.: 4.698 min
Delta R.T.: -0.006 min
Response: 254288
Conc: 254.52 ng/ml




#6 AR-1016-4

R.T.: 5.501 min
Delta R.T.: -0.007 min
Response: 192314
Conc: 242.55 ng/ml



#6 AR-1016-4


R.T.: 4.741 min
Delta R.T.: -0.006 min
Response: 221303
Conc: 253.12 ng/ml



#7 AR-1016-5


R.T.: 5.792 min
Delta R.T.: -0.006 min
Response: 199996
Conc: 252.73 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-2-(4-5)MSD




#7 AR-1016-5

R.T.: 4.950 min
Delta R.T.: -0.006 min
Response: 283998
Conc: 254.42 ng/ml




#8 AR-1221-1

R.T.: 0.000 min
Exp R.T. : 4.385 min
Response: 0
Conc: N.D.



#8 AR-1221-1


R.T.: 3.654 min
Delta R.T.: -0.007 min
Response: 28072
Conc: 101.19 ng/ml



#9 AR-1221-2


R.T.: 4.464 min
Delta R.T.: -0.006 min
Response: 29444
Conc: 165.26 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-2-(4-5)MSD




#9 AR-1221-2

R.T.: 3.740 min
Delta R.T.: -0.005 min
Response: 39462
Conc: 185.92 ng/ml




#10 AR-1221-3

R.T.: 4.539 min
Delta R.T.: -0.006 min
Response: 118251
Conc: 208.17 ng/ml



#10 AR-1221-3


R.T.: 3.813 min
Delta R.T.: -0.006 min
Response: 148160
Conc: 215.05 ng/ml



#11 AR-1232-1


R.T.: 4.539 min
Delta R.T.: -0.006 min
Response: 118251
Conc: 119.92 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-2-(4-5)MSD




#11 AR-1232-1

R.T.: 3.813 min
Delta R.T.: -0.006 min
Response: 148160
Conc: 126.71 ng/ml




#12 AR-1232-2

R.T.: 5.057 min
Delta R.T.: -0.006 min
Response: 174246
Conc: 336.38 ng/ml



#12 AR-1232-2


R.T.: 4.526 min
Delta R.T.: -0.007 min
Response: 483104
Conc: 349.38 ng/ml



#13 AR-1232-3


R.T.: 5.344 min
Delta R.T.: -0.006 min
Response: 388577
Conc: 332.80 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-2-(4-5)MSD




#13 AR-1232-3

R.T.: 4.698 min
Delta R.T.: -0.007 min
Response: 254288
Conc: 356.18 ng/ml




#14 AR-1232-4

R.T.: 5.501 min
Delta R.T.: -0.008 min
Response: 192314
Conc: 337.58 ng/ml



#14 AR-1232-4


R.T.: 4.782 min
Delta R.T.: -0.006 min
Response: 268892
Conc: 396.41 ng/ml



#15 AR-1232-5


R.T.: 5.592 min
Delta R.T.: -0.007 min
Response: 177868
Conc: 442.66 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-2-(4-5)MSD




#15 AR-1232-5

R.T.: 4.950 min
Delta R.T.: -0.007 min
Response: 283998
Conc: 386.64 ng/ml




#16 AR-1242-1

R.T.: 5.322 min
Delta R.T.: -0.006 min
Response: 268916
Conc: 343.26 ng/ml



#16 AR-1242-1


R.T.: 4.508 min
Delta R.T.: -0.006 min
Response: 345541
Conc: 366.90 ng/ml



#17 AR-1242-2


R.T.: 5.344 min
Delta R.T.: -0.007 min
Response: 388577
Conc: 342.41 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-2-(4-5)MSD




#17 AR-1242-2

R.T.: 4.526 min
Delta R.T.: -0.006 min
Response: 483104
Conc: 366.06 ng/ml




#18 AR-1242-3

R.T.: 5.405 min
Delta R.T.: -0.006 min
Response: 235862
Conc: 335.06 ng/ml



#18 AR-1242-3


R.T.: 4.698 min
Delta R.T.: -0.007 min
Response: 254288
Conc: 362.63 ng/ml



#19 AR-1242-4


R.T.: 5.501 min
Delta R.T.: -0.007 min
Response: 192314
Conc: 340.51 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-2-(4-5)MSD




#19 AR-1242-4

R.T.: 4.782 min
Delta R.T.: -0.006 min
Response: 268892
Conc: 363.13 ng/ml




#20 AR-1242-5

R.T.: 6.230 min
Delta R.T.: -0.006 min
Response: 33856
Conc: 47.23 ng/ml



#20 AR-1242-5


R.T.: 5.297 min
Delta R.T.: -0.007 min
Response: 213572
Conc: 212.75 ng/ml



#21 AR-1248-1


R.T.: 5.322 min
Delta R.T.: -0.005 min
Response: 268916
Conc: 441.30 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-2-(4-5)MSD




#21 AR-1248-1

R.T.: 4.508 min
Delta R.T.: -0.006 min
Response: 345541
Conc: 460.47 ng/ml




#22 AR-1248-2

R.T.: 5.592 min
Delta R.T.: -0.006 min
Response: 177868
Conc: 202.31 ng/ml



#22 AR-1248-2


R.T.: 4.741 min
Delta R.T.: -0.006 min
Response: 221303
Conc: 210.95 ng/ml



#23 AR-1248-3


R.T.: 5.792 min
Delta R.T.: -0.005 min
Response: 199996
Conc: 203.51 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-2-(4-5)MSD




#23 AR-1248-3

R.T.: 4.782 min
Delta R.T.: -0.005 min
Response: 268892
Conc: 247.71 ng/ml




#24 AR-1248-4

R.T.: 6.192 min
Delta R.T.: -0.006 min
Response: 39673
Conc: 32.32 ng/ml



#24 AR-1248-4


R.T.: 4.950 min
Delta R.T.: -0.005 min
Response: 283998
Conc: 217.10 ng/ml



#25 AR-1248-5


R.T.: 6.230 min
Delta R.T.: -0.005 min
Response: 33856
Conc: 28.74 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-2-(4-5)MSD




#25 AR-1248-5

R.T.: 5.297 min
Delta R.T.: -0.006 min
Response: 213572
Conc: 108.47 ng/ml




#26 AR-1254-1

R.T.: 6.164 min
Delta R.T.: -0.008 min
Response: 143429
Conc: 112.62 ng/ml



#26 AR-1254-1


R.T.: 5.297 min
Delta R.T.: -0.007 min
Response: 213572
Conc: 94.35 ng/ml



#27 AR-1254-2


R.T.: 6.381 min
Delta R.T.: -0.008 min
Response: 160069
Conc: 79.99 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-2-(4-5)MSD




#27 AR-1254-2

R.T.: 5.443 min
Delta R.T.: -0.007 min
Response: 203166
Conc: 100.80 ng/ml




#28 AR-1254-3

R.T.: 6.744 min
Delta R.T.: -0.007 min
Response: 100088
Conc: 44.77 ng/ml



#28 AR-1254-3


R.T.: 5.856 min
Delta R.T.: 0.008 min
Response: 397071
Conc: 117.52 ng/ml



#29 AR-1254-4


R.T.: 7.027 min
Delta R.T.: -0.008 min
Response: 72398
Conc: 42.95 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-2-(4-5)MSD




#29 AR-1254-4

R.T.: 6.068 min
Delta R.T.: -0.008 min
Response: 65722
Conc: 30.43 ng/ml




#30 AR-1254-5

R.T.: 7.441 min
Delta R.T.: -0.008 min
Response: 550643
Conc: 281.79 ng/ml



#30 AR-1254-5


R.T.: 6.482 min
Delta R.T.: -0.008 min
Response: 743188
Conc: 246.94 ng/ml



#31 AR-1260-1


R.T.: 6.906 min
Delta R.T.: -0.006 min
Response: 390285
Conc: 243.07 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-2-(4-5)MSD




#31 AR-1260-1

R.T.: 5.970 min
Delta R.T.: -0.007 min
Response: 567500
Conc: 257.99 ng/ml




#32 AR-1260-2

R.T.: 7.162 min
Delta R.T.: -0.006 min
Response: 474967
Conc: 245.60 ng/ml



#32 AR-1260-2


R.T.: 6.158 min
Delta R.T.: -0.006 min
Response: 697465
Conc: 252.41 ng/ml



#33 AR-1260-3


R.T.: 7.517 min
Delta R.T.: -0.007 min
Response: 360376
Conc: 250.46 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-2-(4-5)MSD




#33 AR-1260-3

R.T.: 6.308 min
Delta R.T.: -0.007 min
Response: 617341
Conc: 252.34 ng/ml




#34 AR-1260-4

R.T.: 7.740 min
Delta R.T.: -0.006 min
Response: 441135
Conc: 259.52 ng/ml



#34 AR-1260-4


R.T.: 6.776 min
Delta R.T.: -0.006 min
Response: 532651
Conc: 264.20 ng/ml



#35 AR-1260-5


R.T.: 8.046 min
Delta R.T.: -0.006 min
Response: 789087
Conc: 244.19 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-2-(4-5)MSD




#35 AR-1260-5

R.T.: 7.018 min
Delta R.T.: -0.007 min
Response: 1220448
Conc: 259.61 ng/ml




#36 AR-1262-1

R.T.: 7.517 min
Delta R.T.: -0.007 min
Response: 360376
Conc: 158.33 ng/ml



#36 AR-1262-1


R.T.: 6.572 min
Delta R.T.: -0.007 min
Response: 291791
Conc: 222.26 ng/ml



#37 AR-1262-2


R.T.: 8.046 min
Delta R.T.: -0.006 min
Response: 789087
Conc: 204.99 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-2-(4-5)MSD




#37 AR-1262-2

R.T.: 7.018 min
Delta R.T.: -0.007 min
Response: 1220448
Conc: 217.47 ng/ml




#38 AR-1262-3

R.T.: 8.345 min
Delta R.T.: 0.006 min
Response: 515226
Conc: 197.31 ng/ml



#38 AR-1262-3


R.T.: 7.298 min
Delta R.T.: -0.007 min
Response: 273631
Conc: 130.65 ng/ml



#39 AR-1262-4


R.T.: 8.396 min
Delta R.T.: -0.026 min
Response: 322616
Conc: 162.26 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-2-(4-5)MSD




#39 AR-1262-4

R.T.: 7.361 min
Delta R.T.: -0.007 min
Response: 887990
Conc: 223.84 ng/ml




#40 AR-1262-5

R.T.: 9.011 min
Delta R.T.: -0.008 min
Response: 222602
Conc: 166.80 ng/ml



#40 AR-1262-5


R.T.: 7.853 min
Delta R.T.: -0.007 min
Response: 311476
Conc: 187.81 ng/ml



#41 AR-1268-1


R.T.: 8.345 min
Delta R.T.: 0.008 min
Response: 515226
Conc: 121.44 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-2-(4-5)MSD




#41 AR-1268-1

R.T.: 7.298 min
Delta R.T.: -0.008 min
Response: 273631
Conc: 46.09 ng/ml




#42 AR-1268-2

R.T.: 8.396 min
Delta R.T.: -0.028 min
Response: 322616
Conc: 83.32 ng/ml



#42 AR-1268-2


R.T.: 7.361 min
Delta R.T.: -0.010 min
Response: 887990
Conc: 165.82 ng/ml



#43 AR-1268-3


R.T.: 0.000 min
Exp R.T.: 8.630 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
SB-2-(4-5)MSD




#43 AR-1268-3

R.T.: 7.567 min
Delta R.T.: -0.006 min
Response: 21224
Conc: 4.83 ng/ml




#44 AR-1268-4

R.T.: 9.011 min
Delta R.T.: -0.009 min
Response: 222602
Conc: 165.97 ng/ml



#44 AR-1268-4


R.T.: 7.853 min
Delta R.T.: -0.008 min
Response: 311476
Conc: 180.38 ng/ml



#45 AR-1268-5

R.T.: 9.382 min
Delta R.T.: -0.010 min
Response: 68172
Conc: 7.48 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-2-(4-5)MSD



#45 AR-1268-5

R.T.: 8.124 min
Delta R.T.: -0.008 min
Response: 82118
Conc: 6.67 ng/ml