

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP011323\
 Data File : PP054548.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Jan 2023 12:51
 Operator : YP\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 14 05:17:25 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP010423.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Jan 05 03:46:53 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.339	3.587	49295464	35604282	24.343	22.073
2)	SA Decachlor...	10.105	8.611	30428866	35373713	21.187	25.076
Target Compounds							
3)	L1 AR-1016-1	5.502	4.685	472461	306588	6.394	5.892
4)	L1 AR-1016-2	5.536	4.685	678134	306588	6.354	4.281 #
5)	L1 AR-1016-3	5.586	0.000	837913	0	12.248	N.D. #
6)	L1 AR-1016-4	5.689	0.000	102190	0	1.963	N.D. #
7)	L1 AR-1016-5	6.011f	0.000	52562	0	1.161	N.D. #
8)	L2 AR-1221-1	4.544	0.000	88756	0	3.691	N.D. #
9)	L2 AR-1221-2	4.645	3.886	791477	578840	44.673	39.257
10)	L2 AR-1221-3	4.702	3.959	163757	154154	3.038	3.471
11)	L3 AR-1232-1	4.702	3.959	163757	154154	3.641	4.142
12)	L3 AR-1232-2	5.220f	4.685	1761758	306588	67.515	5.720 #
13)	L3 AR-1232-3	5.536	0.000	678134	0	14.742	N.D. #
14)	L3 AR-1232-4	5.689	4.967	102190	2722269	4.564	162.279 #
15)	L3 AR-1232-5	5.786	0.000	77920	0	4.379	N.D. #
16)	L4 AR-1242-1	5.502	4.685	472461	306588	7.957	7.262
17)	L4 AR-1242-2	5.536	4.685	678134	306588	7.932	5.266 #
18)	L4 AR-1242-3	5.586	0.000	837913	0	15.336	N.D. #
19)	L4 AR-1242-4	5.689	4.967	102190	2722269	2.438	78.037 #
20)	L4 AR-1242-5	6.430	5.468	2627479	3696675	80.046	98.253
21)	L5 AR-1248-1	5.502	4.685	472461	306588	10.523	9.425
22)	L5 AR-1248-2	5.786	0.000	77920	0	1.226	N.D. #
23)	L5 AR-1248-3	6.011f	4.967	52562	2722269	0.887	52.752 #
24)	L5 AR-1248-4	6.379f	0.000	1878755	0	32.433	N.D. #
25)	L5 AR-1248-5	6.430	5.500f	2627479	6174536	47.355	124.500 #
26)	L6 AR-1254-1	6.379	5.468	1878755	3696675	30.237	43.107 #
27)	L6 AR-1254-2	6.584	5.629	61344	1689689	0.654	22.744 #
28)	L6 AR-1254-3	6.957	6.036	1166490	1545995	12.288	13.319
29)	L6 AR-1254-4	7.229	0.000	1859376	0	27.410	N.D. #
30)	L6 AR-1254-5	0.000	6.683	0	71214	N.D.	0.745 #
31)	L7 AR-1260-1	7.119	6.164	56876	2228227	0.730	26.304 #
32)	L7 AR-1260-2	7.398f	6.332f	7351346	544785	82.075	5.696 #
33)	L7 AR-1260-3	7.734	6.491f	116180	647625	1.700	7.085 #
34)	L7 AR-1260-4	7.971	6.975	54290	99525	0.681	1.313 #
35)	L7 AR-1260-5	8.289	7.233	381959	358687	2.663	2.264
36)	L8 AR-1262-1	7.734	6.799f	116180	35607	1.381	0.872 #
37)	L8 AR-1262-2	8.289	6.975	381959	99525	2.699	1.150 #
38)	L8 AR-1262-3	8.597	0.000	10441	0	0.101	N.D. #
39)	L8 AR-1262-4	8.684	7.574	88453	118155	1.747	1.010 #
40)	L8 AR-1262-5	9.338	8.062	170312	43000	3.032	0.781 #
41)	L9 AR-1268-1	8.597	0.000	10441	0	0.054	N.D. #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP011323\
 Data File : PP054548.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Jan 2023 12:51
 Operator : YP\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 14 05:17:25 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP010423.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Jan 05 03:46:53 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.684	7.574	88453	118155	0.501	0.641 #
43) L9	AR-1268-3	8.917	7.777	135819	58518	0.876	0.342 #
44) L9	AR-1268-4	9.338	8.062	170312	43000	2.489	0.681 #
45) L9	AR-1268-5	9.761	8.356	213902	356507	0.420	0.728 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP011323\
Data File : PP054548.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Jan 2023 12:51
Operator : YP\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 14 05:17:25 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP010423.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Jan 05 03:46:53 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.339 min
Delta R.T.: 0.000 min
Response: 49295464
Conc: 24.34 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.587 min
Delta R.T.: 0.000 min
Response: 35604282
Conc: 22.07 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.105 min
Delta R.T.: 0.004 min
Response: 30428866
Conc: 21.19 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.611 min
Delta R.T.: -0.001 min
Response: 35373713
Conc: 25.08 ng/ml



#3 AR-1016-1


R.T.: 5.502 min
Delta R.T.: -0.008 min
Response: 472461
Conc: 6.39 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.685 min
Delta R.T.: 0.010 min
Response: 306588
Conc: 5.89 ng/ml




#4 AR-1016-2

R.T.: 5.536 min
Delta R.T.: 0.003 min
Response: 678134
Conc: 6.35 ng/ml



#4 AR-1016-2


R.T.: 4.685 min
Delta R.T.: -0.009 min
Response: 306588
Conc: 4.28 ng/ml



#5 AR-1016-3


R.T.: 5.586 min
Delta R.T.: -0.009 min
Response: 837913
Conc: 12.25 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 0.000 min
Exp R.T. : 4.870 min
Response: 0
Conc: N.D.




#6 AR-1016-4

R.T.: 5.689 min
Delta R.T.: -0.005 min
Response: 102190
Conc: 1.96 ng/ml



#6 AR-1016-4


R.T.: 0.000 min
Exp R.T. : 4.912 min
Response: 0
Conc: N.D.



#7 AR-1016-5


R.T.: 6.011 min
Delta R.T.: 0.021 min
Response: 52562
Conc: 1.16 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 0.000 min
Exp R.T. : 5.126 min
Response: 0
Conc: N.D.




#8 AR-1221-1

R.T.: 4.544 min
Delta R.T.: -0.004 min
Response: 88756
Conc: 3.69 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T. : 3.801 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.645 min
Delta R.T.: 0.011 min
Response: 791477
Conc: 44.67 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.886 min
Delta R.T.: 0.000 min
Response: 578840
Conc: 39.26 ng/ml




#10 AR-1221-3

R.T.: 4.702 min
Delta R.T.: -0.009 min
Response: 163757
Conc: 3.04 ng/ml



#10 AR-1221-3


R.T.: 3.959 min
Delta R.T.: -0.004 min
Response: 154154
Conc: 3.47 ng/ml



#11 AR-1232-1


R.T.: 4.702 min
Delta R.T.: -0.009 min
Response: 163757
Conc: 3.64 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.959 min
Delta R.T.: -0.004 min
Response: 154154
Conc: 4.14 ng/ml




#12 AR-1232-2

R.T.: 5.220 min
Delta R.T.: -0.022 min
Response: 1761758
Conc: 67.52 ng/ml



#12 AR-1232-2


R.T.: 4.685 min
Delta R.T.: -0.009 min
Response: 306588
Conc: 5.72 ng/ml



#13 AR-1232-3


R.T.: 5.536 min
Delta R.T.: 0.002 min
Response: 678134
Conc: 14.74 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 0.000 min
Exp R.T. : 4.871 min
Response: 0
Conc: N.D.




#14 AR-1232-4

R.T.: 5.689 min
Delta R.T.: -0.005 min
Response: 102190
Conc: 4.56 ng/ml



#14 AR-1232-4


R.T.: 4.967 min
Delta R.T.: 0.013 min
Response: 2722269
Conc: 162.28 ng/ml



#15 AR-1232-5


R.T.: 5.786 min
Delta R.T.: 0.000 min
Response: 77920
Conc: 4.38 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 0.000 min
Exp R.T. : 5.127 min
Response: 0
Conc: N.D.




#16 AR-1242-1

R.T.: 5.502 min
Delta R.T.: -0.009 min
Response: 472461
Conc: 7.96 ng/ml



#16 AR-1242-1


R.T.: 4.685 min
Delta R.T.: 0.009 min
Response: 306588
Conc: 7.26 ng/ml



#17 AR-1242-2


R.T.: 5.536 min
Delta R.T.: 0.002 min
Response: 678134
Conc: 7.93 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.685 min
Delta R.T.: -0.009 min
Response: 306588
Conc: 5.27 ng/ml




#18 AR-1242-3

R.T.: 5.586 min
Delta R.T.: -0.011 min
Response: 837913
Conc: 15.34 ng/ml



#18 AR-1242-3


R.T.: 0.000 min
Exp R.T.: 4.871 min
Response: 0
Conc: N.D.



#19 AR-1242-4


R.T.: 5.689 min
Delta R.T.: -0.006 min
Response: 102190
Conc: 2.44 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.967 min
Delta R.T.: 0.012 min
Response: 2722269
Conc: 78.04 ng/ml




#20 AR-1242-5

R.T.: 6.430 min
Delta R.T.: -0.005 min
Response: 2627479
Conc: 80.05 ng/ml



#20 AR-1242-5


R.T.: 5.468 min
Delta R.T.: -0.012 min
Response: 3696675
Conc: 98.25 ng/ml



#21 AR-1248-1


R.T.: 5.502 min
Delta R.T.: -0.009 min
Response: 472461
Conc: 10.52 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.685 min
Delta R.T.: 0.009 min
Response: 306588
Conc: 9.43 ng/ml




#22 AR-1248-2

R.T.: 5.786 min
Delta R.T.: 0.000 min
Response: 77920
Conc: 1.23 ng/ml



#22 AR-1248-2


R.T.: 0.000 min
Exp R.T.: 4.913 min
Response: 0
Conc: N.D.



#23 AR-1248-3


R.T.: 6.011 min
Delta R.T.: 0.020 min
Response: 52562
Conc: 0.89 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.967 min
Delta R.T.: 0.013 min
Response: 2722269
Conc: 52.75 ng/ml




#24 AR-1248-4

R.T.: 6.379 min
Delta R.T.: -0.017 min
Response: 1878755
Conc: 32.43 ng/ml



#24 AR-1248-4


R.T.: 0.000 min
Exp R.T. : 5.126 min
Response: 0
Conc: N.D.



#25 AR-1248-5


R.T.: 6.430 min
Delta R.T.: -0.005 min
Response: 2627479
Conc: 47.35 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.500 min
Delta R.T.: -0.021 min
Response: 6174536
Conc: 124.50 ng/ml




#26 AR-1254-1

R.T.: 6.379 min
Delta R.T.: 0.010 min
Response: 1878755
Conc: 30.24 ng/ml



#26 AR-1254-1


R.T.: 5.468 min
Delta R.T.: -0.012 min
Response: 3696675
Conc: 43.11 ng/ml



#27 AR-1254-2


R.T.: 6.584 min
Delta R.T.: -0.005 min
Response: 61344
Conc: 0.65 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.629 min
Delta R.T.: 0.000 min
Response: 1689689
Conc: 22.74 ng/ml




#28 AR-1254-3

R.T.: 6.957 min
Delta R.T.: 0.000 min
Response: 1166490
Conc: 12.29 ng/ml



#28 AR-1254-3


R.T.: 6.036 min
Delta R.T.: 0.003 min
Response: 1545995
Conc: 13.32 ng/ml



#29 AR-1254-4


R.T.: 7.229 min
Delta R.T.: -0.015 min
Response: 1859376
Conc: 27.41 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 0.000 min
Exp R.T. : 6.263 min
Response: 0
Conc: N.D.




#30 AR-1254-5

R.T.: 0.000 min
Exp R.T. : 7.664 min
Response: 0
Conc: N.D.



#30 AR-1254-5


R.T.: 6.683 min
Delta R.T.: 0.000 min
Response: 71214
Conc: 0.74 ng/ml



#31 AR-1260-1


R.T.: 7.119 min
Delta R.T.: -0.003 min
Response: 56876
Conc: 0.73 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.164 min
Delta R.T.: 0.000 min
Response: 2228227
Conc: 26.30 ng/ml




#32 AR-1260-2

R.T.: 7.398 min
Delta R.T.: 0.018 min
Response: 7351346
Conc: 82.08 ng/ml



#32 AR-1260-2


R.T.: 6.332 min
Delta R.T.: -0.020 min
Response: 544785
Conc: 5.70 ng/ml



#33 AR-1260-3


R.T.: 7.734 min
Delta R.T.: -0.007 min
Response: 116180
Conc: 1.70 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.491 min
Delta R.T.: -0.015 min
Response: 647625
Conc: 7.09 ng/ml




#34 AR-1260-4

R.T.: 7.971 min
Delta R.T.: 0.004 min
Response: 54290
Conc: 0.68 ng/ml



#34 AR-1260-4


R.T.: 6.975 min
Delta R.T.: -0.006 min
Response: 99525
Conc: 1.31 ng/ml



#35 AR-1260-5


R.T.: 8.289 min
Delta R.T.: 0.005 min
Response: 381959
Conc: 2.66 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.233 min
Delta R.T.: 0.010 min
Response: 358687
Conc: 2.26 ng/ml




#36 AR-1262-1

R.T.: 7.734 min
Delta R.T.: -0.007 min
Response: 116180
Conc: 1.38 ng/ml



#36 AR-1262-1


R.T.: 6.799 min
Delta R.T.: 0.025 min
Response: 35607
Conc: 0.87 ng/ml



#37 AR-1262-2


R.T.: 8.289 min
Delta R.T.: 0.004 min
Response: 381959
Conc: 2.70 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.975 min
Delta R.T.: -0.006 min
Response: 99525
Conc: 1.15 ng/ml




#38 AR-1262-3

R.T.: 8.597 min
Delta R.T.: 0.000 min
Response: 10441
Conc: 0.10 ng/ml



#38 AR-1262-3


R.T.: 0.000 min
Exp R.T.: 7.508 min
Response: 0
Conc: N.D.



#39 AR-1262-4


R.T.: 8.684 min
Delta R.T.: -0.002 min
Response: 88453
Conc: 1.75 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.574 min
Delta R.T.: 0.002 min
Response: 118155
Conc: 1.01 ng/ml




#40 AR-1262-5

R.T.: 9.338 min
Delta R.T.: -0.006 min
Response: 170312
Conc: 3.03 ng/ml



#40 AR-1262-5


R.T.: 8.062 min
Delta R.T.: -0.006 min
Response: 43000
Conc: 0.78 ng/ml



#41 AR-1268-1


R.T.: 8.597 min
Delta R.T.: 0.003 min
Response: 10441
Conc: 0.05 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 0.000 min
Exp R.T. : 7.509 min
Response: 0
Conc: N.D.




#42 AR-1268-2

R.T.: 8.684 min
Delta R.T.: -0.004 min
Response: 88453
Conc: 0.50 ng/ml



#42 AR-1268-2


R.T.: 7.574 min
Delta R.T.: 0.001 min
Response: 118155
Conc: 0.64 ng/ml



#43 AR-1268-3


R.T.: 8.917 min
Delta R.T.: 0.000 min
Response: 135819
Conc: 0.88 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.777 min
Delta R.T.: -0.004 min
Response: 58518
Conc: 0.34 ng/ml




#44 AR-1268-4

R.T.: 9.338 min
Delta R.T.: -0.007 min
Response: 170312
Conc: 2.49 ng/ml



#44 AR-1268-4


R.T.: 8.062 min
Delta R.T.: -0.006 min
Response: 43000
Conc: 0.68 ng/ml



#45 AR-1268-5

R.T.: 9.761 min
Delta R.T.: 0.000 min
Response: 213902
Conc: 0.42 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.356 min
Delta R.T.: 0.000 min
Response: 356507
Conc: 0.73 ng/ml