

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP011422\
 Data File : PP042939.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 14 Jan 2022 17:37
 Operator : AJ\MA
 Sample : N1124-03
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 15 01:31:25 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP011222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Jan 13 19:45:07 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.871	4.042	446400	511438	18.866	20.477
2)	SA Decachlor...	10.801	9.377	384920	503888	26.331	25.832
Target Compounds							
3)	L1 AR-1016-1	6.170	5.328f	25365	18315	34.168	17.890 #
4)	L1 AR-1016-2	6.200	5.328	14943	18315	12.995	12.824
5)	L1 AR-1016-3	0.000	5.520	0	61890	N.D.	77.380 #
6)	L1 AR-1016-4	6.345f	5.571	267432	30392	441.044	48.900 #
7)	L1 AR-1016-5	6.686	5.804	151156	27477	264.045	36.851 #
8)	L2 AR-1221-1	5.106	4.323f	78223	3409	293.838	10.209 #
9)	L2 AR-1221-2	5.219	4.396	8939	16697	44.230	68.626 #
10)	L2 AR-1221-3	5.303	4.485	9629	30473	14.666	38.872 #
11)	L3 AR-1232-1	5.303	4.485	9629	30473	16.883	46.802 #
12)	L3 AR-1232-2	5.884	5.328	54237	18315	199.964	29.205 #
13)	L3 AR-1232-3	6.200	5.520	14943	61890	30.614	187.156 #
14)	L3 AR-1232-4	6.345f	5.634f	267432	172728	1119.254	585.174 #
15)	L3 AR-1232-5	6.463	5.804	72807	27477	463.399	89.092 #
16)	L4 AR-1242-1	6.170	5.328f	25365	18315	42.813	22.854 #
17)	L4 AR-1242-2	6.200	5.328	14943	18315	16.749	16.175
18)	L4 AR-1242-3	0.000	5.520	0	61890	N.D.	97.066 #
19)	L4 AR-1242-4	6.345f	5.634f	267432	172728	587.787	281.198 #
20)	L4 AR-1242-5	7.153	6.189	98840	494763	220.350	687.586 #
21)	L5 AR-1248-1	6.170	5.328f	25365	18315	61.887	32.604 #
22)	L5 AR-1248-2	6.463	5.571	72807	30392	129.322	37.445 #
23)	L5 AR-1248-3	6.686	5.634f	151156	172728	222.944	200.966
24)	L5 AR-1248-4	7.088f	5.804	244336	27477	338.740	28.630 #
25)	L5 AR-1248-5	7.153	6.259f	98840	46467	135.466	48.673 #
26)	L6 AR-1254-1	7.088	6.189	244336	494763	311.387	319.057
27)	L6 AR-1254-2	7.310	6.341	345696	96449	274.669	71.046 #
28)	L6 AR-1254-3	7.700	6.791f	1369168	2863667	1055.316	1338.828 #
29)	L6 AR-1254-4	7.981	6.994	40649	169279	46.508	135.684 #
30)	L6 AR-1254-5	8.408	7.437	79035	162259	84.356	95.157
31)	L7 AR-1260-1	7.855	6.903	48107	79737	50.450	61.688
32)	L7 AR-1260-2	8.111	7.100	5571000	86604	5394.121	55.446 #
33)	L7 AR-1260-3	8.486	7.257	51045	78615	67.654	54.394
34)	L7 AR-1260-4	8.714	7.741	52105	60451	61.171	53.358
35)	L7 AR-1260-5	9.033	7.989	75682	115155	45.997	45.914
36)	L8 AR-1262-1	8.486	7.437	51045	162259	48.340	179.241 #
37)	L8 AR-1262-2	9.033	7.741	75682	60451	43.722	40.412
38)	L8 AR-1262-3	9.340	8.278	69666	78159	75.582	70.055
39)	L8 AR-1262-4	9.428	8.342	68364	138930	126.734	68.151 #
40)	L8 AR-1262-5	10.069	8.842	42811	56450	70.453	60.876
41)	L9 AR-1268-1	9.340	8.278	69666	78159	33.792	25.359

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP011422\
 Data File : PP042939.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 14 Jan 2022 17:37
 Operator : AJ\MA
 Sample : N1124-03
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 15 01:31:25 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP011222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Jan 13 19:45:07 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	9.428	8.342	68364	138930	35.793	48.847 #
43) L9	AR-1268-3	9.652	8.549	4540	14526	2.695	6.095 #
44) L9	AR-1268-4	10.069	8.842	42811	56450	67.749	55.357
45) L9	AR-1268-5	10.473	9.128	45763	68141	8.587	9.592



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP011422\
Data File : PP042939.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 14 Jan 2022 17:37
Operator : AJ\MA
Sample : N1124-03
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 15 01:31:25 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP011222.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Jan 13 19:45:07 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.871 min
Delta R.T.: -0.004 min
Response: 446400
Conc: 18.87 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 4.042 min
Delta R.T.: -0.002 min
Response: 511438
Conc: 20.48 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.801 min
Delta R.T.: -0.003 min
Response: 384920
Conc: 26.33 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.377 min
Delta R.T.: -0.003 min
Response: 503888
Conc: 25.83 ng/ml



#3 AR-1016-1


R.T.: 6.170 min
Delta R.T.: -0.007 min
Response: 25365
Conc: 34.17 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 5.328 min
Delta R.T.: 0.020 min
Response: 18315
Conc: 17.89 ng/ml




#4 AR-1016-2

R.T.: 6.200 min
Delta R.T.: 0.000 min
Response: 14943
Conc: 12.99 ng/ml



#4 AR-1016-2


R.T.: 5.328 min
Delta R.T.: 0.000 min
Response: 18315
Conc: 12.82 ng/ml



#5 AR-1016-3


R.T.: 0.000 min
Exp R.T.: 6.266 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 5.520 min
Delta R.T.: -0.003 min
Response: 61890
Conc: 77.38 ng/ml




#6 AR-1016-4

R.T.: 6.345 min
Delta R.T.: -0.026 min
Response: 267432
Conc: 441.04 ng/ml



#6 AR-1016-4


R.T.: 5.571 min
Delta R.T.: -0.003 min
Response: 30392
Conc: 48.90 ng/ml



#7 AR-1016-5


R.T.: 6.686 min
Delta R.T.: 0.000 min
Response: 151156
Conc: 264.04 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.804 min
Delta R.T.: 0.000 min
Response: 27477
Conc: 36.85 ng/ml




#8 AR-1221-1

R.T.: 5.106 min
Delta R.T.: -0.012 min
Response: 78223
Conc: 293.84 ng/ml



#8 AR-1221-1


R.T.: 4.323 min
Delta R.T.: 0.020 min
Response: 3409
Conc: 10.21 ng/ml



#9 AR-1221-2


R.T.: 5.219 min
Delta R.T.: 0.005 min
Response: 8939
Conc: 44.23 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 4.396 min
Delta R.T.: -0.007 min
Response: 16697
Conc: 68.63 ng/ml




#10 AR-1221-3

R.T.: 5.303 min
Delta R.T.: 0.004 min
Response: 9629
Conc: 14.67 ng/ml



#10 AR-1221-3


R.T.: 4.485 min
Delta R.T.: -0.007 min
Response: 30473
Conc: 38.87 ng/ml



#11 AR-1232-1


R.T.: 5.303 min
Delta R.T.: 0.003 min
Response: 9629
Conc: 16.88 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.485 min
Delta R.T.: -0.007 min
Response: 30473
Conc: 46.80 ng/ml




#12 AR-1232-2

R.T.: 5.884 min
Delta R.T.: -0.002 min
Response: 54237
Conc: 199.96 ng/ml



#12 AR-1232-2


R.T.: 5.328 min
Delta R.T.: 0.000 min
Response: 18315
Conc: 29.21 ng/ml



#13 AR-1232-3


R.T.: 6.200 min
Delta R.T.: 0.000 min
Response: 14943
Conc: 30.61 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 5.520 min
Delta R.T.: -0.003 min
Response: 61890
Conc: 187.16 ng/ml




#14 AR-1232-4

R.T.: 6.345 min
Delta R.T.: -0.027 min
Response: 267432
Conc: 1119.25 ng/ml



#14 AR-1232-4


R.T.: 5.634 min
Delta R.T.: 0.016 min
Response: 172728
Conc: 585.17 ng/ml



#15 AR-1232-5


R.T.: 6.463 min
Delta R.T.: -0.009 min
Response: 72807
Conc: 463.40 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.804 min
Delta R.T.: 0.000 min
Response: 27477
Conc: 89.09 ng/ml




#16 AR-1242-1

R.T.: 6.170 min
Delta R.T.: -0.006 min
Response: 25365
Conc: 42.81 ng/ml



#16 AR-1242-1


R.T.: 5.328 min
Delta R.T.: 0.020 min
Response: 18315
Conc: 22.85 ng/ml



#17 AR-1242-2


R.T.: 6.200 min
Delta R.T.: 0.000 min
Response: 14943
Conc: 16.75 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 5.328 min
Delta R.T.: 0.000 min
Response: 18315
Conc: 16.18 ng/ml




#18 AR-1242-3

R.T.: 0.000 min
Exp R.T. : 6.266 min
Response: 0
Conc: N.D.



#18 AR-1242-3


R.T.: 5.520 min
Delta R.T.: -0.003 min
Response: 61890
Conc: 97.07 ng/ml



#19 AR-1242-4


R.T.: 6.345 min
Delta R.T.: -0.026 min
Response: 267432
Conc: 587.79 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.634 min
Delta R.T.: 0.016 min
Response: 172728
Conc: 281.20 ng/ml




#20 AR-1242-5

R.T.: 7.153 min
Delta R.T.: 0.004 min
Response: 98840
Conc: 220.35 ng/ml



#20 AR-1242-5


R.T.: 6.189 min
Delta R.T.: 0.004 min
Response: 494763
Conc: 687.59 ng/ml



#21 AR-1248-1


R.T.: 6.170 min
Delta R.T.: -0.005 min
Response: 25365
Conc: 61.89 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 5.328 min
Delta R.T.: 0.021 min
Response: 18315
Conc: 32.60 ng/ml




#22 AR-1248-2

R.T.: 6.463 min
Delta R.T.: -0.007 min
Response: 72807
Conc: 129.32 ng/ml



#22 AR-1248-2


R.T.: 5.571 min
Delta R.T.: -0.002 min
Response: 30392
Conc: 37.44 ng/ml



#23 AR-1248-3


R.T.: 6.686 min
Delta R.T.: 0.000 min
Response: 151156
Conc: 222.94 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.634 min
Delta R.T.: 0.016 min
Response: 172728
Conc: 200.97 ng/ml




#24 AR-1248-4

R.T.: 7.088 min
Delta R.T.: -0.022 min
Response: 244336
Conc: 338.74 ng/ml



#24 AR-1248-4


R.T.: 5.804 min
Delta R.T.: 0.000 min
Response: 27477
Conc: 28.63 ng/ml



#25 AR-1248-5


R.T.: 7.153 min
Delta R.T.: 0.005 min
Response: 98840
Conc: 135.47 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 6.259 min
Delta R.T.: 0.030 min
Response: 46467
Conc: 48.67 ng/ml




#26 AR-1254-1

R.T.: 7.088 min
Delta R.T.: 0.006 min
Response: 244336
Conc: 311.39 ng/ml



#26 AR-1254-1


R.T.: 6.189 min
Delta R.T.: 0.004 min
Response: 494763
Conc: 319.06 ng/ml



#27 AR-1254-2


R.T.: 7.310 min
Delta R.T.: -0.001 min
Response: 345696
Conc: 274.67 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 6.341 min
Delta R.T.: -0.003 min
Response: 96449
Conc: 71.05 ng/ml




#28 AR-1254-3

R.T.: 7.700 min
Delta R.T.: 0.012 min
Response: 1369168
Conc: 1055.32 ng/ml



#28 AR-1254-3


R.T.: 6.791 min
Delta R.T.: 0.022 min
Response: 2863667
Conc: 1338.83 ng/ml



#29 AR-1254-4


R.T.: 7.981 min
Delta R.T.: -0.002 min
Response: 40649
Conc: 46.51 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.994 min
Delta R.T.: -0.015 min
Response: 169279
Conc: 135.68 ng/ml




#30 AR-1254-5

R.T.: 8.408 min
Delta R.T.: -0.002 min
Response: 79035
Conc: 84.36 ng/ml



#30 AR-1254-5


R.T.: 7.437 min
Delta R.T.: -0.003 min
Response: 162259
Conc: 95.16 ng/ml



#31 AR-1260-1


R.T.: 7.855 min
Delta R.T.: -0.005 min
Response: 48107
Conc: 50.45 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.903 min
Delta R.T.: -0.002 min
Response: 79737
Conc: 61.69 ng/ml




#32 AR-1260-2

R.T.: 8.111 min
Delta R.T.: -0.012 min
Response: 5571000
Conc: 5394.12 ng/ml



#32 AR-1260-2


R.T.: 7.100 min
Delta R.T.: -0.002 min
Response: 86604
Conc: 55.45 ng/ml



#33 AR-1260-3


R.T.: 8.486 min
Delta R.T.: -0.003 min
Response: 51045
Conc: 67.65 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 7.257 min
Delta R.T.: -0.003 min
Response: 78615
Conc: 54.39 ng/ml




#34 AR-1260-4

R.T.: 8.714 min
Delta R.T.: -0.004 min
Response: 52105
Conc: 61.17 ng/ml



#34 AR-1260-4


R.T.: 7.741 min
Delta R.T.: -0.003 min
Response: 60451
Conc: 53.36 ng/ml



#35 AR-1260-5


R.T.: 9.033 min
Delta R.T.: -0.002 min
Response: 75682
Conc: 46.00 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.989 min
Delta R.T.: -0.003 min
Response: 115155
Conc: 45.91 ng/ml




#36 AR-1262-1

R.T.: 8.486 min
Delta R.T.: -0.004 min
Response: 51045
Conc: 48.34 ng/ml



#36 AR-1262-1


R.T.: 7.437 min
Delta R.T.: -0.002 min
Response: 162259
Conc: 179.24 ng/ml



#37 AR-1262-2


R.T.: 9.033 min
Delta R.T.: -0.001 min
Response: 75682
Conc: 43.72 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.741 min
Delta R.T.: -0.003 min
Response: 60451
Conc: 40.41 ng/ml




#38 AR-1262-3

R.T.: 9.340 min
Delta R.T.: -0.004 min
Response: 69666
Conc: 75.58 ng/ml



#38 AR-1262-3


R.T.: 8.278 min
Delta R.T.: -0.002 min
Response: 78159
Conc: 70.06 ng/ml



#39 AR-1262-4


R.T.: 9.428 min
Delta R.T.: 0.000 min
Response: 68364
Conc: 126.73 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 8.342 min
Delta R.T.: -0.003 min
Response: 138930
Conc: 68.15 ng/ml




#40 AR-1262-5

R.T.: 10.069 min
Delta R.T.: -0.004 min
Response: 42811
Conc: 70.45 ng/ml



#40 AR-1262-5


R.T.: 8.842 min
Delta R.T.: -0.002 min
Response: 56450
Conc: 60.88 ng/ml



#41 AR-1268-1


R.T.: 9.340 min
Delta R.T.: -0.001 min
Response: 69666
Conc: 33.79 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 8.278 min
Delta R.T.: -0.003 min
Response: 78159
Conc: 25.36 ng/ml




#42 AR-1268-2

R.T.: 9.428 min
Delta R.T.: -0.006 min
Response: 68364
Conc: 35.79 ng/ml



#42 AR-1268-2


R.T.: 8.342 min
Delta R.T.: -0.003 min
Response: 138930
Conc: 48.85 ng/ml



#43 AR-1268-3


R.T.: 9.652 min
Delta R.T.: -0.005 min
Response: 4540
Conc: 2.70 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 8.549 min
Delta R.T.: -0.004 min
Response: 14526
Conc: 6.10 ng/ml




#44 AR-1268-4

R.T.: 10.069 min
Delta R.T.: -0.004 min
Response: 42811
Conc: 67.75 ng/ml



#44 AR-1268-4


R.T.: 8.842 min
Delta R.T.: -0.003 min
Response: 56450
Conc: 55.36 ng/ml



#45 AR-1268-5

R.T.: 10.473 min
Delta R.T.: -0.003 min
Response: 45763
Conc: 8.59 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 9.128 min
Delta R.T.: -0.003 min
Response: 68141
Conc: 9.59 ng/ml