

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP011519\
 Data File : PP028870.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 16 Jan 2019 6:56
 Operator : EI\MA
 Sample : HSTDCCC750
 Misc : hexane
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 16 07:24:42 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP010319.M
 Quant Title : 8080.M
 QLast Update : Fri Jan 04 01:40:06 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-CLPesticides-1 Signal #2 Phase: ZB-CLPesticides-2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	12.139	12.250	200.5E6	364.3E6	779.746	834.395
Target Compounds							
1) T	Dalapon	3.365	3.033	391.2E6	378.0E6	639.648	646.637
2) T	3,5-DICHL...	10.551	10.340	356.6E6	404.7E6	713.559	785.368
3) T	4-Nitroph...	11.718	11.395	306.7E6	170.6E6	775.418	867.302
5) T	DICAMBA	12.462	12.561	1139.6E6	1341.8E6	727.951	776.951
6) T	MCPD	12.803	12.752	35509792	69860151	70.065	75.532
7) T	MCPA	13.047	13.141	56871537	115.7E6	71.416	79.079
8) T	DICHLORPROP	13.659	13.675	246.2E6	335.9E6	761.174	773.458
9) T	2,4-D	14.011	14.164	238.1E6	396.7E6	775.674	813.219
10) T	Pentachlo...	14.431	14.778	5793.8E6	5027.8E6	737.945	773.271
11) T	2,4,5-TP ...	15.293	15.346	2115.4E6	1962.3E6	744.358	794.401
12) T	2,4,5-T	15.684	15.990	1933.2E6	1693.8E6	766.511	780.830
13) T	2,4-DB	16.449	16.590	151.1E6	208.5E6	822.191	840.990
14) T	DINOSEB	17.938	16.982	1556.2E6	1376.7E6	711.103	784.529
15) T	Picloram	17.706	18.367	3065.1E6	2773.9E6	717.925	747.299
16) T	DCPA	18.303	18.243	3109.0E6	2507.6E6	753.031	767.807



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP011519\
Data File : PP028870.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 16 Jan 2019 6:56
Operator : EI\MA
Sample : HSTDCCC750
Misc : hexane
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 16 07:24:42 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP010319.M
Quant Title : 8080.M
QLast Update : Fri Jan 04 01:40:06 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-CLPesticides-1 Signal #2 Phase: ZB-CLPesticides-2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.365 min
Delta R.T.: 0.006 min
Response: 391155695
Conc: 639.65 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Dalapon

R.T.: 3.033 min
Delta R.T.: 0.006 min
Response: 378015986
Conc: 646.64 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 10.551 min
Delta R.T.: 0.002 min
Response: 356588032
Conc: 713.56 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 10.340 min
Delta R.T.: 0.003 min
Response: 404688662
Conc: 785.37 ng/ml



#3 4-Nitrophenol


R.T.: 11.718 min
Delta R.T.: -0.002 min
Response: 306672553
Conc: 775.42 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 4-Nitrophenol

R.T.: 11.395 min
Delta R.T.: -0.011 min
Response: 170584541
Conc: 867.30 ng/ml




#4 2,4-DCAA

R.T.: 12.139 min
Delta R.T.: 0.003 min
Response: 200476556
Conc: 779.75 ng/ml



#4 2,4-DCAA


R.T.: 12.250 min
Delta R.T.: 0.001 min
Response: 364280972
Conc: 834.39 ng/ml



#5 DICAMBA


R.T.: 12.462 min
Delta R.T.: 0.006 min
Response: 1139623437
Conc: 727.95 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 DICAMBA

R.T.: 12.561 min
Delta R.T.: 0.006 min
Response: 1341807966
Conc: 776.95 ng/ml




#6 MCP

R.T.: 12.803 min
Delta R.T.: 0.011 min
Response: 35509792
Conc: 70.07 ug/ml



#6 MCP


R.T.: 12.752 min
Delta R.T.: 0.011 min
Response: 69860151
Conc: 75.53 ug/ml



#7 MCPA


R.T.: 13.047 min
Delta R.T.: 0.012 min
Response: 56871537
Conc: 71.42 ug/ml

Instrument :
ECD_P
ClientSampleId :




#7 MCPA

R.T.: 13.141 min
Delta R.T.: 0.011 min
Response: 115731138
Conc: 79.08 ug/ml




#8 DICHLORPROP

R.T.: 13.659 min
Delta R.T.: 0.004 min
Response: 246247963
Conc: 761.17 ng/ml



#8 DICHLORPROP


R.T.: 13.675 min
Delta R.T.: 0.002 min
Response: 335878995
Conc: 773.46 ng/ml



#9 2,4-D


R.T.: 14.011 min
Delta R.T.: -0.002 min
Response: 238086051
Conc: 775.67 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 2,4-D

R.T.: 14.164 min
Delta R.T.: -0.007 min
Response: 396669109
Conc: 813.22 ng/ml




#10 Pentachlorophenol

R.T.: 14.431 min
Delta R.T.: 0.006 min
Response: 5793793501
Conc: 737.95 ng/ml



#10 Pentachlorophenol


R.T.: 14.778 min
Delta R.T.: 0.004 min
Response: 5027832137
Conc: 773.27 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 15.293 min
Delta R.T.: -0.004 min
Response: 2115442186
Conc: 744.36 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 2,4,5-TP (SILVEX)

R.T.: 15.346 min
Delta R.T.: -0.003 min
Response: 1962274880
Conc: 794.40 ng/ml




#12 2,4,5-T

R.T.: 15.684 min
Delta R.T.: -0.015 min
Response: 1933229273
Conc: 766.51 ng/ml



#12 2,4,5-T


R.T.: 15.990 min
Delta R.T.: -0.012 min
Response: 1693827289
Conc: 780.83 ng/ml



#13 2,4-DB


R.T.: 16.449 min
Delta R.T.: -0.034 min
Response: 151120801
Conc: 822.19 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 2,4-DB

R.T.: 16.590 min
Delta R.T.: -0.020 min
Response: 208468101
Conc: 840.99 ng/ml




#14 DINOSEB

R.T.: 17.938 min
Delta R.T.: 0.003 min
Response: 1556237901
Conc: 711.10 ng/ml



#14 DINOSEB


R.T.: 16.982 min
Delta R.T.: 0.002 min
Response: 1376740655
Conc: 784.53 ng/ml



#15 Picloram


R.T.: 17.706 min
Delta R.T.: -0.039 min
Response: 3065057146
Conc: 717.92 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 Picloram

R.T.: 18.367 min
Delta R.T.: -0.018 min
Response: 2773856568
Conc: 747.30 ng/ml



#16 DCPA

R.T.: 18.303 min
Delta R.T.: 0.005 min
Response: 3109034295
Conc: 753.03 ng/ml



#16 DCPA

R.T.: 18.243 min
Delta R.T.: 0.003 min
Response: 2507555018
Conc: 767.81 ng/ml