

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP012023\
 Data File : PP054765.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 20 Jan 2023 14:04
 Operator : YP\AJ
 Sample : 01189-14 10X
 Misc :
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 AERIAL-2869-2

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 20 16:22:29 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP011723.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jan 18 04:34:06 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	4.333	3.579	2757920	2132995	1.502	1.333
2) SA Decachlor...	10.101	8.605	2914104	2052024	2.171	1.433 #

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP012023\
Data File : PP054765.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 20 Jan 2023 14:04
Operator : YP\AJ
Sample : 01189-14 10X
Misc :
ALS Vial : 39 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
AERIAL-2869-2

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 20 16:22:29 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP011723.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Jan 18 04:34:06 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.333 min
Delta R.T.: 0.002 min
Response: 2757920
Conc: 1.50 ng/ml

Instrument :
ECD_P
ClientSampleId :
AERIAL-2869-2




#1 Tetrachloro-m-xylene

R.T.: 3.579 min
Delta R.T.: 0.000 min
Response: 2132995
Conc: 1.33 ng/ml



#2 Decachlorobiphenyl

R.T.: 10.101 min
Delta R.T.: 0.006 min
Response: 2914104
Conc: 2.17 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.605 min
Delta R.T.: 0.003 min
Response: 2052024
Conc: 1.43 ng/ml