

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP012221\
 Data File : PP032901.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 22 Jan 2021 18:23
 Operator : DD\AJ
 Sample : PB134286BS
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 23 00:38:38 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP011421.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Jan 14 08:12:55 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.738	4.008	1249184	935308	21.508	19.883
2)	SA Decachlor...	10.574	9.284	975169	882908	24.717	23.568
Target Compounds							
3)	L1 AR-1016-1	6.039	5.255	743770	633695	457.821	466.531
4)	L1 AR-1016-2	6.062	5.275	1091899	911201	441.887	449.243
5)	L1 AR-1016-3	6.127	5.466	670875	503338	451.600	460.670
6)	L1 AR-1016-4	6.232	5.517	559272	365485	449.344	451.480
7)	L1 AR-1016-5	6.546	5.745	518801	492672	457.148	457.259
8)	L2 AR-1221-1	4.981	4.260	104180	62480	170.371	130.008
9)	L2 AR-1221-2	5.080	4.361	96201	102981	212.138	281.846 #
10)	L2 AR-1221-3	5.165	4.448	411562	357186	298.021	310.568
11)	L3 AR-1232-1	5.165	4.448	411562	357186	369.115	387.418
12)	L3 AR-1232-2	5.747	5.275	565703	911201	1009.606	1060.710
13)	L3 AR-1232-3	6.062	5.466	1091899	503338	1026.851	1113.534
14)	L3 AR-1232-4	6.232	5.561	559272	459062	1039.769	1207.128
15)	L3 AR-1232-5	6.332	5.745	397637	492672	1171.683	1153.000
16)	L4 AR-1242-1	6.039	5.255	743770	633695	603.716	629.087
17)	L4 AR-1242-2	6.062	5.275	1091899	911201	575.258	605.057
18)	L4 AR-1242-3	6.127	5.466	670875	503338	584.940	610.151
19)	L4 AR-1242-4	6.232	5.561	559272	459062	577.607	589.640
20)	L4 AR-1242-5	7.010	6.123	72690	381207	76.018	397.797 #
21)	L5 AR-1248-1	6.039	5.255	743770	633695	803.884	819.914
22)	L5 AR-1248-2	6.332	5.517	397637	365485	326.240	342.125
23)	L5 AR-1248-3	6.546	5.561	518801	459062	346.599	401.783
24)	L5 AR-1248-4	6.971	5.745	80547	492672	49.660	358.772 #
25)	L5 AR-1248-5	7.010	6.168	72690	55848	45.459	42.385
26)	L6 AR-1254-1	6.941	6.123	374766	381207	225.646	186.199
27)	L6 AR-1254-2	7.170	6.282	401834	356082	159.777	202.753 #
28)	L6 AR-1254-3	7.549	6.719	220596	658119	81.874	229.154 #
29)	L6 AR-1254-4	7.841	6.942	128893	64036	65.434	38.671 #
30)	L6 AR-1254-5	8.269	7.368	1417807	1303831	679.858	539.024
31)	L7 AR-1260-1	7.716	6.837	892357	916722	468.094	480.561
32)	L7 AR-1260-2	7.981	7.035	1174621	1071732	486.349	470.293
33)	L7 AR-1260-3	8.346	7.189	865519	1064983	429.409	487.023
34)	L7 AR-1260-4	8.574	7.670	890884	770719	432.374	421.777
35)	L7 AR-1260-5	8.887	7.919	2026172	1843652	447.286	428.589
36)	L8 AR-1262-1	8.346	7.463	865519	440224	291.831	391.742 #
37)	L8 AR-1262-2	8.887	7.919	2026172	1843652	399.973	399.667
38)	L8 AR-1262-3	9.198	8.204	1260169	366759	358.313	191.543 #
39)	L8 AR-1262-4	9.267	8.267	296814	1358525	107.435	383.823 #
40)	L8 AR-1262-5	9.887	8.766	536880	433044	295.906	273.754
41)	L9 AR-1268-1	9.198	8.204	1260169	366759	190.348	65.045 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP012221\
 Data File : PP032901.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 22 Jan 2021 18:23
 Operator : DD\AJ
 Sample : PB134286BS
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 23 00:38:38 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP011421.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Jan 14 08:12:55 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	9.267	8.267	296814	1358525	49.272	250.599 #
43) L9	AR-1268-3	9.480	8.473	45519	24750	8.504	5.213 #
44) L9	AR-1268-4	9.887	8.766	536880	433044	261.784	239.427
45) L9	AR-1268-5	10.266	9.045	180012	146785	11.908	10.138


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP012221\
Data File : PP032901.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 22 Jan 2021 18:23
Operator : DD\AJ
Sample : PB134286BS
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 23 00:38:38 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP011421.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Jan 14 08:12:55 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.738 min
Delta R.T.: -0.003 min
Response: 1249184
Conc: 21.51 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 4.008 min
Delta R.T.: -0.005 min
Response: 935308
Conc: 19.88 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.574 min
Delta R.T.: -0.002 min
Response: 975169
Conc: 24.72 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.284 min
Delta R.T.: -0.012 min
Response: 882908
Conc: 23.57 ng/ml



#3 AR-1016-1


R.T.: 6.039 min
Delta R.T.: -0.005 min
Response: 743770
Conc: 457.82 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 5.255 min
Delta R.T.: -0.009 min
Response: 633695
Conc: 466.53 ng/ml




#4 AR-1016-2

R.T.: 6.062 min
Delta R.T.: -0.004 min
Response: 1091899
Conc: 441.89 ng/ml



#4 AR-1016-2


R.T.: 5.275 min
Delta R.T.: -0.008 min
Response: 911201
Conc: 449.24 ng/ml



#5 AR-1016-3


R.T.: 6.127 min
Delta R.T.: -0.004 min
Response: 670875
Conc: 451.60 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 5.466 min
Delta R.T.: -0.009 min
Response: 503338
Conc: 460.67 ng/ml




#6 AR-1016-4

R.T.: 6.232 min
Delta R.T.: -0.005 min
Response: 559272
Conc: 449.34 ng/ml



#6 AR-1016-4


R.T.: 5.517 min
Delta R.T.: -0.009 min
Response: 365485
Conc: 451.48 ng/ml



#7 AR-1016-5


R.T.: 6.546 min
Delta R.T.: -0.005 min
Response: 518801
Conc: 457.15 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.745 min
Delta R.T.: -0.009 min
Response: 492672
Conc: 457.26 ng/ml




#8 AR-1221-1

R.T.: 4.981 min
Delta R.T.: -0.006 min
Response: 104180
Conc: 170.37 ng/ml



#8 AR-1221-1


R.T.: 4.260 min
Delta R.T.: -0.006 min
Response: 62480
Conc: 130.01 ng/ml



#9 AR-1221-2


R.T.: 5.080 min
Delta R.T.: -0.003 min
Response: 96201
Conc: 212.14 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 4.361 min
Delta R.T.: -0.005 min
Response: 102981
Conc: 281.85 ng/ml




#10 AR-1221-3

R.T.: 5.165 min
Delta R.T.: -0.003 min
Response: 411562
Conc: 298.02 ng/ml



#10 AR-1221-3


R.T.: 4.448 min
Delta R.T.: -0.005 min
Response: 357186
Conc: 310.57 ng/ml



#11 AR-1232-1


R.T.: 5.165 min
Delta R.T.: -0.004 min
Response: 411562
Conc: 369.11 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.448 min
Delta R.T.: -0.005 min
Response: 357186
Conc: 387.42 ng/ml




#12 AR-1232-2

R.T.: 5.747 min
Delta R.T.: -0.005 min
Response: 565703
Conc: 1009.61 ng/ml



#12 AR-1232-2


R.T.: 5.275 min
Delta R.T.: -0.006 min
Response: 911201
Conc: 1060.71 ng/ml



#13 AR-1232-3


R.T.: 6.062 min
Delta R.T.: -0.005 min
Response: 1091899
Conc: 1026.85 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 5.466 min
Delta R.T.: -0.006 min
Response: 503338
Conc: 1113.53 ng/ml




#14 AR-1232-4

R.T.: 6.232 min
Delta R.T.: -0.005 min
Response: 559272
Conc: 1039.77 ng/ml



#14 AR-1232-4


R.T.: 5.561 min
Delta R.T.: -0.007 min
Response: 459062
Conc: 1207.13 ng/ml



#15 AR-1232-5


R.T.: 6.332 min
Delta R.T.: -0.005 min
Response: 397637
Conc: 1171.68 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.745 min
Delta R.T.: -0.007 min
Response: 492672
Conc: 1153.00 ng/ml




#16 AR-1242-1

R.T.: 6.039 min
Delta R.T.: -0.005 min
Response: 743770
Conc: 603.72 ng/ml



#16 AR-1242-1


R.T.: 5.255 min
Delta R.T.: -0.007 min
Response: 633695
Conc: 629.09 ng/ml



#17 AR-1242-2


R.T.: 6.062 min
Delta R.T.: -0.003 min
Response: 1091899
Conc: 575.26 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 5.275 min
Delta R.T.: -0.006 min
Response: 911201
Conc: 605.06 ng/ml




#18 AR-1242-3

R.T.: 6.127 min
Delta R.T.: -0.005 min
Response: 670875
Conc: 584.94 ng/ml



#18 AR-1242-3


R.T.: 5.466 min
Delta R.T.: -0.006 min
Response: 503338
Conc: 610.15 ng/ml



#19 AR-1242-4


R.T.: 6.232 min
Delta R.T.: -0.005 min
Response: 559272
Conc: 577.61 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.561 min
Delta R.T.: -0.006 min
Response: 459062
Conc: 589.64 ng/ml




#20 AR-1242-5

R.T.: 7.010 min
Delta R.T.: -0.005 min
Response: 72690
Conc: 76.02 ng/ml



#20 AR-1242-5


R.T.: 6.123 min
Delta R.T.: -0.008 min
Response: 381207
Conc: 397.80 ng/ml



#21 AR-1248-1


R.T.: 6.039 min
Delta R.T.: -0.005 min
Response: 743770
Conc: 803.88 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 5.255 min
Delta R.T.: -0.006 min
Response: 633695
Conc: 819.91 ng/ml




#22 AR-1248-2

R.T.: 6.332 min
Delta R.T.: -0.004 min
Response: 397637
Conc: 326.24 ng/ml



#22 AR-1248-2


R.T.: 5.517 min
Delta R.T.: -0.006 min
Response: 365485
Conc: 342.13 ng/ml



#23 AR-1248-3


R.T.: 6.546 min
Delta R.T.: -0.005 min
Response: 518801
Conc: 346.60 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.561 min
Delta R.T.: -0.006 min
Response: 459062
Conc: 401.78 ng/ml




#24 AR-1248-4

R.T.: 6.971 min
Delta R.T.: -0.004 min
Response: 80547
Conc: 49.66 ng/ml



#24 AR-1248-4


R.T.: 5.745 min
Delta R.T.: -0.007 min
Response: 492672
Conc: 358.77 ng/ml



#25 AR-1248-5


R.T.: 7.010 min
Delta R.T.: -0.005 min
Response: 72690
Conc: 45.46 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 6.168 min
Delta R.T.: -0.006 min
Response: 55848
Conc: 42.39 ng/ml




#26 AR-1254-1

R.T.: 6.941 min
Delta R.T.: -0.005 min
Response: 374766
Conc: 225.65 ng/ml



#26 AR-1254-1


R.T.: 6.123 min
Delta R.T.: -0.008 min
Response: 381207
Conc: 186.20 ng/ml



#27 AR-1254-2


R.T.: 7.170 min
Delta R.T.: -0.006 min
Response: 401834
Conc: 159.78 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 6.282 min
Delta R.T.: -0.008 min
Response: 356082
Conc: 202.75 ng/ml




#28 AR-1254-3

R.T.: 7.549 min
Delta R.T.: -0.003 min
Response: 220596
Conc: 81.87 ng/ml



#28 AR-1254-3


R.T.: 6.719 min
Delta R.T.: 0.010 min
Response: 658119
Conc: 229.15 ng/ml



#29 AR-1254-4


R.T.: 7.841 min
Delta R.T.: -0.006 min
Response: 128893
Conc: 65.43 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.942 min
Delta R.T.: -0.007 min
Response: 64036
Conc: 38.67 ng/ml




#30 AR-1254-5

R.T.: 8.269 min
Delta R.T.: -0.005 min
Response: 1417807
Conc: 679.86 ng/ml



#30 AR-1254-5


R.T.: 7.368 min
Delta R.T.: -0.008 min
Response: 1303831
Conc: 539.02 ng/ml



#31 AR-1260-1


R.T.: 7.716 min
Delta R.T.: -0.005 min
Response: 892357
Conc: 468.09 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.837 min
Delta R.T.: -0.009 min
Response: 916722
Conc: 480.56 ng/ml




#32 AR-1260-2

R.T.: 7.981 min
Delta R.T.: -0.005 min
Response: 1174621
Conc: 486.35 ng/ml



#32 AR-1260-2


R.T.: 7.035 min
Delta R.T.: -0.010 min
Response: 1071732
Conc: 470.29 ng/ml



#33 AR-1260-3


R.T.: 8.346 min
Delta R.T.: -0.005 min
Response: 865519
Conc: 429.41 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 7.189 min
Delta R.T.: -0.010 min
Response: 1064983
Conc: 487.02 ng/ml




#34 AR-1260-4

R.T.: 8.574 min
Delta R.T.: -0.004 min
Response: 890884
Conc: 432.37 ng/ml



#34 AR-1260-4


R.T.: 7.670 min
Delta R.T.: -0.010 min
Response: 770719
Conc: 421.78 ng/ml



#35 AR-1260-5


R.T.: 8.887 min
Delta R.T.: -0.004 min
Response: 2026172
Conc: 447.29 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.919 min
Delta R.T.: -0.009 min
Response: 1843652
Conc: 428.59 ng/ml




#36 AR-1262-1

R.T.: 8.346 min
Delta R.T.: -0.004 min
Response: 865519
Conc: 291.83 ng/ml



#36 AR-1262-1


R.T.: 7.463 min
Delta R.T.: -0.008 min
Response: 440224
Conc: 391.74 ng/ml



#37 AR-1262-2


R.T.: 8.887 min
Delta R.T.: -0.004 min
Response: 2026172
Conc: 399.97 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.919 min
Delta R.T.: -0.008 min
Response: 1843652
Conc: 399.67 ng/ml




#38 AR-1262-3

R.T.: 9.198 min
Delta R.T.: 0.012 min
Response: 1260169
Conc: 358.31 ng/ml



#38 AR-1262-3


R.T.: 8.204 min
Delta R.T.: -0.008 min
Response: 366759
Conc: 191.54 ng/ml



#39 AR-1262-4


R.T.: 9.267 min
Delta R.T.: -0.004 min
Response: 296814
Conc: 107.44 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 8.267 min
Delta R.T.: -0.010 min
Response: 1358525
Conc: 383.82 ng/ml




#40 AR-1262-5

R.T.: 9.887 min
Delta R.T.: -0.002 min
Response: 536880
Conc: 295.91 ng/ml



#40 AR-1262-5


R.T.: 8.766 min
Delta R.T.: -0.008 min
Response: 433044
Conc: 273.75 ng/ml



#41 AR-1268-1


R.T.: 9.198 min
Delta R.T.: 0.013 min
Response: 1260169
Conc: 190.35 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 8.204 min
Delta R.T.: -0.007 min
Response: 366759
Conc: 65.04 ng/ml




#42 AR-1268-2

R.T.: 9.267 min
Delta R.T.: -0.006 min
Response: 296814
Conc: 49.27 ng/ml



#42 AR-1268-2


R.T.: 8.267 min
Delta R.T.: -0.010 min
Response: 1358525
Conc: 250.60 ng/ml



#43 AR-1268-3


R.T.: 9.480 min
Delta R.T.: -0.004 min
Response: 45519
Conc: 8.50 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 8.473 min
Delta R.T.: -0.008 min
Response: 24750
Conc: 5.21 ng/ml




#44 AR-1268-4

R.T.: 9.887 min
Delta R.T.: -0.002 min
Response: 536880
Conc: 261.78 ng/ml



#44 AR-1268-4


R.T.: 8.766 min
Delta R.T.: -0.007 min
Response: 433044
Conc: 239.43 ng/ml



#45 AR-1268-5

R.T.: 10.266 min
Delta R.T.: -0.004 min
Response: 180012
Conc: 11.91 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 9.045 min
Delta R.T.: -0.008 min
Response: 146785
Conc: 10.14 ng/ml