

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP012523\
 Data File : PP054865.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Jan 2023 12:21
 Operator : YP\AJ
 Sample : 01214-19
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 24 15:57:01 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP012423.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Jan 24 03:37:45 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.331	3.577	33229928	29038704	19.112	19.343
2)	SA Decachlor...	10.086	8.594	32936381	25453810	19.020	18.847
Target Compounds							
3)	L1 AR-1016-1	5.508	0.000	92696	0	1.379	N.D. #
4)	L1 AR-1016-2	5.528	0.000	166575	0	1.738	N.D. #
5)	L1 AR-1016-3	5.582	0.000	216316	0	3.616	N.D. #
6)	L1 AR-1016-4	5.702f	0.000	96567	0	2.015	N.D. #
7)	L1 AR-1016-5	5.970	5.105	11042	112816	0.218	2.759 #
8)	L2 AR-1221-1	4.538	0.000	4413824	0	187.702	N.D. #
9)	L2 AR-1221-2	4.637	3.859f	533368	3590415	30.020	242.230 #
10)	L2 AR-1221-3	4.697	3.938	145327	45932	2.701	1.018 #
11)	L3 AR-1232-1	4.697	3.938f	145327	45932	3.274	1.246 #
12)	L3 AR-1232-2	5.255f	0.000	223792	0	9.896	N.D. #
13)	L3 AR-1232-3	5.528	0.000	166575	0	3.793	N.D. #
14)	L3 AR-1232-4	5.702	0.000	96567	0	4.363	N.D. #
15)	L3 AR-1232-5	5.784	5.105	201241	112816	11.495	6.388 #
16)	L4 AR-1242-1	5.508	0.000	92696	0	1.656	N.D. #
17)	L4 AR-1242-2	5.528	0.000	166575	0	2.087	N.D. #
18)	L4 AR-1242-3	5.582	0.000	216316	0	4.356	N.D. #
19)	L4 AR-1242-4	5.702f	0.000	96567	0	2.410	N.D. #
20)	L4 AR-1242-5	6.427	5.493f	51244	658833	1.153	17.629 #
21)	L5 AR-1248-1	5.508	0.000	92696	0	2.223	N.D. #
22)	L5 AR-1248-2	5.784	0.000	201241	0	3.165	N.D. #
23)	L5 AR-1248-3	5.970	0.000	11042	0	0.160	N.D. #
24)	L5 AR-1248-4	6.403f	5.105	387950	112816	5.116	2.043 #
25)	L5 AR-1248-5	6.427	5.493f	51244	658833	0.694	13.399 #
26)	L6 AR-1254-1	6.363	5.493f	105826	658833	1.341	8.158 #
27)	L6 AR-1254-2	6.584	5.591f	29092	204074	0.240	2.852 #
28)	L6 AR-1254-3	6.950	6.008	103900	69745	0.848	0.626 #
29)	L6 AR-1254-4	7.223	0.000	163311	0	1.853	N.D. #
30)	L6 AR-1254-5	7.663	0.000	484734	0	4.792	N.D. #
31)	L7 AR-1260-1	7.101	6.178f	338208	64317	3.548	0.829 #
32)	L7 AR-1260-2	7.389f	0.000	1300604	0	11.556	N.D. #
33)	L7 AR-1260-3	0.000	6.507	0	1789902	N.D.	21.080 #
34)	L7 AR-1260-4	7.961	6.940f	1253643	488355	12.914	6.820 #
35)	L7 AR-1260-5	8.284	7.209	665693	133714	3.743	0.870 #
36)	L8 AR-1262-1	0.000	6.739f	0	116524	N.D.	2.712 #
37)	L8 AR-1262-2	8.284	6.940f	665693	488355	3.305	5.272 #
38)	L8 AR-1262-3	8.571f	7.484	140274	96874	1.009	1.330 #
39)	L8 AR-1262-4	8.669	7.566	845189	89167	10.993	0.682 #
40)	L8 AR-1262-5	9.351f	0.000	43205	0	0.604	N.D. #
41)	L9 AR-1268-1	8.571	7.484	140274	96874	0.574	0.448

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP012523\
Data File : PP054865.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Jan 2023 12:21
Operator : YP\AJ
Sample : 01214-19
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 24 15:57:01 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP012423.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Jan 24 03:37:45 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.669	7.566	845189	89167	3.721	0.457 #
43) L9	AR-1268-3	8.895	7.764	128910	109946	0.645	0.640
44) L9	AR-1268-4	9.351f	0.000	43205	0	0.550	N.D. #
45) L9	AR-1268-5	9.741	8.342	97836	172108	0.154	0.327 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP012523\
Data File : PP054865.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Jan 2023 12:21
Operator : YP\AJ
Sample : 01214-19
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 24 15:57:01 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP012423.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Jan 24 03:37:45 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.331 min
Delta R.T.: -0.001 min
Response: 33229928
Conc: 19.11 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.577 min
Delta R.T.: 0.000 min
Response: 29038704
Conc: 19.34 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.086 min
Delta R.T.: -0.005 min
Response: 32936381
Conc: 19.02 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.594 min
Delta R.T.: -0.004 min
Response: 25453810
Conc: 18.85 ng/ml



#3 AR-1016-1


R.T.: 5.508 min
Delta R.T.: 0.005 min
Response: 92696
Conc: 1.38 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 0.000 min
Exp R.T. : 4.664 min
Response: 0
Conc: N.D.




#4 AR-1016-2

R.T.: 5.528 min
Delta R.T.: 0.002 min
Response: 166575
Conc: 1.74 ng/ml



#4 AR-1016-2


R.T.: 0.000 min
Exp R.T. : 4.682 min
Response: 0
Conc: N.D.



#5 AR-1016-3


R.T.: 5.582 min
Delta R.T.: -0.006 min
Response: 216316
Conc: 3.62 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 0.000 min
Exp R.T. : 4.859 min
Response: 0
Conc: N.D.




#6 AR-1016-4

R.T.: 5.702 min
Delta R.T.: 0.015 min
Response: 96567
Conc: 2.02 ng/ml



#6 AR-1016-4


R.T.: 0.000 min
Exp R.T. : 4.901 min
Response: 0
Conc: N.D.



#7 AR-1016-5


R.T.: 5.970 min
Delta R.T.: -0.013 min
Response: 11042
Conc: 0.22 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.105 min
Delta R.T.: -0.010 min
Response: 112816
Conc: 2.76 ng/ml




#8 AR-1221-1

R.T.: 4.538 min
Delta R.T.: -0.002 min
Response: 4413824
Conc: 187.70 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T. : 3.791 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.637 min
Delta R.T.: 0.011 min
Response: 533368
Conc: 30.02 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.859 min
Delta R.T.: -0.018 min
Response: 3590415
Conc: 242.23 ng/ml




#10 AR-1221-3

R.T.: 4.697 min
Delta R.T.: -0.006 min
Response: 145327
Conc: 2.70 ng/ml



#10 AR-1221-3


R.T.: 3.938 min
Delta R.T.: -0.014 min
Response: 45932
Conc: 1.02 ng/ml



#11 AR-1232-1


R.T.: 4.697 min
Delta R.T.: -0.007 min
Response: 145327
Conc: 3.27 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.938 min
Delta R.T.: -0.015 min
Response: 45932
Conc: 1.25 ng/ml




#12 AR-1232-2

R.T.: 5.255 min
Delta R.T.: 0.020 min
Response: 223792
Conc: 9.90 ng/ml



#12 AR-1232-2


R.T.: 0.000 min
Exp R.T. : 4.683 min
Response: 0
Conc: N.D.



#13 AR-1232-3


R.T.: 5.528 min
Delta R.T.: 0.002 min
Response: 166575
Conc: 3.79 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 0.000 min
Exp R.T. : 4.859 min
Response: 0
Conc: N.D.




#14 AR-1232-4

R.T.: 5.702 min
Delta R.T.: 0.015 min
Response: 96567
Conc: 4.36 ng/ml



#14 AR-1232-4


R.T.: 0.000 min
Exp R.T. : 4.944 min
Response: 0
Conc: N.D.



#15 AR-1232-5


R.T.: 5.784 min
Delta R.T.: 0.005 min
Response: 201241
Conc: 11.49 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.105 min
Delta R.T.: -0.010 min
Response: 112816
Conc: 6.39 ng/ml




#16 AR-1242-1

R.T.: 5.508 min
Delta R.T.: 0.005 min
Response: 92696
Conc: 1.66 ng/ml



#16 AR-1242-1


R.T.: 0.000 min
Exp R.T. : 4.664 min
Response: 0
Conc: N.D.



#17 AR-1242-2


R.T.: 5.528 min
Delta R.T.: 0.002 min
Response: 166575
Conc: 2.09 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 0.000 min
Exp R.T. : 4.683 min
Response: 0
Conc: N.D.




#18 AR-1242-3

R.T.: 5.582 min
Delta R.T.: -0.006 min
Response: 216316
Conc: 4.36 ng/ml



#18 AR-1242-3


R.T.: 0.000 min
Exp R.T. : 4.860 min
Response: 0
Conc: N.D.



#19 AR-1242-4


R.T.: 5.702 min
Delta R.T.: 0.015 min
Response: 96567
Conc: 2.41 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 0.000 min
Exp R.T. : 4.943 min
Response: 0
Conc: N.D.




#20 AR-1242-5

R.T.: 6.427 min
Delta R.T.: 0.000 min
Response: 51244
Conc: 1.15 ng/ml



#20 AR-1242-5


R.T.: 5.493 min
Delta R.T.: 0.025 min
Response: 658833
Conc: 17.63 ng/ml



#21 AR-1248-1


R.T.: 5.508 min
Delta R.T.: 0.007 min
Response: 92696
Conc: 2.22 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 0.000 min
Exp R.T. : 4.663 min
Response: 0
Conc: N.D.




#22 AR-1248-2

R.T.: 5.784 min
Delta R.T.: 0.007 min
Response: 201241
Conc: 3.17 ng/ml



#22 AR-1248-2


R.T.: 0.000 min
Exp R.T. : 4.901 min
Response: 0
Conc: N.D.



#23 AR-1248-3


R.T.: 5.970 min
Delta R.T.: -0.011 min
Response: 11042
Conc: 0.16 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 0.000 min
Exp R.T. : 4.942 min
Response: 0
Conc: N.D.




#24 AR-1248-4

R.T.: 6.403 min
Delta R.T.: 0.016 min
Response: 387950
Conc: 5.12 ng/ml



#24 AR-1248-4


R.T.: 5.105 min
Delta R.T.: -0.009 min
Response: 112816
Conc: 2.04 ng/ml



#25 AR-1248-5


R.T.: 6.427 min
Delta R.T.: 0.000 min
Response: 51244
Conc: 0.69 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.493 min
Delta R.T.: -0.015 min
Response: 658833
Conc: 13.40 ng/ml




#26 AR-1254-1

R.T.: 6.363 min
Delta R.T.: 0.002 min
Response: 105826
Conc: 1.34 ng/ml



#26 AR-1254-1


R.T.: 5.493 min
Delta R.T.: 0.026 min
Response: 658833
Conc: 8.16 ng/ml



#27 AR-1254-2


R.T.: 6.584 min
Delta R.T.: 0.003 min
Response: 29092
Conc: 0.24 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.591 min
Delta R.T.: -0.025 min
Response: 204074
Conc: 2.85 ng/ml




#28 AR-1254-3

R.T.: 6.950 min
Delta R.T.: 0.002 min
Response: 103900
Conc: 0.85 ng/ml



#28 AR-1254-3


R.T.: 6.008 min
Delta R.T.: -0.012 min
Response: 69745
Conc: 0.63 ng/ml



#29 AR-1254-4


R.T.: 7.223 min
Delta R.T.: -0.013 min
Response: 163311
Conc: 1.85 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 0.000 min
Exp R.T. : 6.250 min
Response: 0
Conc: N.D.




#30 AR-1254-5

R.T.: 7.663 min
Delta R.T.: 0.006 min
Response: 484734
Conc: 4.79 ng/ml



#30 AR-1254-5


R.T.: 0.000 min
Exp R.T. : 6.669 min
Response: 0
Conc: N.D.



#31 AR-1260-1


R.T.: 7.101 min
Delta R.T.: -0.015 min
Response: 338208
Conc: 3.55 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.178 min
Delta R.T.: 0.026 min
Response: 64317
Conc: 0.83 ng/ml




#32 AR-1260-2

R.T.: 7.389 min
Delta R.T.: 0.015 min
Response: 1300604
Conc: 11.56 ng/ml



#32 AR-1260-2


R.T.: 0.000 min
Exp R.T.: 6.341 min
Response: 0
Conc: N.D.



#33 AR-1260-3


R.T.: 0.000 min
Exp R.T.: 7.735 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.507 min
Delta R.T.: 0.012 min
Response: 1789902
Conc: 21.08 ng/ml




#34 AR-1260-4

R.T.: 7.961 min
Delta R.T.: 0.000 min
Response: 1253643
Conc: 12.91 ng/ml



#34 AR-1260-4


R.T.: 6.940 min
Delta R.T.: -0.029 min
Response: 488355
Conc: 6.82 ng/ml



#35 AR-1260-5


R.T.: 8.284 min
Delta R.T.: 0.006 min
Response: 665693
Conc: 3.74 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.209 min
Delta R.T.: -0.003 min
Response: 133714
Conc: 0.87 ng/ml




#36 AR-1262-1

R.T.: 0.000 min
Exp R.T. : 7.734 min
Response: 0
Conc: N.D.



#36 AR-1262-1


R.T.: 6.739 min
Delta R.T.: -0.022 min
Response: 116524
Conc: 2.71 ng/ml



#37 AR-1262-2


R.T.: 8.284 min
Delta R.T.: 0.007 min
Response: 665693
Conc: 3.31 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.940 min
Delta R.T.: -0.027 min
Response: 488355
Conc: 5.27 ng/ml




#38 AR-1262-3

R.T.: 8.571 min
Delta R.T.: -0.019 min
Response: 140274
Conc: 1.01 ng/ml



#38 AR-1262-3


R.T.: 7.484 min
Delta R.T.: -0.010 min
Response: 96874
Conc: 1.33 ng/ml



#39 AR-1262-4


R.T.: 8.669 min
Delta R.T.: -0.009 min
Response: 845189
Conc: 10.99 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.566 min
Delta R.T.: 0.007 min
Response: 89167
Conc: 0.68 ng/ml




#40 AR-1262-5

R.T.: 9.351 min
Delta R.T.: 0.017 min
Response: 43205
Conc: 0.60 ng/ml



#40 AR-1262-5


R.T.: 0.000 min
Exp R.T.: 8.054 min
Response: 0
Conc: N.D.



#41 AR-1268-1


R.T.: 8.571 min
Delta R.T.: -0.014 min
Response: 140274
Conc: 0.57 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.484 min
Delta R.T.: -0.009 min
Response: 96874
Conc: 0.45 ng/ml




#42 AR-1268-2

R.T.: 8.669 min
Delta R.T.: -0.010 min
Response: 845189
Conc: 3.72 ng/ml



#42 AR-1268-2


R.T.: 7.566 min
Delta R.T.: 0.007 min
Response: 89167
Conc: 0.46 ng/ml



#43 AR-1268-3


R.T.: 8.895 min
Delta R.T.: -0.012 min
Response: 128910
Conc: 0.65 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.764 min
Delta R.T.: -0.002 min
Response: 109946
Conc: 0.64 ng/ml




#44 AR-1268-4

R.T.: 9.351 min
Delta R.T.: 0.018 min
Response: 43205
Conc: 0.55 ng/ml



#44 AR-1268-4


R.T.: 0.000 min
Exp R.T. : 8.054 min
Response: 0
Conc: N.D.



#45 AR-1268-5

R.T.: 9.741 min
Delta R.T.: -0.008 min
Response: 97836
Conc: 0.15 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.342 min
Delta R.T.: 0.000 min
Response: 172108
Conc: 0.33 ng/ml