

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP013123\
 Data File : PP055176.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 31 Jan 2023 23:51
 Operator : YP\AJ
 Sample : 01358-11
 Misc :
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 01 06:31:27 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP012423.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Jan 24 03:37:45 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.329	3.575	32118321	27935151	18.472	18.608
2)	SA Decachlor...	10.081	8.587	31016706	24275128	17.911	17.974
Target Compounds							
3)	L1 AR-1016-1	5.498	4.687f	204205	1668174	3.038	33.705 #
4)	L1 AR-1016-2	5.522	4.687	414547	1668174	4.326	24.100 #
5)	L1 AR-1016-3	5.572f	4.856	370929	206513	6.201	5.552
6)	L1 AR-1016-4	5.679	4.898	-241667	301226	N.D.	9.586 #
7)	L1 AR-1016-5	5.978	5.098f	212451	134995	4.193	3.302
8)	L2 AR-1221-1	4.536	0.000	299463	0	12.735	N.D. #
9)	L2 AR-1221-2	4.636	3.873	734307	770472	41.330	51.980 #
10)	L2 AR-1221-3	4.699	3.954	168700	205389	3.135	4.553 #
11)	L3 AR-1232-1	4.699	3.954	168700	205389	3.801	5.572 #
12)	L3 AR-1232-2	5.254f	4.687	200940	1668174	8.885	52.224 #
13)	L3 AR-1232-3	5.522	4.856	414547	206513	9.439	12.388 #
15)	L3 AR-1232-5	5.773	5.098f	256331	134995	14.642	7.643 #
16)	L4 AR-1242-1	5.498	4.687f	204205	1668174	3.647	40.725 #
17)	L4 AR-1242-2	5.522	4.687	414547	1668174	5.193	29.214 #
18)	L4 AR-1242-3	5.572f	4.856	370929	206513	7.469	6.690
20)	L4 AR-1242-5	6.428	5.466	692497	1582501	15.575	42.345 #
21)	L5 AR-1248-1	5.498	4.687f	204205	1668174	4.897	53.807 #
22)	L5 AR-1248-2	5.773	4.898	256331	301226	4.032	6.587 #
23)	L5 AR-1248-3	5.978	4.936	212451	151898	3.072	3.186
24)	L5 AR-1248-4	6.390	5.098f	442056	134995	5.829	2.444 #
25)	L5 AR-1248-5	6.428	5.499	692497	536794	9.384	10.917
26)	L6 AR-1254-1	6.362	5.466	1084670	1582501	13.749	19.596 #
27)	L6 AR-1254-2	6.580	5.611	1512383	950924	12.497	13.288
28)	L6 AR-1254-3	6.947	6.015	2588606	1466694	21.133	13.165 #
29)	L6 AR-1254-4	7.234	6.243	326551	416502	3.706	6.772 #
30)	L6 AR-1254-5	7.652	6.662	1808780	1894356	17.880	19.982
31)	L7 AR-1260-1	7.111	6.145	2686729	1849843	28.185	23.855
32)	L7 AR-1260-2	7.364	6.335	2638472	1217480	23.443	13.543 #
33)	L7 AR-1260-3	7.731	6.486	735468	834502	9.134	9.828
34)	L7 AR-1260-4	7.955	6.960	1249767	568622	12.874	7.941 #
35)	L7 AR-1260-5	8.274	7.203	1658990	1233254	9.328	8.022
36)	L8 AR-1262-1	7.731	6.757	735468	480031	6.234	11.174 #
37)	L8 AR-1262-2	8.274	6.960	1658990	568622	8.237	6.139 #
38)	L8 AR-1262-3	8.594	7.486	830123	546591	5.969	7.502 #
39)	L8 AR-1262-4	8.670	7.551	498324	1037660	6.482	7.934
40)	L8 AR-1262-5	9.330	8.047	147561	261569	2.063	4.409 #
41)	L9 AR-1268-1	8.594	7.486	830123	546591	3.396	2.528 #
42)	L9 AR-1268-2	8.670	7.551	498324	1037660	2.194	5.318 #
43)	L9 AR-1268-3	0.000	7.757	0	113291	N.D.	0.660 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP013123\
 Data File : PP055176.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 31 Jan 2023 23:51
 Operator : YP\AJ
 Sample : 01358-11
 Misc :
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 01 06:31:27 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP012423.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Jan 24 03:37:45 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
44) L9	AR-1268-4	9.330	8.047	147561	261569	1.879	4.101 #
45) L9	AR-1268-5	9.745	8.335	283021	292643	0.445	0.556



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP013123\
Data File : PP055176.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 31 Jan 2023 23:51
Operator : YP\AJ
Sample : 01358-11
Misc :
ALS Vial : 37 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 01 06:31:27 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP012423.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Jan 24 03:37:45 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.329 min
Delta R.T.: -0.003 min
Response: 32118321
Conc: 18.47 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.575 min
Delta R.T.: -0.004 min
Response: 27935151
Conc: 18.61 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.081 min
Delta R.T.: -0.010 min
Response: 31016706
Conc: 17.91 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.587 min
Delta R.T.: -0.011 min
Response: 24275128
Conc: 17.97 ng/ml



#3 AR-1016-1


R.T.: 5.498 min
Delta R.T.: -0.005 min
Response: 204205
Conc: 3.04 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.687 min
Delta R.T.: 0.023 min
Response: 1668174
Conc: 33.70 ng/ml




#4 AR-1016-2

R.T.: 5.522 min
Delta R.T.: -0.004 min
Response: 414547
Conc: 4.33 ng/ml



#4 AR-1016-2


R.T.: 4.687 min
Delta R.T.: 0.004 min
Response: 1668174
Conc: 24.10 ng/ml



#5 AR-1016-3


R.T.: 5.572 min
Delta R.T.: -0.016 min
Response: 370929
Conc: 6.20 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.856 min
Delta R.T.: -0.004 min
Response: 206513
Conc: 5.55 ng/ml




#6 AR-1016-4

R.T.: 5.679 min
Delta R.T.: -0.007 min
Response: -241667
Conc: N.D.



#6 AR-1016-4


R.T.: 4.898 min
Delta R.T.: -0.003 min
Response: 301226
Conc: 9.59 ng/ml



#7 AR-1016-5


R.T.: 5.978 min
Delta R.T.: -0.005 min
Response: 212451
Conc: 4.19 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.098 min
Delta R.T.: -0.017 min
Response: 134995
Conc: 3.30 ng/ml




#8 AR-1221-1

R.T.: 4.536 min
Delta R.T.: -0.003 min
Response: 299463
Conc: 12.73 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T.: 3.791 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.636 min
Delta R.T.: 0.010 min
Response: 734307
Conc: 41.33 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.873 min
Delta R.T.: -0.004 min
Response: 770472
Conc: 51.98 ng/ml




#10 AR-1221-3

R.T.: 4.699 min
Delta R.T.: -0.004 min
Response: 168700
Conc: 3.14 ng/ml



#10 AR-1221-3


R.T.: 3.954 min
Delta R.T.: 0.001 min
Response: 205389
Conc: 4.55 ng/ml



#11 AR-1232-1


R.T.: 4.699 min
Delta R.T.: -0.005 min
Response: 168700
Conc: 3.80 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.954 min
Delta R.T.: 0.000 min
Response: 205389
Conc: 5.57 ng/ml




#12 AR-1232-2

R.T.: 5.254 min
Delta R.T.: 0.019 min
Response: 200940
Conc: 8.89 ng/ml



#12 AR-1232-2


R.T.: 4.687 min
Delta R.T.: 0.004 min
Response: 1668174
Conc: 52.22 ng/ml



#13 AR-1232-3


R.T.: 5.522 min
Delta R.T.: -0.004 min
Response: 414547
Conc: 9.44 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.856 min
Delta R.T.: -0.003 min
Response: 206513
Conc: 12.39 ng/ml




#14 AR-1232-4

R.T.: 5.679 min
Delta R.T.: -0.008 min
Response: -241667
Conc: N.D.



#14 AR-1232-4


R.T.: 4.936 min
Delta R.T.: -0.007 min
Response: 151898
Conc: 9.42 ng/ml



#15 AR-1232-5


R.T.: 5.773 min
Delta R.T.: -0.006 min
Response: 256331
Conc: 14.64 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.098 min
Delta R.T.: -0.017 min
Response: 134995
Conc: 7.64 ng/ml




#16 AR-1242-1

R.T.: 5.498 min
Delta R.T.: -0.005 min
Response: 204205
Conc: 3.65 ng/ml



#16 AR-1242-1


R.T.: 4.687 min
Delta R.T.: 0.022 min
Response: 1668174
Conc: 40.72 ng/ml



#17 AR-1242-2


R.T.: 5.522 min
Delta R.T.: -0.003 min
Response: 414547
Conc: 5.19 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.687 min
Delta R.T.: 0.004 min
Response: 1668174
Conc: 29.21 ng/ml




#18 AR-1242-3

R.T.: 5.572 min
Delta R.T.: -0.016 min
Response: 370929
Conc: 7.47 ng/ml



#18 AR-1242-3


R.T.: 4.856 min
Delta R.T.: -0.004 min
Response: 206513
Conc: 6.69 ng/ml



#19 AR-1242-4


R.T.: 5.679 min
Delta R.T.: -0.007 min
Response: -241667
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.936 min
Delta R.T.: -0.007 min
Response: 151898
Conc: 4.68 ng/ml




#20 AR-1242-5

R.T.: 6.428 min
Delta R.T.: 0.002 min
Response: 692497
Conc: 15.57 ng/ml



#20 AR-1242-5


R.T.: 5.466 min
Delta R.T.: -0.001 min
Response: 1582501
Conc: 42.34 ng/ml



#21 AR-1248-1


R.T.: 5.498 min
Delta R.T.: -0.004 min
Response: 204205
Conc: 4.90 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.687 min
Delta R.T.: 0.023 min
Response: 1668174
Conc: 53.81 ng/ml




#22 AR-1248-2

R.T.: 5.773 min
Delta R.T.: -0.004 min
Response: 256331
Conc: 4.03 ng/ml



#22 AR-1248-2


R.T.: 4.898 min
Delta R.T.: -0.002 min
Response: 301226
Conc: 6.59 ng/ml



#23 AR-1248-3


R.T.: 5.978 min
Delta R.T.: -0.004 min
Response: 212451
Conc: 3.07 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.936 min
Delta R.T.: -0.006 min
Response: 151898
Conc: 3.19 ng/ml




#24 AR-1248-4

R.T.: 6.390 min
Delta R.T.: 0.002 min
Response: 442056
Conc: 5.83 ng/ml



#24 AR-1248-4


R.T.: 5.098 min
Delta R.T.: -0.016 min
Response: 134995
Conc: 2.44 ng/ml



#25 AR-1248-5


R.T.: 6.428 min
Delta R.T.: 0.002 min
Response: 692497
Conc: 9.38 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.499 min
Delta R.T.: -0.010 min
Response: 536794
Conc: 10.92 ng/ml




#26 AR-1254-1

R.T.: 6.362 min
Delta R.T.: 0.001 min
Response: 1084670
Conc: 13.75 ng/ml



#26 AR-1254-1


R.T.: 5.466 min
Delta R.T.: 0.000 min
Response: 1582501
Conc: 19.60 ng/ml



#27 AR-1254-2


R.T.: 6.580 min
Delta R.T.: -0.002 min
Response: 1512383
Conc: 12.50 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.611 min
Delta R.T.: -0.004 min
Response: 950924
Conc: 13.29 ng/ml




#28 AR-1254-3

R.T.: 6.947 min
Delta R.T.: -0.001 min
Response: 2588606
Conc: 21.13 ng/ml



#28 AR-1254-3


R.T.: 6.015 min
Delta R.T.: -0.005 min
Response: 1466694
Conc: 13.17 ng/ml



#29 AR-1254-4


R.T.: 7.234 min
Delta R.T.: -0.002 min
Response: 326551
Conc: 3.71 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.243 min
Delta R.T.: -0.006 min
Response: 416502
Conc: 6.77 ng/ml




#30 AR-1254-5

R.T.: 7.652 min
Delta R.T.: -0.005 min
Response: 1808780
Conc: 17.88 ng/ml



#30 AR-1254-5


R.T.: 6.662 min
Delta R.T.: -0.007 min
Response: 1894356
Conc: 19.98 ng/ml



#31 AR-1260-1


R.T.: 7.111 min
Delta R.T.: -0.005 min
Response: 2686729
Conc: 28.18 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.145 min
Delta R.T.: -0.007 min
Response: 1849843
Conc: 23.86 ng/ml




#32 AR-1260-2

R.T.: 7.364 min
Delta R.T.: -0.010 min
Response: 2638472
Conc: 23.44 ng/ml



#32 AR-1260-2


R.T.: 6.335 min
Delta R.T.: -0.006 min
Response: 1217480
Conc: 13.54 ng/ml



#33 AR-1260-3


R.T.: 7.731 min
Delta R.T.: -0.004 min
Response: 735468
Conc: 9.13 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.486 min
Delta R.T.: -0.009 min
Response: 834502
Conc: 9.83 ng/ml




#34 AR-1260-4

R.T.: 7.955 min
Delta R.T.: -0.007 min
Response: 1249767
Conc: 12.87 ng/ml



#34 AR-1260-4


R.T.: 6.960 min
Delta R.T.: -0.009 min
Response: 568622
Conc: 7.94 ng/ml



#35 AR-1260-5


R.T.: 8.274 min
Delta R.T.: -0.003 min
Response: 1658990
Conc: 9.33 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.203 min
Delta R.T.: -0.009 min
Response: 1233254
Conc: 8.02 ng/ml




#36 AR-1262-1

R.T.: 7.731 min
Delta R.T.: -0.003 min
Response: 735468
Conc: 6.23 ng/ml



#36 AR-1262-1


R.T.: 6.757 min
Delta R.T.: -0.003 min
Response: 480031
Conc: 11.17 ng/ml



#37 AR-1262-2


R.T.: 8.274 min
Delta R.T.: -0.002 min
Response: 1658990
Conc: 8.24 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.960 min
Delta R.T.: -0.007 min
Response: 568622
Conc: 6.14 ng/ml




#38 AR-1262-3

R.T.: 8.594 min
Delta R.T.: 0.004 min
Response: 830123
Conc: 5.97 ng/ml



#38 AR-1262-3


R.T.: 7.486 min
Delta R.T.: -0.008 min
Response: 546591
Conc: 7.50 ng/ml



#39 AR-1262-4


R.T.: 8.670 min
Delta R.T.: -0.007 min
Response: 498324
Conc: 6.48 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.551 min
Delta R.T.: -0.008 min
Response: 1037660
Conc: 7.93 ng/ml




#40 AR-1262-5

R.T.: 9.330 min
Delta R.T.: -0.004 min
Response: 147561
Conc: 2.06 ng/ml



#40 AR-1262-5


R.T.: 8.047 min
Delta R.T.: -0.007 min
Response: 261569
Conc: 4.41 ng/ml



#41 AR-1268-1


R.T.: 8.594 min
Delta R.T.: 0.009 min
Response: 830123
Conc: 3.40 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.486 min
Delta R.T.: -0.007 min
Response: 546591
Conc: 2.53 ng/ml




#42 AR-1268-2

R.T.: 8.670 min
Delta R.T.: -0.009 min
Response: 498324
Conc: 2.19 ng/ml



#42 AR-1268-2


R.T.: 7.551 min
Delta R.T.: -0.008 min
Response: 1037660
Conc: 5.32 ng/ml



#43 AR-1268-3


R.T.: 0.000 min
Exp R.T.: 8.907 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.757 min
Delta R.T.: -0.009 min
Response: 113291
Conc: 0.66 ng/ml




#44 AR-1268-4

R.T.: 9.330 min
Delta R.T.: -0.003 min
Response: 147561
Conc: 1.88 ng/ml



#44 AR-1268-4


R.T.: 8.047 min
Delta R.T.: -0.006 min
Response: 261569
Conc: 4.10 ng/ml



#45 AR-1268-5

R.T.: 9.745 min
Delta R.T.: -0.004 min
Response: 283021
Conc: 0.44 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.335 min
Delta R.T.: -0.008 min
Response: 292643
Conc: 0.56 ng/ml