

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP020124\
 Data File : PP063225.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Feb 2024 05:13
 Operator : YP\AJ
 Sample : P1187-08
 Misc : AR1660 LOQ 50 PPB
 ALS Vial : 60 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 LOQ-WATER-02-QT1-2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 02 06:31:42 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP020124.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Feb 01 16:28:12 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.492	3.647	50895064	49933169	21.278	21.008
2)	SA Decachlor...	10.362	8.700	52640265	56779153	23.408	22.922
Target Compounds							
3)	L1 AR-1016-1	5.673	4.741	3884054	3483254	51.615	48.690
4)	L1 AR-1016-2	5.696	4.760	5506361	4815829	50.698	46.886
5)	L1 AR-1016-3	5.759	4.937	3470777	2603222	50.294	47.075
6)	L1 AR-1016-4	5.858	4.980	2702613	2448538	48.258	49.478
7)	L1 AR-1016-5	6.156	5.194	3082879	3331962	50.489	52.968
8)	L2 AR-1221-1	4.698	3.863	470942	422584	16.925	15.981
9)	L2 AR-1221-2	4.800	3.949	1209504	1076581	56.691	54.505
10)	L2 AR-1221-3	4.867	4.026	2100406	2100083	34.097	34.493
11)	L3 AR-1232-1	4.867	4.026	2100406	2100083	39.560	39.073
12)	L3 AR-1232-2	5.403	4.760	3007747	4815829	99.423	100.496
13)	L3 AR-1232-3	5.696	4.937	5506361	2603222	108.049	100.217
14)	L3 AR-1232-4	5.858	5.022	2702613	3027034	102.860	116.124
15)	L3 AR-1232-5	5.950	5.194	2711883	3331962	117.629	122.206
16)	L4 AR-1242-1	5.673	4.741	3884054	3483254	68.214	64.098
17)	L4 AR-1242-2	5.696	4.760	5506361	4815829	67.162	61.835
18)	L4 AR-1242-3	5.759	4.937	3470777	2603222	66.137	61.430
19)	L4 AR-1242-4	5.858	5.022	2702613	3027034	62.941	64.815
20)	L4 AR-1242-5	6.602	5.549	922785	3065734	20.692	59.238 #
21)	L5 AR-1248-1	5.673	4.741	3884054	3483254	87.577	84.079
22)	L5 AR-1248-2	5.950	4.980	2711883	2448538	37.747	37.009
23)	L5 AR-1248-3	6.156	5.022	3082879	3027034	39.673	43.210
24)	L5 AR-1248-4	6.563	5.194	999895	3331962	13.417	41.697 #
25)	L5 AR-1248-5	6.602	5.590	922785	655684	11.862	9.556
26)	L6 AR-1254-1	6.536	5.549	3012078	3065734	33.687	25.280
27)	L6 AR-1254-2	6.756	5.697	2373706	2479515	18.084	22.852 #
28)	L6 AR-1254-3	7.127	6.120	2064208	4785528	15.439	27.915 #
29)	L6 AR-1254-4	7.414	6.365f	1649659	1074754	20.884	13.208 #
30)	L6 AR-1254-5	7.835	6.754	7659325	7332683	77.308	51.611 #
31)	L7 AR-1260-1	7.292	6.235	7340756	7083167	60.314	53.437
32)	L7 AR-1260-2	7.551	6.424	7116598	7666088	55.958	51.902
33)	L7 AR-1260-3	7.913	6.579	5773206	7231072	55.849	49.877
34)	L7 AR-1260-4	8.143	7.054	6341703	6081210	54.012	49.888
35)	L7 AR-1260-5	8.473	7.296	10027599	11841154	51.096	47.660
36)	L8 AR-1262-1	7.972	6.847	2923803	2787037	46.192	39.278
37)	L8 AR-1262-2	8.473	7.054	10027599	6081210	43.514	37.116
38)	L8 AR-1262-3	8.807	7.583	6549526	2727552	39.640	22.552 #
39)	L8 AR-1262-4	8.889	7.646	4601871	8979680	34.072	42.611 #
40)	L8 AR-1262-5	9.573	8.145	2355598	2293102	32.322	28.088
41)	L9 AR-1268-1	8.807	7.583	6549526	2727552	22.490	8.480 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP020124\
 Data File : PP063225.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Feb 2024 05:13
 Operator : YP\AJ
 Sample : P1187-08
 Misc : AR1660 LOQ 50 PPB
 ALS Vial : 60 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 LOQ-WATER-02-QT1-2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 02 06:31:42 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP020124.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Feb 01 16:28:12 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.889	7.646	4601871	8979680	18.228	30.049 #
43) L9	AR-1268-3	0.000	7.856	0	660281	N.D.	2.334 #
44) L9	AR-1268-4	9.573	8.145	2355598	2293102	30.459	26.121
45) L9	AR-1268-5	10.005	8.440	751087	1376527	1.029	1.634 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP020124\
Data File : PP063225.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 Feb 2024 05:13
Operator : YP\AJ
Sample : P1187-08
Misc : AR1660 LOQ 50 PPB
ALS Vial : 60 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
LOQ-WATER-02-QT1-2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 02 06:31:42 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP020124.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Feb 01 16:28:12 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.492 min
Delta R.T.: 0.002 min
Response: 50895064
Conc: 21.28 ng/ml

Instrument :
ECD_P
ClientSampleId :
LOQ-WATER-02-QT1-2024




#1 Tetrachloro-m-xylene

R.T.: 3.647 min
Delta R.T.: 0.001 min
Response: 49933169
Conc: 21.01 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.362 min
Delta R.T.: 0.004 min
Response: 52640265
Conc: 23.41 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.700 min
Delta R.T.: -0.004 min
Response: 56779153
Conc: 22.92 ng/ml



#3 AR-1016-1


R.T.: 5.673 min
Delta R.T.: 0.000 min
Response: 3884054
Conc: 51.61 ng/ml

Instrument :
ECD_P
ClientSampleId :
LOQ-WATER-02-QT1-2024




#3 AR-1016-1

R.T.: 4.741 min
Delta R.T.: 0.000 min
Response: 3483254
Conc: 48.69 ng/ml




#4 AR-1016-2

R.T.: 5.696 min
Delta R.T.: 0.001 min
Response: 5506361
Conc: 50.70 ng/ml



#4 AR-1016-2


R.T.: 4.760 min
Delta R.T.: -0.001 min
Response: 4815829
Conc: 46.89 ng/ml



#5 AR-1016-3


R.T.: 5.759 min
Delta R.T.: 0.001 min
Response: 3470777
Conc: 50.29 ng/ml

Instrument :
ECD_P
ClientSampleId :
LOQ-WATER-02-QT1-2024




#5 AR-1016-3

R.T.: 4.937 min
Delta R.T.: -0.001 min
Response: 2603222
Conc: 47.08 ng/ml




#6 AR-1016-4

R.T.: 5.858 min
Delta R.T.: 0.000 min
Response: 2702613
Conc: 48.26 ng/ml



#6 AR-1016-4


R.T.: 4.980 min
Delta R.T.: -0.001 min
Response: 2448538
Conc: 49.48 ng/ml



#7 AR-1016-5


R.T.: 6.156 min
Delta R.T.: 0.000 min
Response: 3082879
Conc: 50.49 ng/ml

Instrument :
ECD_P
ClientSampleId :
LOQ-WATER-02-QT1-2024




#7 AR-1016-5

R.T.: 5.194 min
Delta R.T.: -0.002 min
Response: 3331962
Conc: 52.97 ng/ml




#8 AR-1221-1

R.T.: 4.698 min
Delta R.T.: -0.001 min
Response: 470942
Conc: 16.92 ng/ml



#8 AR-1221-1


R.T.: 3.863 min
Delta R.T.: 0.000 min
Response: 422584
Conc: 15.98 ng/ml



#9 AR-1221-2


R.T.: 4.800 min
Delta R.T.: 0.013 min
Response: 1209504
Conc: 56.69 ng/ml

Instrument :
ECD_P
ClientSampleId :
LOQ-WATER-02-QT1-2024




#9 AR-1221-2

R.T.: 3.949 min
Delta R.T.: 0.000 min
Response: 1076581
Conc: 54.50 ng/ml




#10 AR-1221-3

R.T.: 4.867 min
Delta R.T.: 0.003 min
Response: 2100406
Conc: 34.10 ng/ml



#10 AR-1221-3


R.T.: 4.026 min
Delta R.T.: 0.000 min
Response: 2100083
Conc: 34.49 ng/ml



#11 AR-1232-1


R.T.: 4.867 min
Delta R.T.: 0.002 min
Response: 2100406
Conc: 39.56 ng/ml

Instrument :
ECD_P
ClientSampleId :
LOQ-WATER-02-QT1-2024




#11 AR-1232-1

R.T.: 4.026 min
Delta R.T.: 0.000 min
Response: 2100083
Conc: 39.07 ng/ml




#12 AR-1232-2

R.T.: 5.403 min
Delta R.T.: 0.002 min
Response: 3007747
Conc: 99.42 ng/ml



#12 AR-1232-2


R.T.: 4.760 min
Delta R.T.: 0.000 min
Response: 4815829
Conc: 100.50 ng/ml



#13 AR-1232-3


R.T.: 5.696 min
Delta R.T.: 0.002 min
Response: 5506361
Conc: 108.05 ng/ml

Instrument :
ECD_P
ClientSampleId :
LOQ-WATER-02-QT1-2024




#13 AR-1232-3

R.T.: 4.937 min
Delta R.T.: 0.000 min
Response: 2603222
Conc: 100.22 ng/ml




#14 AR-1232-4

R.T.: 5.858 min
Delta R.T.: 0.001 min
Response: 2702613
Conc: 102.86 ng/ml



#14 AR-1232-4


R.T.: 5.022 min
Delta R.T.: 0.000 min
Response: 3027034
Conc: 116.12 ng/ml



#15 AR-1232-5


R.T.: 5.950 min
Delta R.T.: 0.002 min
Response: 2711883
Conc: 117.63 ng/ml

Instrument :
ECD_P
ClientSampleId :
LOQ-WATER-02-QT1-2024




#15 AR-1232-5

R.T.: 5.194 min
Delta R.T.: -0.001 min
Response: 3331962
Conc: 122.21 ng/ml




#16 AR-1242-1

R.T.: 5.673 min
Delta R.T.: 0.000 min
Response: 3884054
Conc: 68.21 ng/ml



#16 AR-1242-1


R.T.: 4.741 min
Delta R.T.: -0.002 min
Response: 3483254
Conc: 64.10 ng/ml



#17 AR-1242-2


R.T.: 5.696 min
Delta R.T.: 0.000 min
Response: 5506361
Conc: 67.16 ng/ml

Instrument :
ECD_P
ClientSampleId :
LOQ-WATER-02-QT1-2024




#17 AR-1242-2

R.T.: 4.760 min
Delta R.T.: -0.002 min
Response: 4815829
Conc: 61.83 ng/ml




#18 AR-1242-3

R.T.: 5.759 min
Delta R.T.: 0.001 min
Response: 3470777
Conc: 66.14 ng/ml



#18 AR-1242-3


R.T.: 4.937 min
Delta R.T.: -0.002 min
Response: 2603222
Conc: 61.43 ng/ml



#19 AR-1242-4


R.T.: 5.858 min
Delta R.T.: 0.000 min
Response: 2702613
Conc: 62.94 ng/ml

Instrument :
ECD_P
ClientSampleId :
LOQ-WATER-02-QT1-2024




#19 AR-1242-4

R.T.: 5.022 min
Delta R.T.: -0.002 min
Response: 3027034
Conc: 64.81 ng/ml




#20 AR-1242-5

R.T.: 6.602 min
Delta R.T.: 0.000 min
Response: 922785
Conc: 20.69 ng/ml



#20 AR-1242-5


R.T.: 5.549 min
Delta R.T.: -0.003 min
Response: 3065734
Conc: 59.24 ng/ml



#21 AR-1248-1


R.T.: 5.673 min
Delta R.T.: -0.001 min
Response: 3884054
Conc: 87.58 ng/ml

Instrument :
ECD_P
ClientSampleId :
LOQ-WATER-02-QT1-2024




#21 AR-1248-1

R.T.: 4.741 min
Delta R.T.: -0.002 min
Response: 3483254
Conc: 84.08 ng/ml




#22 AR-1248-2

R.T.: 5.950 min
Delta R.T.: 0.000 min
Response: 2711883
Conc: 37.75 ng/ml



#22 AR-1248-2


R.T.: 4.980 min
Delta R.T.: -0.003 min
Response: 2448538
Conc: 37.01 ng/ml



#23 AR-1248-3


R.T.: 6.156 min
Delta R.T.: -0.002 min
Response: 3082879
Conc: 39.67 ng/ml

Instrument :
ECD_P
ClientSampleId :
LOQ-WATER-02-QT1-2024




#23 AR-1248-3

R.T.: 5.022 min
Delta R.T.: -0.002 min
Response: 3027034
Conc: 43.21 ng/ml




#24 AR-1248-4

R.T.: 6.563 min
Delta R.T.: -0.001 min
Response: 999895
Conc: 13.42 ng/ml



#24 AR-1248-4


R.T.: 5.194 min
Delta R.T.: -0.003 min
Response: 3331962
Conc: 41.70 ng/ml



#25 AR-1248-5


R.T.: 6.602 min
Delta R.T.: -0.002 min
Response: 922785
Conc: 11.86 ng/ml

Instrument :
ECD_P
ClientSampleId :
LOQ-WATER-02-QT1-2024




#25 AR-1248-5

R.T.: 5.590 min
Delta R.T.: -0.003 min
Response: 655684
Conc: 9.56 ng/ml




#26 AR-1254-1

R.T.: 6.536 min
Delta R.T.: -0.003 min
Response: 3012078
Conc: 33.69 ng/ml



#26 AR-1254-1


R.T.: 5.549 min
Delta R.T.: -0.003 min
Response: 3065734
Conc: 25.28 ng/ml



#27 AR-1254-2


R.T.: 6.756 min
Delta R.T.: -0.003 min
Response: 2373706
Conc: 18.08 ng/ml

Instrument :
ECD_P
ClientSampleId :
LOQ-WATER-02-QT1-2024




#27 AR-1254-2

R.T.: 5.697 min
Delta R.T.: -0.003 min
Response: 2479515
Conc: 22.85 ng/ml




#28 AR-1254-3

R.T.: 7.127 min
Delta R.T.: 0.000 min
Response: 2064208
Conc: 15.44 ng/ml



#28 AR-1254-3


R.T.: 6.120 min
Delta R.T.: 0.013 min
Response: 4785528
Conc: 27.91 ng/ml



#29 AR-1254-4


R.T.: 7.414 min
Delta R.T.: 0.000 min
Response: 1649659
Conc: 20.88 ng/ml

Instrument :
ECD_P
ClientSampleId :
LOQ-WATER-02-QT1-2024




#29 AR-1254-4

R.T.: 6.365 min
Delta R.T.: 0.028 min
Response: 1074754
Conc: 13.21 ng/ml




#30 AR-1254-5

R.T.: 7.835 min
Delta R.T.: -0.002 min
Response: 7659325
Conc: 77.31 ng/ml



#30 AR-1254-5


R.T.: 6.754 min
Delta R.T.: -0.005 min
Response: 7332683
Conc: 51.61 ng/ml



#31 AR-1260-1


R.T.: 7.292 min
Delta R.T.: 0.000 min
Response: 7340756
Conc: 60.31 ng/ml

Instrument :
ECD_P
ClientSampleId :
LOQ-WATER-02-QT1-2024




#31 AR-1260-1

R.T.: 6.235 min
Delta R.T.: -0.003 min
Response: 7083167
Conc: 53.44 ng/ml




#32 AR-1260-2

R.T.: 7.551 min
Delta R.T.: 0.001 min
Response: 7116598
Conc: 55.96 ng/ml



#32 AR-1260-2


R.T.: 6.424 min
Delta R.T.: -0.003 min
Response: 7666088
Conc: 51.90 ng/ml



#33 AR-1260-3


R.T.: 7.913 min
Delta R.T.: 0.000 min
Response: 5773206
Conc: 55.85 ng/ml

Instrument :
ECD_P
ClientSampleId :
LOQ-WATER-02-QT1-2024




#33 AR-1260-3

R.T.: 6.579 min
Delta R.T.: -0.003 min
Response: 7231072
Conc: 49.88 ng/ml




#34 AR-1260-4

R.T.: 8.143 min
Delta R.T.: 0.001 min
Response: 6341703
Conc: 54.01 ng/ml



#34 AR-1260-4


R.T.: 7.054 min
Delta R.T.: -0.004 min
Response: 6081210
Conc: 49.89 ng/ml



#35 AR-1260-5


R.T.: 8.473 min
Delta R.T.: 0.004 min
Response: 10027599
Conc: 51.10 ng/ml

Instrument :
ECD_P
ClientSampleId :
LOQ-WATER-02-QT1-2024




#35 AR-1260-5

R.T.: 7.296 min
Delta R.T.: -0.005 min
Response: 11841154
Conc: 47.66 ng/ml




#36 AR-1262-1

R.T.: 7.972 min
Delta R.T.: -0.001 min
Response: 2923803
Conc: 46.19 ng/ml



#36 AR-1262-1


R.T.: 6.847 min
Delta R.T.: -0.006 min
Response: 2787037
Conc: 39.28 ng/ml



#37 AR-1262-2


R.T.: 8.473 min
Delta R.T.: -0.001 min
Response: 10027599
Conc: 43.51 ng/ml

Instrument :
ECD_P
ClientSampleId :
LOQ-WATER-02-QT1-2024




#37 AR-1262-2

R.T.: 7.054 min
Delta R.T.: -0.007 min
Response: 6081210
Conc: 37.12 ng/ml




#38 AR-1262-3

R.T.: 8.807 min
Delta R.T.: 0.008 min
Response: 6549526
Conc: 39.64 ng/ml



#38 AR-1262-3


R.T.: 7.583 min
Delta R.T.: -0.007 min
Response: 2727552
Conc: 22.55 ng/ml



#39 AR-1262-4


R.T.: 8.889 min
Delta R.T.: -0.002 min
Response: 4601871
Conc: 34.07 ng/ml

Instrument :
ECD_P
ClientSampleId :
LOQ-WATER-02-QT1-2024




#39 AR-1262-4

R.T.: 7.646 min
Delta R.T.: -0.008 min
Response: 8979680
Conc: 42.61 ng/ml




#40 AR-1262-5

R.T.: 9.573 min
Delta R.T.: 0.000 min
Response: 2355598
Conc: 32.32 ng/ml



#40 AR-1262-5


R.T.: 8.145 min
Delta R.T.: -0.007 min
Response: 2293102
Conc: 28.09 ng/ml



#41 AR-1268-1


R.T.: 8.807 min
Delta R.T.: 0.013 min
Response: 6549526
Conc: 22.49 ng/ml

Instrument :
ECD_P
ClientSampleId :
LOQ-WATER-02-QT1-2024




#41 AR-1268-1

R.T.: 7.583 min
Delta R.T.: -0.007 min
Response: 2727552
Conc: 8.48 ng/ml




#42 AR-1268-2

R.T.: 8.889 min
Delta R.T.: -0.004 min
Response: 4601871
Conc: 18.23 ng/ml



#42 AR-1268-2


R.T.: 7.646 min
Delta R.T.: -0.008 min
Response: 8979680
Conc: 30.05 ng/ml



#43 AR-1268-3


R.T.: 0.000 min
Exp R.T.: 9.131 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
LOQ-WATER-02-QT1-2024




#43 AR-1268-3

R.T.: 7.856 min
Delta R.T.: -0.008 min
Response: 660281
Conc: 2.33 ng/ml




#44 AR-1268-4

R.T.: 9.573 min
Delta R.T.: 0.000 min
Response: 2355598
Conc: 30.46 ng/ml



#44 AR-1268-4


R.T.: 8.145 min
Delta R.T.: -0.006 min
Response: 2293102
Conc: 26.12 ng/ml



#45 AR-1268-5

R.T.: 10.005 min
Delta R.T.: -0.002 min
Response: 751087
Conc: 1.03 ng/ml

Instrument :
ECD_P
ClientSampleId :
LOQ-WATER-02-QT1-2024



#45 AR-1268-5

R.T.: 8.440 min
Delta R.T.: -0.006 min
Response: 1376527
Conc: 1.63 ng/ml