

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP020823\
 Data File : PP055439.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 08 Feb 2023 09:23
 Operator : YP\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 08 21:27:03 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP012423.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Jan 24 03:37:45 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.332	3.576	29608611	25262684	17.029	16.828
2)	SA Decachlor...	10.084	8.583	29192938	23366223	16.858	17.301
Target Compounds							
3)	L1 AR-1016-1	5.501	4.671	101165	288481	1.505	5.829 #
4)	L1 AR-1016-2	5.525	4.671	58260	288481	0.608	4.168 #
5)	L1 AR-1016-3	5.575	4.855	270057	330284	4.515	8.879 #
6)	L1 AR-1016-4	5.699	4.905	76751	419241	1.602	13.342 #
7)	L1 AR-1016-5	5.992	5.108	45295	172912	0.894	4.229 #
8)	L2 AR-1221-1	4.540	3.800	141147	59726	6.002	3.012 #
9)	L2 AR-1221-2	4.636	3.874	569517	461600	32.055	31.142
10)	L2 AR-1221-3	4.700	3.947	251668	101686	4.677	2.254 #
11)	L3 AR-1232-1	4.700	3.947	251668	101686	5.670	2.759 #
12)	L3 AR-1232-2	5.239	4.671	39465	288481	1.745	9.031 #
13)	L3 AR-1232-3	5.525	4.855	58260	330284	1.327	19.812 #
14)	L3 AR-1232-4	5.699	4.939	76751	557636	3.468	34.580 #
15)	L3 AR-1232-5	5.779	5.108	153832	172912	8.787	9.790
16)	L4 AR-1242-1	5.501	4.671	101165	288481	1.807	7.043 #
17)	L4 AR-1242-2	5.525	4.671	58260	288481	0.730	5.052 #
18)	L4 AR-1242-3	5.575	4.855	270057	330284	5.438	10.700 #
19)	L4 AR-1242-4	5.699	4.939	76751	557636	1.915	17.165 #
20)	L4 AR-1242-5	6.442f	5.457	1575462	1020057	35.433	27.295
21)	L5 AR-1248-1	5.501	4.671	101165	288481	2.426	9.305 #
22)	L5 AR-1248-2	5.779	4.905	153832	419241	2.420	9.168 #
23)	L5 AR-1248-3	5.974	4.939	79950	557636	1.156	11.697 #
24)	L5 AR-1248-4	6.364f	5.108	1047068	172912	13.807	3.131 #
25)	L5 AR-1248-5	6.442f	5.484f	1575462	1453997	21.350	29.570 #
26)	L6 AR-1254-1	6.364	5.457	1047068	1020057	13.272	12.631
27)	L6 AR-1254-2	0.000	5.624	0	2833483	N.D.	39.594 #
28)	L6 AR-1254-3	6.945	6.005	114301	198728	0.933	1.784 #
29)	L6 AR-1254-4	7.221f	0.000	667442	0	7.575	N.D. #
30)	L6 AR-1254-5	7.661	6.669	96103	49359	0.950	0.521 #
31)	L7 AR-1260-1	7.133f	0.000	281601	0	2.954	N.D. #
32)	L7 AR-1260-2	7.386	6.315f	1547913	2561662	13.754	28.495 #
33)	L7 AR-1260-3	0.000	6.507	0	37116	N.D.	0.437 #
34)	L7 AR-1260-4	7.963	6.959	1991211	180847	20.512	2.526 #
35)	L7 AR-1260-5	8.283	7.201	889268	88685	5.000	0.577 #
37)	L8 AR-1262-2	8.283	6.959	889268	180847	4.415	1.953 #
38)	L8 AR-1262-3	8.590	7.496	-12697	209602	N.D.	2.877 #
39)	L8 AR-1262-4	8.681	7.574f	295615	346179	3.845	2.647 #
40)	L8 AR-1262-5	9.324	8.084f	24936	158936	0.349	2.679 #
41)	L9 AR-1268-1	8.590	7.496	-12697	209602	N.D.	0.969 #
42)	L9 AR-1268-2	8.681	7.574f	295615	346179	1.302	1.774 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP020823\
 Data File : PP055439.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 08 Feb 2023 09:23
 Operator : YP\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 08 21:27:03 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP012423.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Jan 24 03:37:45 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
43) L9	AR-1268-3	8.891f	7.761	22009	60178	0.110	0.350 #
44) L9	AR-1268-4	9.324	8.084f	24936	158936	0.317	2.492 #
45) L9	AR-1268-5	9.753	8.340	39749	64816	0.062	0.123 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP020823\
Data File : PP055439.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 08 Feb 2023 09:23
Operator : YP\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 08 21:27:03 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP012423.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Jan 24 03:37:45 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.332 min
Delta R.T.: 0.000 min
Response: 29608611
Conc: 17.03 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.576 min
Delta R.T.: -0.002 min
Response: 25262684
Conc: 16.83 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.084 min
Delta R.T.: -0.007 min
Response: 29192938
Conc: 16.86 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.583 min
Delta R.T.: -0.015 min
Response: 23366223
Conc: 17.30 ng/ml



#3 AR-1016-1


R.T.: 5.501 min
Delta R.T.: -0.003 min
Response: 101165
Conc: 1.51 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.671 min
Delta R.T.: 0.007 min
Response: 288481
Conc: 5.83 ng/ml




#4 AR-1016-2

R.T.: 5.525 min
Delta R.T.: -0.001 min
Response: 58260
Conc: 0.61 ng/ml



#4 AR-1016-2


R.T.: 4.671 min
Delta R.T.: -0.011 min
Response: 288481
Conc: 4.17 ng/ml



#5 AR-1016-3


R.T.: 5.575 min
Delta R.T.: -0.013 min
Response: 270057
Conc: 4.51 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.855 min
Delta R.T.: -0.004 min
Response: 330284
Conc: 8.88 ng/ml




#6 AR-1016-4

R.T.: 5.699 min
Delta R.T.: 0.012 min
Response: 76751
Conc: 1.60 ng/ml



#6 AR-1016-4


R.T.: 4.905 min
Delta R.T.: 0.004 min
Response: 419241
Conc: 13.34 ng/ml



#7 AR-1016-5


R.T.: 5.992 min
Delta R.T.: 0.008 min
Response: 45295
Conc: 0.89 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.108 min
Delta R.T.: -0.007 min
Response: 172912
Conc: 4.23 ng/ml




#8 AR-1221-1

R.T.: 4.540 min
Delta R.T.: 0.000 min
Response: 141147
Conc: 6.00 ng/ml



#8 AR-1221-1


R.T.: 3.800 min
Delta R.T.: 0.009 min
Response: 59726
Conc: 3.01 ng/ml



#9 AR-1221-2


R.T.: 4.636 min
Delta R.T.: 0.010 min
Response: 569517
Conc: 32.05 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.874 min
Delta R.T.: -0.002 min
Response: 461600
Conc: 31.14 ng/ml




#10 AR-1221-3

R.T.: 4.700 min
Delta R.T.: -0.002 min
Response: 251668
Conc: 4.68 ng/ml



#10 AR-1221-3


R.T.: 3.947 min
Delta R.T.: -0.006 min
Response: 101686
Conc: 2.25 ng/ml



#11 AR-1232-1


R.T.: 4.700 min
Delta R.T.: -0.004 min
Response: 251668
Conc: 5.67 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.947 min
Delta R.T.: -0.007 min
Response: 101686
Conc: 2.76 ng/ml




#12 AR-1232-2

R.T.: 5.239 min
Delta R.T.: 0.004 min
Response: 39465
Conc: 1.75 ng/ml



#12 AR-1232-2


R.T.: 4.671 min
Delta R.T.: -0.012 min
Response: 288481
Conc: 9.03 ng/ml



#13 AR-1232-3


R.T.: 5.525 min
Delta R.T.: -0.001 min
Response: 58260
Conc: 1.33 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.855 min
Delta R.T.: -0.004 min
Response: 330284
Conc: 19.81 ng/ml




#14 AR-1232-4

R.T.: 5.699 min
Delta R.T.: 0.011 min
Response: 76751
Conc: 3.47 ng/ml



#14 AR-1232-4


R.T.: 4.939 min
Delta R.T.: -0.005 min
Response: 557636
Conc: 34.58 ng/ml



#15 AR-1232-5


R.T.: 5.779 min
Delta R.T.: 0.000 min
Response: 153832
Conc: 8.79 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.108 min
Delta R.T.: -0.008 min
Response: 172912
Conc: 9.79 ng/ml




#16 AR-1242-1

R.T.: 5.501 min
Delta R.T.: -0.002 min
Response: 101165
Conc: 1.81 ng/ml



#16 AR-1242-1


R.T.: 4.671 min
Delta R.T.: 0.007 min
Response: 288481
Conc: 7.04 ng/ml



#17 AR-1242-2


R.T.: 5.525 min
Delta R.T.: -0.001 min
Response: 58260
Conc: 0.73 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.671 min
Delta R.T.: -0.012 min
Response: 288481
Conc: 5.05 ng/ml




#18 AR-1242-3

R.T.: 5.575 min
Delta R.T.: -0.013 min
Response: 270057
Conc: 5.44 ng/ml



#18 AR-1242-3


R.T.: 4.855 min
Delta R.T.: -0.005 min
Response: 330284
Conc: 10.70 ng/ml



#19 AR-1242-4


R.T.: 5.699 min
Delta R.T.: 0.012 min
Response: 76751
Conc: 1.92 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.939 min
Delta R.T.: -0.005 min
Response: 557636
Conc: 17.16 ng/ml




#20 AR-1242-5

R.T.: 6.442 min
Delta R.T.: 0.015 min
Response: 1575462
Conc: 35.43 ng/ml



#20 AR-1242-5


R.T.: 5.457 min
Delta R.T.: -0.011 min
Response: 1020057
Conc: 27.29 ng/ml



#21 AR-1248-1


R.T.: 5.501 min
Delta R.T.: -0.001 min
Response: 101165
Conc: 2.43 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.671 min
Delta R.T.: 0.008 min
Response: 288481
Conc: 9.30 ng/ml




#22 AR-1248-2

R.T.: 5.779 min
Delta R.T.: 0.002 min
Response: 153832
Conc: 2.42 ng/ml



#22 AR-1248-2


R.T.: 4.905 min
Delta R.T.: 0.005 min
Response: 419241
Conc: 9.17 ng/ml



#23 AR-1248-3


R.T.: 5.974 min
Delta R.T.: -0.007 min
Response: 79950
Conc: 1.16 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.939 min
Delta R.T.: -0.004 min
Response: 557636
Conc: 11.70 ng/ml




#24 AR-1248-4

R.T.: 6.364 min
Delta R.T.: -0.023 min
Response: 1047068
Conc: 13.81 ng/ml



#24 AR-1248-4


R.T.: 5.108 min
Delta R.T.: -0.006 min
Response: 172912
Conc: 3.13 ng/ml



#25 AR-1248-5


R.T.: 6.442 min
Delta R.T.: 0.016 min
Response: 1575462
Conc: 21.35 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.484 min
Delta R.T.: -0.024 min
Response: 1453997
Conc: 29.57 ng/ml




#26 AR-1254-1

R.T.: 6.364 min
Delta R.T.: 0.003 min
Response: 1047068
Conc: 13.27 ng/ml



#26 AR-1254-1


R.T.: 5.457 min
Delta R.T.: -0.010 min
Response: 1020057
Conc: 12.63 ng/ml



#27 AR-1254-2


R.T.: 0.000 min
Exp R.T.: 6.581 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.624 min
Delta R.T.: 0.008 min
Response: 2833483
Conc: 39.59 ng/ml




#28 AR-1254-3

R.T.: 6.945 min
Delta R.T.: -0.003 min
Response: 114301
Conc: 0.93 ng/ml



#28 AR-1254-3


R.T.: 6.005 min
Delta R.T.: -0.014 min
Response: 198728
Conc: 1.78 ng/ml



#29 AR-1254-4


R.T.: 7.221 min
Delta R.T.: -0.015 min
Response: 667442
Conc: 7.57 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 0.000 min
Exp R.T. : 6.250 min
Response: 0
Conc: N.D.




#30 AR-1254-5

R.T.: 7.661 min
Delta R.T.: 0.004 min
Response: 96103
Conc: 0.95 ng/ml



#30 AR-1254-5


R.T.: 6.669 min
Delta R.T.: 0.000 min
Response: 49359
Conc: 0.52 ng/ml



#31 AR-1260-1


R.T.: 7.133 min
Delta R.T.: 0.017 min
Response: 281601
Conc: 2.95 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 0.000 min
Exp R.T. : 6.152 min
Response: 0
Conc: N.D.




#32 AR-1260-2

R.T.: 7.386 min
Delta R.T.: 0.012 min
Response: 1547913
Conc: 13.75 ng/ml



#32 AR-1260-2


R.T.: 6.315 min
Delta R.T.: -0.026 min
Response: 2561662
Conc: 28.50 ng/ml



#33 AR-1260-3


R.T.: 0.000 min
Exp R.T.: 7.735 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.507 min
Delta R.T.: 0.012 min
Response: 37116
Conc: 0.44 ng/ml




#34 AR-1260-4

R.T.: 7.963 min
Delta R.T.: 0.002 min
Response: 1991211
Conc: 20.51 ng/ml



#34 AR-1260-4


R.T.: 6.959 min
Delta R.T.: -0.010 min
Response: 180847
Conc: 2.53 ng/ml



#35 AR-1260-5


R.T.: 8.283 min
Delta R.T.: 0.005 min
Response: 889268
Conc: 5.00 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.201 min
Delta R.T.: -0.012 min
Response: 88685
Conc: 0.58 ng/ml




#37 AR-1262-2

R.T.: 8.283 min
Delta R.T.: 0.006 min
Response: 889268
Conc: 4.42 ng/ml



#37 AR-1262-2


R.T.: 6.959 min
Delta R.T.: -0.008 min
Response: 180847
Conc: 1.95 ng/ml



#38 AR-1262-3


R.T.: 8.590 min
Delta R.T.: 0.000 min
Response: -12697
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#38 AR-1262-3

R.T.: 7.496 min
Delta R.T.: 0.001 min
Response: 209602
Conc: 2.88 ng/ml




#39 AR-1262-4

R.T.: 8.681 min
Delta R.T.: 0.004 min
Response: 295615
Conc: 3.85 ng/ml



#39 AR-1262-4


R.T.: 7.574 min
Delta R.T.: 0.015 min
Response: 346179
Conc: 2.65 ng/ml



#40 AR-1262-5


R.T.: 9.324 min
Delta R.T.: -0.010 min
Response: 24936
Conc: 0.35 ng/ml

Instrument :
ECD_P
ClientSampleId :




#40 AR-1262-5

R.T.: 8.084 min
Delta R.T.: 0.029 min
Response: 158936
Conc: 2.68 ng/ml




#41 AR-1268-1

R.T.: 8.590 min
Delta R.T.: 0.005 min
Response: -12697
Conc: N.D.



#41 AR-1268-1


R.T.: 7.496 min
Delta R.T.: 0.003 min
Response: 209602
Conc: 0.97 ng/ml



#42 AR-1268-2


R.T.: 8.681 min
Delta R.T.: 0.002 min
Response: 295615
Conc: 1.30 ng/ml

Instrument :
ECD_P
ClientSampleId :




#42 AR-1268-2

R.T.: 7.574 min
Delta R.T.: 0.015 min
Response: 346179
Conc: 1.77 ng/ml




#43 AR-1268-3

R.T.: 8.891 min
Delta R.T.: -0.017 min
Response: 22009
Conc: 0.11 ng/ml



#43 AR-1268-3


R.T.: 7.761 min
Delta R.T.: -0.006 min
Response: 60178
Conc: 0.35 ng/ml



#44 AR-1268-4


R.T.: 9.324 min
Delta R.T.: -0.009 min
Response: 24936
Conc: 0.32 ng/ml

Instrument :
ECD_P
ClientSampleId :




#44 AR-1268-4

R.T.: 8.084 min
Delta R.T.: 0.030 min
Response: 158936
Conc: 2.49 ng/ml



#45 AR-1268-5

R.T.: 9.753 min
Delta R.T.: 0.004 min
Response: 39749
Conc: 0.06 ng/ml



#45 AR-1268-5

R.T.: 8.340 min
Delta R.T.: -0.003 min
Response: 64816
Conc: 0.12 ng/ml