Quantitation Report (Not Reviewed)

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP020921\
Data File : PP033179.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 09 Feb 2021 13:30
Operator : DD\AJ
Sample : AR1254CCC500
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument : ECD_P
ClientSampleId : AR1254CCC500

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 10 01:29:08 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP020821.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Feb 09 04:00:57 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml	
	System Monitoring Compounds							
1)	SA Tetrachlo...	4.731	4.003	3030784	2156514	49.424	52.737	
2)	SA Decachlor...	10.554	9.269	2256532	1840672	51.802	54.945	
	Target Compounds							
3)	L1 AR-1016-1	6.030	5.248	25631	17680	15.638	16.109	
4)	L1 AR-1016-2	6.057	5.267	29122	15790	11.629	9.675	
5)	L1 AR-1016-3	6.117	5.460	11064	10893	6.977	12.221	#
6)	L1 AR-1016-4	6.223	5.510	19084	402673	14.399	559.156	#
7)	L1 AR-1016-5	6.537	5.739	311841	150135	237.768	159.538	#
9)	L2 AR-1221-2	5.076	4.355	43794	30490	94.140	96.484	
10)	L2 AR-1221-3	5.162	4.444	11328	10158	8.031	10.315	#
11)	L3 AR-1232-1	5.162	4.444	11328	10158	9.769	12.818	#
12)	L3 AR-1232-2	5.736	5.267	15290	15790	23.948	21.358	
13)	L3 AR-1232-3	6.057	5.460	29122	10893	26.545	27.465	
14)	L3 AR-1232-4	6.223	5.553	19084	119609	33.249	341.204	#
15)	L3 AR-1232-5	6.323	5.739	497794	150135	1362.267	395.042	#
16)	L4 AR-1242-1	6.030	5.248	25631	17680	19.718	20.427	
17)	L4 AR-1242-2	6.057	5.267	29122	15790	14.780	12.303	
18)	L4 AR-1242-3	6.117	5.460	11064	10893	8.730	15.497	#
19)	L4 AR-1242-4	6.223	5.553	19084	119609	17.386	171.726	#
20)	L4 AR-1242-5	7.002	6.116	294110	1027506	283.084	1216.890	#
21)	L5 AR-1248-1	6.030	5.248	25631	17680	26.770	27.185	
22)	L5 AR-1248-2	6.323	5.510	497794	402673	375.673	419.733	
23)	L5 AR-1248-3	6.537	5.553	311841	119609	192.580	117.638	#
24)	L5 AR-1248-4	6.961	5.739	466202	150135	270.946	121.148	#
25)	L5 AR-1248-5	7.002	6.160	294110	149323	169.029	132.222	
26)	L6 AR-1254-1	6.933	6.116	757433	1027506	403.421	537.638	#
27)	L6 AR-1254-2	7.160	6.275	1449824	914998	494.524	558.052	
28)	L6 AR-1254-3	7.539	6.694	1592076	1387732	524.175	516.330	
29)	L6 AR-1254-4	7.833	6.933	1291829	814905	558.442	545.784	
30)	L6 AR-1254-5	8.260	7.359	1248936	1235316	516.135	510.170	
31)	L7 AR-1260-1	7.706	6.829	702977	681173	321.091	397.134	
32)	L7 AR-1260-2	7.970	7.026	868418	577968	297.134	286.037	
33)	L7 AR-1260-3	8.321	7.178	196456	570774	76.759	287.716	#
34)	L7 AR-1260-4	8.553	7.661	586962	56499	240.257	33.584	#
35)	L7 AR-1260-5	8.876	7.908	239897	146686	44.566	38.123	
36)	L8 AR-1262-1	8.321	7.359	196456	1235316	51.676	991.867	#
37)	L8 AR-1262-2	8.876	7.908	239897	146686	38.317	33.356	
38)	L8 AR-1262-3	9.186f	8.180	133633	38457	32.598	20.415	#
39)	L8 AR-1262-4	9.232f	8.255	46471	149454	14.906	43.807	#
40)	L8 AR-1262-5	9.873	8.755	3743	16291	1.818	10.570	#
41)	L9 AR-1268-1	9.186f	8.180	133633	38457	17.743	7.433	#
42)	L9 AR-1268-2	9.232f	8.255	46471	149454	7.198	30.386	#

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP020921\
Data File : PP033179.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 09 Feb 2021 13:30
Operator : DD\AJ
Sample : AR1254CCC500
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument : ECD_P
ClientSampleId : AR1254CCC500

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 10 01:29:08 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP020821.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Feb 09 04:00:57 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
43) L9	AR-1268-3	9.471	8.463	13660	5335	2.226	1.220 #
44) L9	AR-1268-4	9.873	8.755	3743	16291	1.724	9.804 #
45) L9	AR-1268-5	10.252	9.033	15134	14424	0.924	1.128

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Quantitation Report (Not Reviewed)

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP020921\
Data File : PP033179.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 09 Feb 2021 13:30
Operator : DD\AJ
Sample : AR1254CCC500
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
AR1254CCC500

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 10 01:29:08 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP020821.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Feb 09 04:00:57 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm







#1 Tetrachloro-m-xylene

R.T.: 4.731 min
Delta R.T.: 0.001 min
Response: 3030784
Conc: 49.42 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1254CCC500



#1 Tetrachloro-m-xylene

R.T.: 4.003 min
Delta R.T.: 0.000 min
Response: 2156514
Conc: 52.74 ng/ml



#2 Decachlorobiphenyl

R.T.: 10.554 min
Delta R.T.: 0.003 min
Response: 2256532
Conc: 51.80 ng/ml



#2 Decachlorobiphenyl

R.T.: 9.269 min
Delta R.T.: 0.000 min
Response: 1840672
Conc: 54.95 ng/ml



#3 AR-1016-1

R.T.: 6.030 min
Delta R.T.: 0.001 min
Response: 25631
Conc: 15.64 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1254CCC500



#3 AR-1016-1

R.T.: 5.248 min
Delta R.T.: 0.000 min
Response: 17680
Conc: 16.11 ng/ml



#4 AR-1016-2

R.T.: 6.057 min
Delta R.T.: 0.005 min
Response: 29122
Conc: 11.63 ng/ml



#4 AR-1016-2

R.T.: 5.267 min
Delta R.T.: 0.000 min
Response: 15790
Conc: 9.68 ng/ml



#5 AR-1016-3

R.T.: 6.117 min
Delta R.T.: 0.000 min
Response: 11064
Conc: 6.98 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1254CCC500



#5 AR-1016-3

R.T.: 5.460 min
Delta R.T.: 0.001 min
Response: 10893
Conc: 12.22 ng/ml



#6 AR-1016-4

R.T.: 6.223 min
Delta R.T.: 0.000 min
Response: 19084
Conc: 14.40 ng/ml



#6 AR-1016-4

R.T.: 5.510 min
Delta R.T.: 0.000 min
Response: 402673
Conc: 559.16 ng/ml



#7 AR-1016-5

R.T.: 6.537 min
Delta R.T.: 0.001 min
Response: 311841
Conc: 237.77 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1254CCC500



#7 AR-1016-5

R.T.: 5.739 min
Delta R.T.: 0.000 min
Response: 150135
Conc: 159.54 ng/ml



#9 AR-1221-2

R.T.: 5.076 min
Delta R.T.: 0.003 min
Response: 43794
Conc: 94.14 ng/ml



#9 AR-1221-2

R.T.: 4.355 min
Delta R.T.: -0.001 min
Response: 30490
Conc: 96.48 ng/ml



#10 AR-1221-3

R.T.: 5.162 min
Delta R.T.: 0.004 min
Response: 11328
Conc: 8.03 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1254CCC500



#10 AR-1221-3

R.T.: 4.444 min
Delta R.T.: 0.000 min
Response: 10158
Conc: 10.32 ng/ml



#11 AR-1232-1

R.T.: 5.162 min
Delta R.T.: 0.004 min
Response: 11328
Conc: 9.77 ng/ml



#11 AR-1232-1

R.T.: 4.444 min
Delta R.T.: 0.000 min
Response: 10158
Conc: 12.82 ng/ml



#12 AR-1232-2

R.T.: 5.736 min
Delta R.T.: -0.003 min
Response: 15290
Conc: 23.95 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1254CCC500



#12 AR-1232-2

R.T.: 5.267 min
Delta R.T.: -0.001 min
Response: 15790
Conc: 21.36 ng/ml



#13 AR-1232-3

R.T.: 6.057 min
Delta R.T.: 0.004 min
Response: 29122
Conc: 26.55 ng/ml



#13 AR-1232-3

R.T.: 5.460 min
Delta R.T.: 0.000 min
Response: 10893
Conc: 27.46 ng/ml



#14 AR-1232-4

R.T.: 6.223 min
Delta R.T.: 0.000 min
Response: 19084
Conc: 33.25 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1254CCC500



#14 AR-1232-4

R.T.: 5.553 min
Delta R.T.: -0.001 min
Response: 119609
Conc: 341.20 ng/ml



#15 AR-1232-5

R.T.: 6.323 min
Delta R.T.: 0.000 min
Response: 497794
Conc: 1362.27 ng/ml



#15 AR-1232-5

R.T.: 5.739 min
Delta R.T.: 0.000 min
Response: 150135
Conc: 395.04 ng/ml



#16 AR-1242-1

R.T.: 6.030 min
Delta R.T.: 0.000 min
Response: 25631
Conc: 19.72 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1254CCC500



#16 AR-1242-1

R.T.: 5.248 min
Delta R.T.: 0.000 min
Response: 17680
Conc: 20.43 ng/ml



#17 AR-1242-2

R.T.: 6.057 min
Delta R.T.: 0.005 min
Response: 29122
Conc: 14.78 ng/ml



#17 AR-1242-2

R.T.: 5.267 min
Delta R.T.: 0.000 min
Response: 15790
Conc: 12.30 ng/ml



#18 AR-1242-3

R.T.: 6.117 min
Delta R.T.: 0.000 min
Response: 11064
Conc: 8.73 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1254CCC500



#18 AR-1242-3

R.T.: 5.460 min
Delta R.T.: 0.001 min
Response: 10893
Conc: 15.50 ng/ml



#19 AR-1242-4

R.T.: 6.223 min
Delta R.T.: 0.000 min
Response: 19084
Conc: 17.39 ng/ml



#19 AR-1242-4

R.T.: 5.553 min
Delta R.T.: 0.000 min
Response: 119609
Conc: 171.73 ng/ml



#20 AR-1242-5

R.T.: 7.002 min
Delta R.T.: 0.004 min
Response: 294110
Conc: 283.08 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1254CCC500



#20 AR-1242-5

R.T.: 6.116 min
Delta R.T.: 0.000 min
Response: 1027506
Conc: 1216.89 ng/ml



#21 AR-1248-1

R.T.: 6.030 min
Delta R.T.: 0.000 min
Response: 25631
Conc: 26.77 ng/ml



#21 AR-1248-1

R.T.: 5.248 min
Delta R.T.: 0.000 min
Response: 17680
Conc: 27.19 ng/ml



#22 AR-1248-2

R.T.: 6.323 min
Delta R.T.: 0.000 min
Response: 497794
Conc: 375.67 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1254CCC500



#22 AR-1248-2

R.T.: 5.510 min
Delta R.T.: 0.000 min
Response: 402673
Conc: 419.73 ng/ml



#23 AR-1248-3

R.T.: 6.537 min
Delta R.T.: 0.001 min
Response: 311841
Conc: 192.58 ng/ml



#23 AR-1248-3

R.T.: 5.553 min
Delta R.T.: 0.000 min
Response: 119609
Conc: 117.64 ng/ml



#24 AR-1248-4

R.T.: 6.961 min
Delta R.T.: 0.000 min
Response: 466202
Conc: 270.95 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1254CCC500



#24 AR-1248-4

R.T.: 5.739 min
Delta R.T.: 0.000 min
Response: 150135
Conc: 121.15 ng/ml



#25 AR-1248-5

R.T.: 7.002 min
Delta R.T.: 0.003 min
Response: 294110
Conc: 169.03 ng/ml



#25 AR-1248-5

R.T.: 6.160 min
Delta R.T.: 0.000 min
Response: 149323
Conc: 132.22 ng/ml



#26 AR-1254-1

R.T.: 6.933 min
Delta R.T.: 0.003 min
Response: 757433
Conc: 403.42 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1254CCC500



#26 AR-1254-1

R.T.: 6.116 min
Delta R.T.: 0.000 min
Response: 1027506
Conc: 537.64 ng/ml



#27 AR-1254-2

R.T.: 7.160 min
Delta R.T.: 0.002 min
Response: 1449824
Conc: 494.52 ng/ml



#27 AR-1254-2

R.T.: 6.275 min
Delta R.T.: 0.000 min
Response: 914998
Conc: 558.05 ng/ml



#28 AR-1254-3

R.T.: 7.539 min
Delta R.T.: 0.002 min
Response: 1592076
Conc: 524.17 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1254CCC500



#28 AR-1254-3

R.T.: 6.694 min
Delta R.T.: 0.000 min
Response: 1387732
Conc: 516.33 ng/ml



#29 AR-1254-4

R.T.: 7.833 min
Delta R.T.: 0.001 min
Response: 1291829
Conc: 558.44 ng/ml



#29 AR-1254-4

R.T.: 6.933 min
Delta R.T.: 0.000 min
Response: 814905
Conc: 545.78 ng/ml



#30 AR-1254-5

R.T.: 8.260 min
Delta R.T.: 0.003 min
Response: 1248936
Conc: 516.14 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1254CCC500



#30 AR-1254-5

R.T.: 7.359 min
Delta R.T.: 0.000 min
Response: 1235316
Conc: 510.17 ng/ml



#31 AR-1260-1

R.T.: 7.706 min
Delta R.T.: 0.002 min
Response: 702977
Conc: 321.09 ng/ml



#31 AR-1260-1

R.T.: 6.829 min
Delta R.T.: 0.001 min
Response: 681173
Conc: 397.13 ng/ml



#32 AR-1260-2

R.T.: 7.970 min
Delta R.T.: 0.001 min
Response: 868418
Conc: 297.13 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1254CCC500



#32 AR-1260-2

R.T.: 7.026 min
Delta R.T.: 0.000 min
Response: 577968
Conc: 286.04 ng/ml



#33 AR-1260-3

R.T.: 8.321 min
Delta R.T.: -0.011 min
Response: 196456
Conc: 76.76 ng/ml



#33 AR-1260-3

R.T.: 7.178 min
Delta R.T.: -0.001 min
Response: 570774
Conc: 287.72 ng/ml



#34 AR-1260-4

R.T.: 8.553 min
Delta R.T.: -0.009 min
Response: 586962
Conc: 240.26 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1254CCC500



#34 AR-1260-4

R.T.: 7.661 min
Delta R.T.: 0.002 min
Response: 56499
Conc: 33.58 ng/ml



#35 AR-1260-5

R.T.: 8.876 min
Delta R.T.: 0.002 min
Response: 239897
Conc: 44.57 ng/ml



#35 AR-1260-5

R.T.: 7.908 min
Delta R.T.: 0.000 min
Response: 146686
Conc: 38.12 ng/ml



#36 AR-1262-1

R.T.: 8.321 min
Delta R.T.: -0.011 min
Response: 196456
Conc: 51.68 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1254CCC500



#36 AR-1262-1

R.T.: 7.359 min
Delta R.T.: 0.003 min
Response: 1235316
Conc: 991.87 ng/ml



#37 AR-1262-2

R.T.: 8.876 min
Delta R.T.: 0.002 min
Response: 239897
Conc: 38.32 ng/ml



#37 AR-1262-2

R.T.: 7.908 min
Delta R.T.: 0.000 min
Response: 146686
Conc: 33.36 ng/ml



#38 AR-1262-3

R.T.: 9.186 min
Delta R.T.: 0.020 min
Response: 133633
Conc: 32.60 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1254CCC500



#38 AR-1262-3

R.T.: 8.180 min
Delta R.T.: -0.011 min
Response: 38457
Conc: 20.41 ng/ml



#39 AR-1262-4

R.T.: 9.232 min
Delta R.T.: -0.020 min
Response: 46471
Conc: 14.91 ng/ml



#39 AR-1262-4

R.T.: 8.255 min
Delta R.T.: 0.000 min
Response: 149454
Conc: 43.81 ng/ml



#40 AR-1262-5

R.T.: 9.873 min
Delta R.T.: 0.007 min
Response: 3743
Conc: 1.82 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1254CCC500



#40 AR-1262-5

R.T.: 8.755 min
Delta R.T.: 0.003 min
Response: 16291
Conc: 10.57 ng/ml



#41 AR-1268-1

R.T.: 9.186 min
Delta R.T.: 0.022 min
Response: 133633
Conc: 17.74 ng/ml



#41 AR-1268-1

R.T.: 8.180 min
Delta R.T.: -0.011 min
Response: 38457
Conc: 7.43 ng/ml



#42 AR-1268-2

R.T.: 9.232 min
Delta R.T.: -0.023 min
Response: 46471
Conc: 7.20 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1254CCC500



#42 AR-1268-2

R.T.: 8.255 min
Delta R.T.: -0.002 min
Response: 149454
Conc: 30.39 ng/ml



#43 AR-1268-3

R.T.: 9.471 min
Delta R.T.: 0.008 min
Response: 13660
Conc: 2.23 ng/ml



#43 AR-1268-3

R.T.: 8.463 min
Delta R.T.: 0.004 min
Response: 5335
Conc: 1.22 ng/ml



#44 AR-1268-4

R.T.: 9.873 min
Delta R.T.: 0.007 min
Response: 3743
Conc: 1.72 ng/ml

Instrument :
ECD_P
ClientSampleId :
AR1254CCC500



#44 AR-1268-4

R.T.: 8.755 min
Delta R.T.: 0.002 min
Response: 16291
Conc: 9.80 ng/ml



#45 AR-1268-5

R.T.: 10.252 min
Delta R.T.: 0.007 min
Response: 15134
Conc: 0.92 ng/ml



#45 AR-1268-5

R.T.: 9.033 min
Delta R.T.: 0.002 min
Response: 14424
Conc: 1.13 ng/ml