

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP021422\
 Data File : PP043700.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Feb 2022 20:00
 Operator : YP\AJ
 Sample : N1513-02
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 15 00:40:49 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP021022.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Feb 11 04:48:05 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.920	3.175	46693336	42983531	21.118	22.885
2)	SA Decachlor...	10.067	8.552	24334898	33479250	20.486	20.636
Target Compounds							
3)	L1 AR-1016-1	5.179	4.323	117949	86175	1.625	1.406
4)	L1 AR-1016-2	5.190	4.343	451497	295768	4.281	3.501
5)	L1 AR-1016-3	5.258	4.511f	505324	2064313	7.674	44.188 #
6)	L1 AR-1016-4	5.367	4.559f	398882	1532537	7.355	41.009 #
7)	L1 AR-1016-5	5.686	4.800	1134082	682189	21.590	14.933 #
8)	L2 AR-1221-1	4.138	3.400	3306417	577910	129.871	24.228 #
9)	L2 AR-1221-2	4.241	3.514f	832482	396623	43.362	21.961 #
10)	L2 AR-1221-3	4.313	3.573	794286	1443431	13.827	27.980 #
11)	L3 AR-1232-1	4.313	3.573	794286	1443431	16.366	33.549 #
12)	L3 AR-1232-2	4.881	4.343	816585	295768	34.459	8.285 #
13)	L3 AR-1232-3	5.190	4.511f	451497	2064313	10.487	105.569 #
14)	L3 AR-1232-4	5.367	4.614	398882	567679	18.274	32.828 #
15)	L3 AR-1232-5	5.475	4.800	674963	682189	41.847	36.317
16)	L4 AR-1242-1	5.179	4.323	117949	86175	2.099	1.768
17)	L4 AR-1242-2	5.190	4.343	451497	295768	5.457	4.392
18)	L4 AR-1242-3	5.258	4.511f	505324	2064313	9.763	54.992 #
19)	L4 AR-1242-4	5.367	4.614	398882	567679	9.339	15.721 #
20)	L4 AR-1242-5	6.165	5.182	838012	543093	19.407	12.616 #
21)	L5 AR-1248-1	5.179	4.323	117949	86175	2.877	2.313
22)	L5 AR-1248-2	5.475	4.559f	674963	1532537	11.880	31.327 #
23)	L5 AR-1248-3	5.686	4.614	1134082	567679	16.999	11.063 #
24)	L5 AR-1248-4	6.130	4.800	256976	682189	3.678	11.636 #
25)	L5 AR-1248-5	6.165	5.228	838012	429072	12.122	7.488 #
26)	L6 AR-1254-1	6.096	5.176	740928	527932	9.806	6.045 #
27)	L6 AR-1254-2	6.345	5.341	207425	221577	1.849	2.905 #
28)	L6 AR-1254-3	6.740	5.771	151493	348673	1.309	2.845 #
29)	L6 AR-1254-4	7.067	6.014	384688	395448	4.819	5.010
30)	L6 AR-1254-5	7.526	6.476	521226	119987	6.078	1.038 #
31)	L7 AR-1260-1	6.910	5.909	116492	401995	1.391	5.027 #
32)	L7 AR-1260-2	7.189f	6.121	128982	1009812	1.425	10.341 #
33)	L7 AR-1260-3	7.602	6.273	431210	349694	5.949	3.831 #
34)	L7 AR-1260-4	7.876f	6.800	81978	54576	0.955	0.675 #
35)	L7 AR-1260-5	8.211f	7.059	110738	24030227	0.714	129.988 #
36)	L8 AR-1262-1	7.602	6.502	431210	341792	4.367	3.109 #
37)	L8 AR-1262-2	8.211f	6.800	110738	54576	0.686	0.535
38)	L8 AR-1262-3	0.000	7.371	0	2877897	N.D.	33.768 #
39)	L8 AR-1262-4	8.615	7.439	51250	55793	1.069	0.359 #
40)	L8 AR-1262-5	9.298	7.987	140913	20972	2.530	0.270 #
41)	L9 AR-1268-1	0.000	7.371	0	2877897	N.D.	11.359 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP021422\
 Data File : PP043700.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Feb 2022 20:00
 Operator : YP\AJ
 Sample : N1513-02
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 15 00:40:49 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP021022.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Feb 11 04:48:05 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.615	7.439	51250	55793	0.293	0.247
43) L9	AR-1268-3	8.862	7.659	44656	65671	0.289	0.337
44) L9	AR-1268-4	9.298	7.987	140913	20972	2.252	0.233 #
45) L9	AR-1268-5	9.749f	8.287	255048	213464	0.561	0.355 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP021422\
Data File : PP043700.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Feb 2022 20:00
Operator : YP\AJ
Sample : N1513-02
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 15 00:40:49 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP021022.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Feb 11 04:48:05 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.920 min
Delta R.T.: 0.000 min
Response: 46693336
Conc: 21.12 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.175 min
Delta R.T.: 0.001 min
Response: 42983531
Conc: 22.88 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.067 min
Delta R.T.: -0.004 min
Response: 24334898
Conc: 20.49 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.552 min
Delta R.T.: -0.002 min
Response: 33479250
Conc: 20.64 ng/ml



#3 AR-1016-1


R.T.: 5.179 min
Delta R.T.: 0.005 min
Response: 117949
Conc: 1.63 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.323 min
Delta R.T.: 0.000 min
Response: 86175
Conc: 1.41 ng/ml




#4 AR-1016-2

R.T.: 5.190 min
Delta R.T.: -0.008 min
Response: 451497
Conc: 4.28 ng/ml



#4 AR-1016-2


R.T.: 4.343 min
Delta R.T.: 0.001 min
Response: 295768
Conc: 3.50 ng/ml



#5 AR-1016-3


R.T.: 5.258 min
Delta R.T.: -0.005 min
Response: 505324
Conc: 7.67 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.511 min
Delta R.T.: -0.016 min
Response: 2064313
Conc: 44.19 ng/ml




#6 AR-1016-4

R.T.: 5.367 min
Delta R.T.: -0.002 min
Response: 398882
Conc: 7.36 ng/ml



#6 AR-1016-4


R.T.: 4.559 min
Delta R.T.: -0.017 min
Response: 1532537
Conc: 41.01 ng/ml



#7 AR-1016-5


R.T.: 5.686 min
Delta R.T.: -0.005 min
Response: 1134082
Conc: 21.59 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 4.800 min
Delta R.T.: -0.001 min
Response: 682189
Conc: 14.93 ng/ml




#8 AR-1221-1

R.T.: 4.138 min
Delta R.T.: -0.009 min
Response: 3306417
Conc: 129.87 ng/ml



#8 AR-1221-1


R.T.: 3.400 min
Delta R.T.: -0.003 min
Response: 577910
Conc: 24.23 ng/ml



#9 AR-1221-2


R.T.: 4.241 min
Delta R.T.: 0.003 min
Response: 832482
Conc: 43.36 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.514 min
Delta R.T.: 0.022 min
Response: 396623
Conc: 21.96 ng/ml




#10 AR-1221-3

R.T.: 4.313 min
Delta R.T.: -0.005 min
Response: 794286
Conc: 13.83 ng/ml



#10 AR-1221-3


R.T.: 3.573 min
Delta R.T.: 0.000 min
Response: 1443431
Conc: 27.98 ng/ml



#11 AR-1232-1


R.T.: 4.313 min
Delta R.T.: -0.005 min
Response: 794286
Conc: 16.37 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.573 min
Delta R.T.: 0.000 min
Response: 1443431
Conc: 33.55 ng/ml




#12 AR-1232-2

R.T.: 4.881 min
Delta R.T.: -0.003 min
Response: 816585
Conc: 34.46 ng/ml



#12 AR-1232-2


R.T.: 4.343 min
Delta R.T.: 0.000 min
Response: 295768
Conc: 8.29 ng/ml



#13 AR-1232-3


R.T.: 5.190 min
Delta R.T.: -0.007 min
Response: 451497
Conc: 10.49 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.511 min
Delta R.T.: -0.016 min
Response: 2064313
Conc: 105.57 ng/ml




#14 AR-1232-4

R.T.: 5.367 min
Delta R.T.: -0.002 min
Response: 398882
Conc: 18.27 ng/ml



#14 AR-1232-4


R.T.: 4.614 min
Delta R.T.: -0.005 min
Response: 567679
Conc: 32.83 ng/ml



#15 AR-1232-5


R.T.: 5.475 min
Delta R.T.: 0.003 min
Response: 674963
Conc: 41.85 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 4.800 min
Delta R.T.: 0.000 min
Response: 682189
Conc: 36.32 ng/ml




#16 AR-1242-1

R.T.: 5.179 min
Delta R.T.: 0.005 min
Response: 117949
Conc: 2.10 ng/ml



#16 AR-1242-1


R.T.: 4.323 min
Delta R.T.: 0.000 min
Response: 86175
Conc: 1.77 ng/ml



#17 AR-1242-2


R.T.: 5.190 min
Delta R.T.: -0.007 min
Response: 451497
Conc: 5.46 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.343 min
Delta R.T.: 0.000 min
Response: 295768
Conc: 4.39 ng/ml




#18 AR-1242-3

R.T.: 5.258 min
Delta R.T.: -0.006 min
Response: 505324
Conc: 9.76 ng/ml



#18 AR-1242-3


R.T.: 4.511 min
Delta R.T.: -0.015 min
Response: 2064313
Conc: 54.99 ng/ml



#19 AR-1242-4


R.T.: 5.367 min
Delta R.T.: -0.002 min
Response: 398882
Conc: 9.34 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.614 min
Delta R.T.: -0.006 min
Response: 567679
Conc: 15.72 ng/ml




#20 AR-1242-5

R.T.: 6.165 min
Delta R.T.: -0.006 min
Response: 838012
Conc: 19.41 ng/ml



#20 AR-1242-5


R.T.: 5.182 min
Delta R.T.: 0.003 min
Response: 543093
Conc: 12.62 ng/ml



#21 AR-1248-1


R.T.: 5.179 min
Delta R.T.: 0.005 min
Response: 117949
Conc: 2.88 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.323 min
Delta R.T.: 0.000 min
Response: 86175
Conc: 2.31 ng/ml




#22 AR-1248-2

R.T.: 5.475 min
Delta R.T.: 0.003 min
Response: 674963
Conc: 11.88 ng/ml



#22 AR-1248-2


R.T.: 4.559 min
Delta R.T.: -0.017 min
Response: 1532537
Conc: 31.33 ng/ml



#23 AR-1248-3


R.T.: 5.686 min
Delta R.T.: -0.004 min
Response: 1134082
Conc: 17.00 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.614 min
Delta R.T.: -0.005 min
Response: 567679
Conc: 11.06 ng/ml




#24 AR-1248-4

R.T.: 6.130 min
Delta R.T.: 0.000 min
Response: 256976
Conc: 3.68 ng/ml



#24 AR-1248-4


R.T.: 4.800 min
Delta R.T.: 0.000 min
Response: 682189
Conc: 11.64 ng/ml



#25 AR-1248-5


R.T.: 6.165 min
Delta R.T.: -0.006 min
Response: 838012
Conc: 12.12 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.228 min
Delta R.T.: 0.006 min
Response: 429072
Conc: 7.49 ng/ml




#26 AR-1254-1

R.T.: 6.096 min
Delta R.T.: -0.006 min
Response: 740928
Conc: 9.81 ng/ml



#26 AR-1254-1


R.T.: 5.176 min
Delta R.T.: -0.003 min
Response: 527932
Conc: 6.05 ng/ml



#27 AR-1254-2


R.T.: 6.345 min
Delta R.T.: 0.003 min
Response: 207425
Conc: 1.85 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.341 min
Delta R.T.: 0.002 min
Response: 221577
Conc: 2.90 ng/ml




#28 AR-1254-3

R.T.: 6.740 min
Delta R.T.: -0.001 min
Response: 151493
Conc: 1.31 ng/ml



#28 AR-1254-3


R.T.: 5.771 min
Delta R.T.: -0.002 min
Response: 348673
Conc: 2.84 ng/ml



#29 AR-1254-4


R.T.: 7.067 min
Delta R.T.: 0.011 min
Response: 384688
Conc: 4.82 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.014 min
Delta R.T.: -0.007 min
Response: 395448
Conc: 5.01 ng/ml




#30 AR-1254-5

R.T.: 7.526 min
Delta R.T.: 0.009 min
Response: 521226
Conc: 6.08 ng/ml



#30 AR-1254-5


R.T.: 6.476 min
Delta R.T.: 0.002 min
Response: 119987
Conc: 1.04 ng/ml



#31 AR-1260-1


R.T.: 6.910 min
Delta R.T.: -0.013 min
Response: 116492
Conc: 1.39 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 5.909 min
Delta R.T.: -0.004 min
Response: 401995
Conc: 5.03 ng/ml




#32 AR-1260-2

R.T.: 7.189 min
Delta R.T.: -0.017 min
Response: 128982
Conc: 1.42 ng/ml



#32 AR-1260-2


R.T.: 6.121 min
Delta R.T.: 0.001 min
Response: 1009812
Conc: 10.34 ng/ml



#33 AR-1260-3


R.T.: 7.602 min
Delta R.T.: 0.001 min
Response: 431210
Conc: 5.95 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.273 min
Delta R.T.: -0.010 min
Response: 349694
Conc: 3.83 ng/ml




#34 AR-1260-4

R.T.: 7.876 min
Delta R.T.: 0.027 min
Response: 81978
Conc: 0.95 ng/ml



#34 AR-1260-4


R.T.: 6.800 min
Delta R.T.: 0.003 min
Response: 54576
Conc: 0.67 ng/ml



#35 AR-1260-5


R.T.: 8.211 min
Delta R.T.: 0.019 min
Response: 110738
Conc: 0.71 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.059 min
Delta R.T.: -0.005 min
Response: 24030227
Conc: 129.99 ng/ml




#36 AR-1262-1

R.T.: 7.602 min
Delta R.T.: 0.000 min
Response: 431210
Conc: 4.37 ng/ml



#36 AR-1262-1


R.T.: 6.502 min
Delta R.T.: -0.014 min
Response: 341792
Conc: 3.11 ng/ml



#37 AR-1262-2


R.T.: 8.211 min
Delta R.T.: 0.018 min
Response: 110738
Conc: 0.69 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.800 min
Delta R.T.: 0.003 min
Response: 54576
Conc: 0.54 ng/ml




#38 AR-1262-3

R.T.: 0.000 min
Exp R.T. : 8.526 min
Response: 0
Conc: N.D.



#38 AR-1262-3


R.T.: 7.371 min
Delta R.T.: -0.001 min
Response: 2877897
Conc: 33.77 ng/ml



#39 AR-1262-4


R.T.: 8.615 min
Delta R.T.: -0.004 min
Response: 51250
Conc: 1.07 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.439 min
Delta R.T.: -0.002 min
Response: 55793
Conc: 0.36 ng/ml




#40 AR-1262-5

R.T.: 9.298 min
Delta R.T.: -0.005 min
Response: 140913
Conc: 2.53 ng/ml



#40 AR-1262-5


R.T.: 7.987 min
Delta R.T.: 0.004 min
Response: 20972
Conc: 0.27 ng/ml



#41 AR-1268-1


R.T.: 0.000 min
Exp R.T.: 8.523 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.371 min
Delta R.T.: -0.001 min
Response: 2877897
Conc: 11.36 ng/ml




#42 AR-1268-2

R.T.: 8.615 min
Delta R.T.: -0.006 min
Response: 51250
Conc: 0.29 ng/ml



#42 AR-1268-2


R.T.: 7.439 min
Delta R.T.: -0.003 min
Response: 55793
Conc: 0.25 ng/ml



#43 AR-1268-3


R.T.: 8.862 min
Delta R.T.: 0.004 min
Response: 44656
Conc: 0.29 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.659 min
Delta R.T.: -0.006 min
Response: 65671
Conc: 0.34 ng/ml




#44 AR-1268-4

R.T.: 9.298 min
Delta R.T.: -0.004 min
Response: 140913
Conc: 2.25 ng/ml



#44 AR-1268-4


R.T.: 7.987 min
Delta R.T.: 0.004 min
Response: 20972
Conc: 0.23 ng/ml



#45 AR-1268-5

R.T.: 9.749 min
Delta R.T.: 0.021 min
Response: 255048
Conc: 0.56 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.287 min
Delta R.T.: -0.004 min
Response: 213464
Conc: 0.36 ng/ml