

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP021423\
 Data File : PP055629.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Feb 2023 12:57
 Operator : YP\AJ
 Sample : 01537-01
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 14 20:36:42 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP012423.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Jan 24 03:37:45 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.326	3.572	32950492	28980686	18.951	19.305
2)	SA Decachlor...	10.077	8.579	27426816	23079479	15.838	17.089
Target Compounds							
3)	L1 AR-1016-1	5.497	4.672	828995	1200270	12.334	24.251 #
4)	L1 AR-1016-2	5.518	4.672	1481299	1200270	15.458	17.340
5)	L1 AR-1016-3	5.577	4.848	867806	676278	14.508	18.181 #
6)	L1 AR-1016-4	5.679	4.890	217104	654204	4.531	20.820 #
7)	L1 AR-1016-5	5.975	5.102	956542	573827	18.876	14.035 #
8)	L2 AR-1221-1	4.533	0.000	211628	0	9.000	N.D. #
9)	L2 AR-1221-2	4.632	3.869	683227	692808	38.455	46.741
10)	L2 AR-1221-3	4.713	3.948	319657	141508	5.941	3.137 #
11)	L3 AR-1232-1	4.713	3.948	319657	141508	7.202	3.839 #
12)	L3 AR-1232-2	5.226	4.672	1323966	1200270	58.544	37.576 #
13)	L3 AR-1232-3	5.518	4.848	1481299	676278	33.729	40.566
14)	L3 AR-1232-4	5.679	4.931	217104	756466	9.809	46.909 #
15)	L3 AR-1232-5	5.772	5.102	584148	573827	33.366	32.490
16)	L4 AR-1242-1	5.497	4.672	828995	1200270	14.806	29.302 #
17)	L4 AR-1242-2	5.518	4.672	1481299	1200270	18.556	21.020
18)	L4 AR-1242-3	5.577	4.848	867806	676278	17.474	21.909 #
19)	L4 AR-1242-4	5.679	4.931	217104	756466	5.417	23.285 #
20)	L4 AR-1242-5	6.419	5.456	818884	779410	18.417	20.856
21)	L5 AR-1248-1	5.497	4.672	828995	1200270	19.878	38.714 #
22)	L5 AR-1248-2	5.772	4.890	584148	654204	9.188	14.307 #
23)	L5 AR-1248-3	5.975	4.931	956542	756466	13.831	15.868
24)	L5 AR-1248-4	6.381	5.102	637548	573827	8.407	10.390
25)	L5 AR-1248-5	6.419	5.496	818884	315050	11.097	6.407 #
26)	L6 AR-1254-1	6.354	5.456	835710	779410	10.593	9.651
27)	L6 AR-1254-2	6.574	5.603	1452346	404769	12.001	5.656 #
28)	L6 AR-1254-3	6.951	6.027	2238643	1332946	18.276	11.965 #
29)	L6 AR-1254-4	7.228	6.237	242958	391719	2.757	6.369 #
30)	L6 AR-1254-5	7.671	6.654	3710808	2201624	36.682	23.223 #
31)	L7 AR-1260-1	7.108	6.139	656814	898349	6.890	11.585 #
32)	L7 AR-1260-2	7.356f	6.329	4170485	427865	37.056	4.759 #
33)	L7 AR-1260-3	7.728	6.481	889624	442248	11.049	5.208 #
34)	L7 AR-1260-4	7.955	6.953f	3775636	352874	38.893	4.928 #
35)	L7 AR-1260-5	8.270	7.199	1793503	872115	10.084	5.673 #
36)	L8 AR-1262-1	7.728	6.751	889624	169656	7.540	3.949 #
37)	L8 AR-1262-2	8.270	6.953	1793503	352874	8.905	3.810 #
38)	L8 AR-1262-3	8.590	7.485	250214	434607	1.799	5.965 #
39)	L8 AR-1262-4	8.672	7.546	741722	671175	9.648	5.132 #
40)	L8 AR-1262-5	9.343	8.060	63015	20355	0.881	0.343 #
41)	L9 AR-1268-1	8.590	7.485	250214	434607	1.024	2.010 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP021423\
 Data File : PP055629.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Feb 2023 12:57
 Operator : YP\AJ
 Sample : 01537-01
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 14 20:36:42 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP012423.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Jan 24 03:37:45 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.672	7.546	741722	671175	3.266	3.440
43) L9	AR-1268-3	8.907	7.764	121459	93982	0.608	0.547
44) L9	AR-1268-4	9.343	8.060	63015	20355	0.802	0.319 #
45) L9	AR-1268-5	9.743	8.330	198110	104989	0.311	0.199 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP021423\
Data File : PP055629.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Feb 2023 12:57
Operator : YP\AJ
Sample : 01537-01
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 14 20:36:42 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP012423.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Jan 24 03:37:45 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.326 min
Delta R.T.: -0.006 min
Response: 32950492
Conc: 18.95 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.572 min
Delta R.T.: -0.007 min
Response: 28980686
Conc: 19.30 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.077 min
Delta R.T.: -0.014 min
Response: 27426816
Conc: 15.84 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.579 min
Delta R.T.: -0.019 min
Response: 23079479
Conc: 17.09 ng/ml



#3 AR-1016-1


R.T.: 5.497 min
Delta R.T.: -0.007 min
Response: 828995
Conc: 12.33 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.672 min
Delta R.T.: 0.008 min
Response: 1200270
Conc: 24.25 ng/ml




#4 AR-1016-2

R.T.: 5.518 min
Delta R.T.: -0.008 min
Response: 1481299
Conc: 15.46 ng/ml



#4 AR-1016-2


R.T.: 4.672 min
Delta R.T.: -0.011 min
Response: 1200270
Conc: 17.34 ng/ml



#5 AR-1016-3


R.T.: 5.577 min
Delta R.T.: -0.011 min
Response: 867806
Conc: 14.51 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.848 min
Delta R.T.: -0.012 min
Response: 676278
Conc: 18.18 ng/ml




#6 AR-1016-4

R.T.: 5.679 min
Delta R.T.: -0.008 min
Response: 217104
Conc: 4.53 ng/ml



#6 AR-1016-4


R.T.: 4.890 min
Delta R.T.: -0.012 min
Response: 654204
Conc: 20.82 ng/ml



#7 AR-1016-5


R.T.: 5.975 min
Delta R.T.: -0.008 min
Response: 956542
Conc: 18.88 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.102 min
Delta R.T.: -0.013 min
Response: 573827
Conc: 14.04 ng/ml




#8 AR-1221-1

R.T.: 4.533 min
Delta R.T.: -0.006 min
Response: 211628
Conc: 9.00 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T. : 3.791 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.632 min
Delta R.T.: 0.006 min
Response: 683227
Conc: 38.45 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.869 min
Delta R.T.: -0.008 min
Response: 692808
Conc: 46.74 ng/ml




#10 AR-1221-3

R.T.: 4.713 min
Delta R.T.: 0.010 min
Response: 319657
Conc: 5.94 ng/ml



#10 AR-1221-3


R.T.: 3.948 min
Delta R.T.: -0.004 min
Response: 141508
Conc: 3.14 ng/ml



#11 AR-1232-1


R.T.: 4.713 min
Delta R.T.: 0.009 min
Response: 319657
Conc: 7.20 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.948 min
Delta R.T.: -0.005 min
Response: 141508
Conc: 3.84 ng/ml




#12 AR-1232-2

R.T.: 5.226 min
Delta R.T.: -0.008 min
Response: 1323966
Conc: 58.54 ng/ml



#12 AR-1232-2


R.T.: 4.672 min
Delta R.T.: -0.011 min
Response: 1200270
Conc: 37.58 ng/ml



#13 AR-1232-3


R.T.: 5.518 min
Delta R.T.: -0.008 min
Response: 1481299
Conc: 33.73 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.848 min
Delta R.T.: -0.011 min
Response: 676278
Conc: 40.57 ng/ml




#14 AR-1232-4

R.T.: 5.679 min
Delta R.T.: -0.009 min
Response: 217104
Conc: 9.81 ng/ml



#14 AR-1232-4


R.T.: 4.931 min
Delta R.T.: -0.013 min
Response: 756466
Conc: 46.91 ng/ml



#15 AR-1232-5


R.T.: 5.772 min
Delta R.T.: -0.007 min
Response: 584148
Conc: 33.37 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.102 min
Delta R.T.: -0.014 min
Response: 573827
Conc: 32.49 ng/ml




#16 AR-1242-1

R.T.: 5.497 min
Delta R.T.: -0.007 min
Response: 828995
Conc: 14.81 ng/ml



#16 AR-1242-1


R.T.: 4.672 min
Delta R.T.: 0.007 min
Response: 1200270
Conc: 29.30 ng/ml



#17 AR-1242-2


R.T.: 5.518 min
Delta R.T.: -0.008 min
Response: 1481299
Conc: 18.56 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.672 min
Delta R.T.: -0.011 min
Response: 1200270
Conc: 21.02 ng/ml




#18 AR-1242-3

R.T.: 5.577 min
Delta R.T.: -0.011 min
Response: 867806
Conc: 17.47 ng/ml



#18 AR-1242-3


R.T.: 4.848 min
Delta R.T.: -0.012 min
Response: 676278
Conc: 21.91 ng/ml



#19 AR-1242-4


R.T.: 5.679 min
Delta R.T.: -0.008 min
Response: 217104
Conc: 5.42 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.931 min
Delta R.T.: -0.013 min
Response: 756466
Conc: 23.29 ng/ml




#20 AR-1242-5

R.T.: 6.419 min
Delta R.T.: -0.007 min
Response: 818884
Conc: 18.42 ng/ml



#20 AR-1242-5


R.T.: 5.456 min
Delta R.T.: -0.011 min
Response: 779410
Conc: 20.86 ng/ml



#21 AR-1248-1


R.T.: 5.497 min
Delta R.T.: -0.005 min
Response: 828995
Conc: 19.88 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.672 min
Delta R.T.: 0.008 min
Response: 1200270
Conc: 38.71 ng/ml




#22 AR-1248-2

R.T.: 5.772 min
Delta R.T.: -0.006 min
Response: 584148
Conc: 9.19 ng/ml



#22 AR-1248-2


R.T.: 4.890 min
Delta R.T.: -0.011 min
Response: 654204
Conc: 14.31 ng/ml



#23 AR-1248-3


R.T.: 5.975 min
Delta R.T.: -0.006 min
Response: 956542
Conc: 13.83 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.931 min
Delta R.T.: -0.012 min
Response: 756466
Conc: 15.87 ng/ml




#24 AR-1248-4

R.T.: 6.381 min
Delta R.T.: -0.007 min
Response: 637548
Conc: 8.41 ng/ml



#24 AR-1248-4


R.T.: 5.102 min
Delta R.T.: -0.012 min
Response: 573827
Conc: 10.39 ng/ml



#25 AR-1248-5


R.T.: 6.419 min
Delta R.T.: -0.007 min
Response: 818884
Conc: 11.10 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.496 min
Delta R.T.: -0.013 min
Response: 315050
Conc: 6.41 ng/ml




#26 AR-1254-1

R.T.: 6.354 min
Delta R.T.: -0.007 min
Response: 835710
Conc: 10.59 ng/ml



#26 AR-1254-1


R.T.: 5.456 min
Delta R.T.: -0.011 min
Response: 779410
Conc: 9.65 ng/ml



#27 AR-1254-2


R.T.: 6.574 min
Delta R.T.: -0.007 min
Response: 1452346
Conc: 12.00 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.603 min
Delta R.T.: -0.012 min
Response: 404769
Conc: 5.66 ng/ml




#28 AR-1254-3

R.T.: 6.951 min
Delta R.T.: 0.002 min
Response: 2238643
Conc: 18.28 ng/ml



#28 AR-1254-3


R.T.: 6.027 min
Delta R.T.: 0.007 min
Response: 1332946
Conc: 11.96 ng/ml



#29 AR-1254-4


R.T.: 7.228 min
Delta R.T.: -0.008 min
Response: 242958
Conc: 2.76 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.237 min
Delta R.T.: -0.013 min
Response: 391719
Conc: 6.37 ng/ml




#30 AR-1254-5

R.T.: 7.671 min
Delta R.T.: 0.014 min
Response: 3710808
Conc: 36.68 ng/ml



#30 AR-1254-5


R.T.: 6.654 min
Delta R.T.: -0.015 min
Response: 2201624
Conc: 23.22 ng/ml



#31 AR-1260-1


R.T.: 7.108 min
Delta R.T.: -0.008 min
Response: 656814
Conc: 6.89 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.139 min
Delta R.T.: -0.013 min
Response: 898349
Conc: 11.58 ng/ml




#32 AR-1260-2

R.T.: 7.356 min
Delta R.T.: -0.018 min
Response: 4170485
Conc: 37.06 ng/ml



#32 AR-1260-2


R.T.: 6.329 min
Delta R.T.: -0.013 min
Response: 427865
Conc: 4.76 ng/ml



#33 AR-1260-3


R.T.: 7.728 min
Delta R.T.: -0.007 min
Response: 889624
Conc: 11.05 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.481 min
Delta R.T.: -0.014 min
Response: 442248
Conc: 5.21 ng/ml




#34 AR-1260-4

R.T.: 7.955 min
Delta R.T.: -0.006 min
Response: 3775636
Conc: 38.89 ng/ml



#34 AR-1260-4


R.T.: 6.953 min
Delta R.T.: -0.016 min
Response: 352874
Conc: 4.93 ng/ml



#35 AR-1260-5


R.T.: 8.270 min
Delta R.T.: -0.008 min
Response: 1793503
Conc: 10.08 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.199 min
Delta R.T.: -0.014 min
Response: 872115
Conc: 5.67 ng/ml




#36 AR-1262-1

R.T.: 7.728 min
Delta R.T.: -0.006 min
Response: 889624
Conc: 7.54 ng/ml



#36 AR-1262-1


R.T.: 6.751 min
Delta R.T.: -0.009 min
Response: 169656
Conc: 3.95 ng/ml



#37 AR-1262-2


R.T.: 8.270 min
Delta R.T.: -0.007 min
Response: 1793503
Conc: 8.90 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.953 min
Delta R.T.: -0.014 min
Response: 352874
Conc: 3.81 ng/ml




#38 AR-1262-3

R.T.: 8.590 min
Delta R.T.: 0.000 min
Response: 250214
Conc: 1.80 ng/ml



#38 AR-1262-3


R.T.: 7.485 min
Delta R.T.: -0.010 min
Response: 434607
Conc: 5.96 ng/ml



#39 AR-1262-4


R.T.: 8.672 min
Delta R.T.: -0.006 min
Response: 741722
Conc: 9.65 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.546 min
Delta R.T.: -0.013 min
Response: 671175
Conc: 5.13 ng/ml




#40 AR-1262-5

R.T.: 9.343 min
Delta R.T.: 0.009 min
Response: 63015
Conc: 0.88 ng/ml



#40 AR-1262-5


R.T.: 8.060 min
Delta R.T.: 0.006 min
Response: 20355
Conc: 0.34 ng/ml



#41 AR-1268-1


R.T.: 8.590 min
Delta R.T.: 0.005 min
Response: 250214
Conc: 1.02 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.485 min
Delta R.T.: -0.008 min
Response: 434607
Conc: 2.01 ng/ml




#42 AR-1268-2

R.T.: 8.672 min
Delta R.T.: -0.007 min
Response: 741722
Conc: 3.27 ng/ml



#42 AR-1268-2


R.T.: 7.546 min
Delta R.T.: -0.013 min
Response: 671175
Conc: 3.44 ng/ml



#43 AR-1268-3


R.T.: 8.907 min
Delta R.T.: 0.000 min
Response: 121459
Conc: 0.61 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.764 min
Delta R.T.: -0.003 min
Response: 93982
Conc: 0.55 ng/ml




#44 AR-1268-4

R.T.: 9.343 min
Delta R.T.: 0.010 min
Response: 63015
Conc: 0.80 ng/ml



#44 AR-1268-4


R.T.: 8.060 min
Delta R.T.: 0.006 min
Response: 20355
Conc: 0.32 ng/ml



#45 AR-1268-5

R.T.: 9.743 min
Delta R.T.: -0.006 min
Response: 198110
Conc: 0.31 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.330 min
Delta R.T.: -0.013 min
Response: 104989
Conc: 0.20 ng/ml