

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL021623\
 Data File : PL080991.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 16 Feb 2023 17:55
 Operator : AR\AJ
 Sample : PB150695BL
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 16 20:53:41 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012023.M
 Quant Title : GC Extractables
 QLast Update : Sun Jan 22 23:56:48 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.352	2.688	30602271	30997199	14.268	14.112
28)	SA Decachlor...	8.786	7.830	24798547	31107476	14.164	13.056
Target Compounds							
2)	A alpha-BHC	0.000	3.207f	0	413423	N.D.	0.130 #
3)	MA gamma-BHC...	0.000	3.511	0	17418	N.D.	0.006 #
4)	MA Heptachlor	0.000	3.874	0	73483	N.D.	0.023 #
5)	MB Aldrin	0.000	4.147	0	409333	N.D.	0.139 #
6)	B beta-BHC	0.000	3.821	0	72720	N.D.	0.054 #
7)	B delta-BHC	0.000	4.052	0	18934	N.D.	0.007 #
8)	B Heptachlo...	5.494f	4.643	2223364	48879	0.859	0.018 #
9)	A Endosulfan I	0.000	5.021	0	21442	N.D.	0.008 #
10)	B gamma-Chl...	0.000	4.888	0	77347	N.D.	0.027 #
11)	B alpha-Chl...	0.000	4.957	0	99550	N.D.	0.035 #
13)	MA Dieldrin	0.000	5.268	0	3672	N.D.	0.001 #
14)	MA Endrin	0.000	5.563	0	288025	N.D.	0.124 #
15)	B Endosulfa...	6.563f	0.000	214634	0	0.094	N.D. #
17)	MA 4,4'-DDT	0.000	5.958	0	22126	N.D.	0.011 #
18)	B Endrin al...	0.000	6.021	0	36143	N.D.	0.020 #
19)	B Endosulfa...	0.000	6.262	0	33791	N.D.	0.015 #
20)	A Methoxychlor	7.307	0.000	63650	0	0.058	N.D. #
21)	B Endrin ke...	7.416	6.756	305705	15553	0.139	0.006 #
22)	Mirex	0.000	6.969f	0	121976	N.D.	0.054 #
23)	Chlordane-1	0.000	3.686	0	79725	N.D.	0.979 #
24)	Chlordane-2	0.000	4.250	0	79518	N.D.	0.882 #
25)	Chlordane-3	0.000	4.888	0	77347	N.D.	0.293 #
26)	Chlordane-4	0.000	4.957	0	99550	N.D.	0.370 #
27)	Chlordane-5	0.000	5.649f	0	521228	N.D.	7.325 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL021623\
Data File : PL080991.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Feb 2023 17:55
Operator : AR\AJ
Sample : PB150695BL
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 16 20:53:41 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012023.M
Quant Title : GC Extractables
QLast Update : Sun Jan 22 23:56:48 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.352 min
Delta R.T.: 0.000 min
Response: 30602271
Conc: 14.27 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.688 min
Delta R.T.: -0.002 min
Response: 30997199
Conc: 14.11 ng/ml




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T. : 3.801 min
Response: 0
Conc: N.D.



#2 alpha-BHC


R.T.: 3.207 min
Delta R.T.: 0.015 min
Response: 413423
Conc: 0.13 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 0.000 min
Exp R.T.: 4.129 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.511 min
Delta R.T.: -0.009 min
Response: 17418
Conc: 0.01 ng/ml




#4 Heptachlor

R.T.: 0.000 min
Exp R.T.: 4.713 min
Response: 0
Conc: N.D.



#4 Heptachlor


R.T.: 3.874 min
Delta R.T.: 0.012 min
Response: 73483
Conc: 0.02 ng/ml



#5 Aldrin


R.T.: 0.000 min
Exp R.T.: 5.052 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#5 Aldrin

R.T.: 4.147 min
Delta R.T.: 0.006 min
Response: 409333
Conc: 0.14 ng/ml




#6 beta-BHC

R.T.: 0.000 min
Exp R.T.: 4.325 min
Response: 0
Conc: N.D.



#6 beta-BHC


R.T.: 3.821 min
Delta R.T.: 0.004 min
Response: 72720
Conc: 0.05 ng/ml



#7 delta-BHC


R.T.: 0.000 min
Exp R.T.: 4.568 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#7 delta-BHC

R.T.: 4.052 min
Delta R.T.: 0.006 min
Response: 18934
Conc: 0.01 ng/ml




#8 Heptachlor epoxide

R.T.: 5.494 min
Delta R.T.: 0.017 min
Response: 2223364
Conc: 0.86 ng/ml



#8 Heptachlor epoxide


R.T.: 4.643 min
Delta R.T.: 0.000 min
Response: 48879
Conc: 0.02 ng/ml



#9 Endosulfan I


R.T.: 0.000 min
Exp R.T.: 5.859 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#9 Endosulfan I

R.T.: 5.021 min
Delta R.T.: 0.007 min
Response: 21442
Conc: 0.01 ng/ml




#10 gamma-Chlordane

R.T.: 0.000 min
Exp R.T.: 5.732 min
Response: 0
Conc: N.D.



#10 gamma-Chlordane


R.T.: 4.888 min
Delta R.T.: -0.007 min
Response: 77347
Conc: 0.03 ng/ml



#11 alpha-Chlordane


R.T.: 0.000 min
Exp R.T.: 5.811 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#11 alpha-Chlordane

R.T.: 4.957 min
Delta R.T.: -0.002 min
Response: 99550
Conc: 0.03 ng/ml




#13 Dieldrin

R.T.: 0.000 min
Exp R.T.: 6.133 min
Response: 0
Conc: N.D.



#13 Dieldrin


R.T.: 5.268 min
Delta R.T.: -0.011 min
Response: 3672
Conc: 0.00 ng/ml



#14 Endrin


R.T.: 0.000 min
Exp R.T.: 6.361 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#14 Endrin

R.T.: 5.563 min
Delta R.T.: 0.010 min
Response: 288025
Conc: 0.12 ng/ml




#15 Endosulfan II

R.T.: 6.563 min
Delta R.T.: -0.017 min
Response: 214634
Conc: 0.09 ng/ml



#15 Endosulfan II


R.T.: 0.000 min
Exp R.T.: 5.848 min
Response: 0
Conc: N.D.



#17 4,4'-DDT


R.T.: 0.000 min
Exp R.T.: 6.816 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#17 4,4'-DDT

R.T.: 5.958 min
Delta R.T.: 0.000 min
Response: 22126
Conc: 0.01 ng/ml




#18 Endrin aldehyde

R.T.: 0.000 min
Exp R.T.: 6.709 min
Response: 0
Conc: N.D.



#18 Endrin aldehyde


R.T.: 6.021 min
Delta R.T.: -0.007 min
Response: 36143
Conc: 0.02 ng/ml



#19 Endosulfan Sulfate


R.T.: 0.000 min
Exp R.T.: 6.943 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.262 min
Delta R.T.: 0.011 min
Response: 33791
Conc: 0.01 ng/ml




#20 Methoxychlor

R.T.: 7.307 min
Delta R.T.: 0.013 min
Response: 63650
Conc: 0.06 ng/ml



#20 Methoxychlor


R.T.: 0.000 min
Exp R.T.: 6.536 min
Response: 0
Conc: N.D.



#21 Endrin ketone


R.T.: 7.416 min
Delta R.T.: -0.007 min
Response: 305705
Conc: 0.14 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 Endrin ketone

R.T.: 6.756 min
Delta R.T.: 0.000 min
Response: 15553
Conc: 0.01 ng/ml




#22 Mirex

R.T.: 0.000 min
Exp R.T. : 7.896 min
Response: 0
Conc: N.D.



#22 Mirex


R.T.: 6.969 min
Delta R.T.: 0.029 min
Response: 121976
Conc: 0.05 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.500 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#23 Chlordane-1

R.T.: 3.686 min
Delta R.T.: 0.000 min
Response: 79725
Conc: 0.98 ng/ml




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T.: 5.027 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 4.250 min
Delta R.T.: -0.014 min
Response: 79518
Conc: 0.88 ng/ml



#25 Chlordane-3


R.T.: 0.000 min
Exp R.T.: 5.732 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#25 Chlordane-3

R.T.: 4.888 min
Delta R.T.: -0.007 min
Response: 77347
Conc: 0.29 ng/ml




#26 Chlordane-4

R.T.: 0.000 min
Exp R.T.: 5.815 min
Response: 0
Conc: N.D.



#26 Chlordane-4


R.T.: 4.957 min
Delta R.T.: 0.000 min
Response: 99550
Conc: 0.37 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.656 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#27 Chlordane-5

R.T.: 5.649 min
Delta R.T.: 0.024 min
Response: 521228
Conc: 7.33 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.786 min
Delta R.T.: -0.007 min
Response: 24798547
Conc: 14.16 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.830 min
Delta R.T.: -0.012 min
Response: 31107476
Conc: 13.06 ng/ml