

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP021821\
 Data File : PP033420.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 18 Feb 2021 23:04
 Operator : DD\AJ
 Sample : AR1660CCC500
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 19 00:42:23 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP020821.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Feb 09 04:00:57 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.724	3.997	3032953	2067834	49.459	50.568
2)	SA Decachlor...	10.538	9.257	2181765	1716087	50.085	51.226
Target Compounds							
3)	L1 AR-1016-1	6.022	5.240	846350	597779	516.364	544.659
4)	L1 AR-1016-2	6.045	5.260	1245955	864671	497.548	529.840
5)	L1 AR-1016-3	6.110	5.451	759411	477704	478.863	535.911
6)	L1 AR-1016-4	6.215	5.502	641112	360962	483.723	501.235
7)	L1 AR-1016-5	6.528	5.729	620536	472329	473.136	501.912
8)	L2 AR-1221-1	4.963	4.248	81037	56010	131.360	134.423
9)	L2 AR-1221-2	5.066	4.349	122073	85561	262.408	270.754
10)	L2 AR-1221-3	5.150	4.436	460655	330299	326.577	335.404
11)	L3 AR-1232-1	5.150	4.436	460655	330299	397.260	416.787
12)	L3 AR-1232-2	5.730	5.260	629890	864671	986.575	1169.565
13)	L3 AR-1232-3	6.045	5.451	1245955	477704	1135.725	1204.427
14)	L3 AR-1232-4	6.215	5.546	641112	446007	1116.984	1272.306
15)	L3 AR-1232-5	6.315	5.729	481996	472329	1319.034	1242.815
16)	L4 AR-1242-1	6.022	5.240	846350	597779	651.086	690.652
17)	L4 AR-1242-2	6.045	5.260	1245955	864671	632.367	673.752
18)	L4 AR-1242-3	6.110	5.451	759411	477704	599.176	679.611
19)	L4 AR-1242-4	6.215	5.546	641112	446007	584.082	640.343
20)	L4 AR-1242-5	6.993	6.106	94193	340045	90.662	402.720 #
21)	L5 AR-1248-1	6.022	5.240	846350	597779	883.950	919.183
22)	L5 AR-1248-2	6.315	5.502	481996	360962	363.751	376.254
23)	L5 AR-1248-3	6.528	5.546	620536	446007	383.217	438.657
24)	L5 AR-1248-4	6.954	5.729	109069	472329	63.389	381.134 #
25)	L5 AR-1248-5	6.993	6.150	94193	54150	54.134	47.948
26)	L6 AR-1254-1	6.923	6.106	398697	340045	212.353	177.927
27)	L6 AR-1254-2	7.151	6.265	438666	304429	149.626	185.670
28)	L6 AR-1254-3	7.530	6.700	270918	623261	89.197	231.895 #
29)	L6 AR-1254-4	7.822	6.923	197472	80519	85.365	53.928 #
30)	L6 AR-1254-5	8.249	7.348	1566180	1122772	647.240	463.691 #
31)	L7 AR-1260-1	7.696	6.818	1024092	827247	467.762	482.297
32)	L7 AR-1260-2	7.960	7.016	1443673	998805	493.961	494.308
33)	L7 AR-1260-3	8.325	7.169	1271741	980564	496.893	494.283
34)	L7 AR-1260-4	8.553	7.649	1156284	823168	473.294	489.311
35)	L7 AR-1260-5	8.866	7.898	2709162	1960309	503.284	509.472
36)	L8 AR-1262-1	8.325	7.348	1271741	1122772	334.519	901.502 #
37)	L8 AR-1262-2	8.866	7.898	2709162	1960309	432.711	445.772
38)	L8 AR-1262-3	9.175	8.181	1585406	465379	386.739	247.047 #
39)	L8 AR-1262-4	9.243	8.245	447873	1472817	143.656	431.701 #
40)	L8 AR-1262-5	9.857	8.743	798685	558559	388.069	362.418
41)	L9 AR-1268-1	9.175	8.181	1585406	465379	210.499	89.952 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP021821\
 Data File : PP033420.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 18 Feb 2021 23:04
 Operator : DD\AJ
 Sample : AR1660CCC500
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 19 00:42:23 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP020821.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Feb 09 04:00:57 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	9.243	8.245	447873	1472817	69.375	299.441 #
43) L9	AR-1268-3	9.457	8.448	35203	27490	5.736	6.289
44) L9	AR-1268-4	9.857	8.743	798685	558559	367.940	336.158
45) L9	AR-1268-5	10.235	9.020	247405	160597	15.113	12.561



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP021821\
Data File : PP033420.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 18 Feb 2021 23:04
Operator : DD\AJ
Sample : AR1660CCC500
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampled :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 19 00:42:23 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP020821.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Feb 09 04:00:57 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.724 min
Delta R.T.: -0.006 min
Response: 3032953
Conc: 49.46 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.997 min
Delta R.T.: -0.006 min
Response: 2067834
Conc: 50.57 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.538 min
Delta R.T.: -0.013 min
Response: 2181765
Conc: 50.09 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.257 min
Delta R.T.: -0.012 min
Response: 1716087
Conc: 51.23 ng/ml



#3 AR-1016-1


R.T.: 6.022 min
Delta R.T.: -0.007 min
Response: 846350
Conc: 516.36 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 5.240 min
Delta R.T.: -0.008 min
Response: 597779
Conc: 544.66 ng/ml




#4 AR-1016-2

R.T.: 6.045 min
Delta R.T.: -0.007 min
Response: 1245955
Conc: 497.55 ng/ml



#4 AR-1016-2


R.T.: 5.260 min
Delta R.T.: -0.007 min
Response: 864671
Conc: 529.84 ng/ml



#5 AR-1016-3


R.T.: 6.110 min
Delta R.T.: -0.008 min
Response: 759411
Conc: 478.86 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 5.451 min
Delta R.T.: -0.008 min
Response: 477704
Conc: 535.91 ng/ml




#6 AR-1016-4

R.T.: 6.215 min
Delta R.T.: -0.007 min
Response: 641112
Conc: 483.72 ng/ml



#6 AR-1016-4


R.T.: 5.502 min
Delta R.T.: -0.008 min
Response: 360962
Conc: 501.24 ng/ml



#7 AR-1016-5


R.T.: 6.528 min
Delta R.T.: -0.007 min
Response: 620536
Conc: 473.14 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.729 min
Delta R.T.: -0.008 min
Response: 472329
Conc: 501.91 ng/ml




#8 AR-1221-1

R.T.: 4.963 min
Delta R.T.: -0.012 min
Response: 81037
Conc: 131.36 ng/ml



#8 AR-1221-1


R.T.: 4.248 min
Delta R.T.: -0.009 min
Response: 56010
Conc: 134.42 ng/ml



#9 AR-1221-2


R.T.: 5.066 min
Delta R.T.: -0.007 min
Response: 122073
Conc: 262.41 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 4.349 min
Delta R.T.: -0.007 min
Response: 85561
Conc: 270.75 ng/ml




#10 AR-1221-3

R.T.: 5.150 min
Delta R.T.: -0.007 min
Response: 460655
Conc: 326.58 ng/ml



#10 AR-1221-3


R.T.: 4.436 min
Delta R.T.: -0.008 min
Response: 330299
Conc: 335.40 ng/ml



#11 AR-1232-1


R.T.: 5.150 min
Delta R.T.: -0.008 min
Response: 460655
Conc: 397.26 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.436 min
Delta R.T.: -0.008 min
Response: 330299
Conc: 416.79 ng/ml




#12 AR-1232-2

R.T.: 5.730 min
Delta R.T.: -0.008 min
Response: 629890
Conc: 986.57 ng/ml



#12 AR-1232-2


R.T.: 5.260 min
Delta R.T.: -0.008 min
Response: 864671
Conc: 1169.56 ng/ml



#13 AR-1232-3


R.T.: 6.045 min
Delta R.T.: -0.008 min
Response: 1245955
Conc: 1135.72 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 5.451 min
Delta R.T.: -0.009 min
Response: 477704
Conc: 1204.43 ng/ml




#14 AR-1232-4

R.T.: 6.215 min
Delta R.T.: -0.009 min
Response: 641112
Conc: 1116.98 ng/ml



#14 AR-1232-4


R.T.: 5.546 min
Delta R.T.: -0.008 min
Response: 446007
Conc: 1272.31 ng/ml



#15 AR-1232-5


R.T.: 6.315 min
Delta R.T.: -0.008 min
Response: 481996
Conc: 1319.03 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.729 min
Delta R.T.: -0.009 min
Response: 472329
Conc: 1242.81 ng/ml




#16 AR-1242-1

R.T.: 6.022 min
Delta R.T.: -0.007 min
Response: 846350
Conc: 651.09 ng/ml



#16 AR-1242-1


R.T.: 5.240 min
Delta R.T.: -0.008 min
Response: 597779
Conc: 690.65 ng/ml



#17 AR-1242-2


R.T.: 6.045 min
Delta R.T.: -0.007 min
Response: 1245955
Conc: 632.37 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 5.260 min
Delta R.T.: -0.008 min
Response: 864671
Conc: 673.75 ng/ml




#18 AR-1242-3

R.T.: 6.110 min
Delta R.T.: -0.007 min
Response: 759411
Conc: 599.18 ng/ml



#18 AR-1242-3


R.T.: 5.451 min
Delta R.T.: -0.009 min
Response: 477704
Conc: 679.61 ng/ml



#19 AR-1242-4


R.T.: 6.215 min
Delta R.T.: -0.007 min
Response: 641112
Conc: 584.08 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.546 min
Delta R.T.: -0.008 min
Response: 446007
Conc: 640.34 ng/ml




#20 AR-1242-5

R.T.: 6.993 min
Delta R.T.: -0.006 min
Response: 94193
Conc: 90.66 ng/ml



#20 AR-1242-5


R.T.: 6.106 min
Delta R.T.: -0.010 min
Response: 340045
Conc: 402.72 ng/ml



#21 AR-1248-1


R.T.: 6.022 min
Delta R.T.: -0.007 min
Response: 846350
Conc: 883.95 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 5.240 min
Delta R.T.: -0.008 min
Response: 597779
Conc: 919.18 ng/ml




#22 AR-1248-2

R.T.: 6.315 min
Delta R.T.: -0.008 min
Response: 481996
Conc: 363.75 ng/ml



#22 AR-1248-2


R.T.: 5.502 min
Delta R.T.: -0.008 min
Response: 360962
Conc: 376.25 ng/ml



#23 AR-1248-3


R.T.: 6.528 min
Delta R.T.: -0.007 min
Response: 620536
Conc: 383.22 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.546 min
Delta R.T.: -0.008 min
Response: 446007
Conc: 438.66 ng/ml




#24 AR-1248-4

R.T.: 6.954 min
Delta R.T.: -0.007 min
Response: 109069
Conc: 63.39 ng/ml



#24 AR-1248-4


R.T.: 5.729 min
Delta R.T.: -0.008 min
Response: 472329
Conc: 381.13 ng/ml



#25 AR-1248-5


R.T.: 6.993 min
Delta R.T.: -0.006 min
Response: 94193
Conc: 54.13 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 6.150 min
Delta R.T.: -0.009 min
Response: 54150
Conc: 47.95 ng/ml




#26 AR-1254-1

R.T.: 6.923 min
Delta R.T.: -0.007 min
Response: 398697
Conc: 212.35 ng/ml



#26 AR-1254-1


R.T.: 6.106 min
Delta R.T.: -0.009 min
Response: 340045
Conc: 177.93 ng/ml



#27 AR-1254-2


R.T.: 7.151 min
Delta R.T.: -0.007 min
Response: 438666
Conc: 149.63 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 6.265 min
Delta R.T.: -0.009 min
Response: 304429
Conc: 185.67 ng/ml




#28 AR-1254-3

R.T.: 7.530 min
Delta R.T.: -0.007 min
Response: 270918
Conc: 89.20 ng/ml



#28 AR-1254-3


R.T.: 6.700 min
Delta R.T.: 0.007 min
Response: 623261
Conc: 231.90 ng/ml



#29 AR-1254-4


R.T.: 7.822 min
Delta R.T.: -0.009 min
Response: 197472
Conc: 85.36 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.923 min
Delta R.T.: -0.010 min
Response: 80519
Conc: 53.93 ng/ml




#30 AR-1254-5

R.T.: 8.249 min
Delta R.T.: -0.008 min
Response: 1566180
Conc: 647.24 ng/ml



#30 AR-1254-5


R.T.: 7.348 min
Delta R.T.: -0.010 min
Response: 1122772
Conc: 463.69 ng/ml



#31 AR-1260-1


R.T.: 7.696 min
Delta R.T.: -0.008 min
Response: 1024092
Conc: 467.76 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.818 min
Delta R.T.: -0.009 min
Response: 827247
Conc: 482.30 ng/ml




#32 AR-1260-2

R.T.: 7.960 min
Delta R.T.: -0.009 min
Response: 1443673
Conc: 493.96 ng/ml



#32 AR-1260-2


R.T.: 7.016 min
Delta R.T.: -0.010 min
Response: 998805
Conc: 494.31 ng/ml



#33 AR-1260-3


R.T.: 8.325 min
Delta R.T.: -0.008 min
Response: 1271741
Conc: 496.89 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 7.169 min
Delta R.T.: -0.010 min
Response: 980564
Conc: 494.28 ng/ml




#34 AR-1260-4

R.T.: 8.553 min
Delta R.T.: -0.009 min
Response: 1156284
Conc: 473.29 ng/ml



#34 AR-1260-4


R.T.: 7.649 min
Delta R.T.: -0.010 min
Response: 823168
Conc: 489.31 ng/ml



#35 AR-1260-5


R.T.: 8.866 min
Delta R.T.: -0.008 min
Response: 2709162
Conc: 503.28 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.898 min
Delta R.T.: -0.010 min
Response: 1960309
Conc: 509.47 ng/ml




#36 AR-1262-1

R.T.: 8.325 min
Delta R.T.: -0.007 min
Response: 1271741
Conc: 334.52 ng/ml



#36 AR-1262-1


R.T.: 7.348 min
Delta R.T.: -0.008 min
Response: 1122772
Conc: 901.50 ng/ml



#37 AR-1262-2


R.T.: 8.866 min
Delta R.T.: -0.008 min
Response: 2709162
Conc: 432.71 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.898 min
Delta R.T.: -0.009 min
Response: 1960309
Conc: 445.77 ng/ml




#38 AR-1262-3

R.T.: 9.175 min
Delta R.T.: 0.008 min
Response: 1585406
Conc: 386.74 ng/ml



#38 AR-1262-3


R.T.: 8.181 min
Delta R.T.: -0.010 min
Response: 465379
Conc: 247.05 ng/ml



#39 AR-1262-4


R.T.: 9.243 min
Delta R.T.: -0.008 min
Response: 447873
Conc: 143.66 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 8.245 min
Delta R.T.: -0.010 min
Response: 1472817
Conc: 431.70 ng/ml




#40 AR-1262-5

R.T.: 9.857 min
Delta R.T.: -0.010 min
Response: 798685
Conc: 388.07 ng/ml



#40 AR-1262-5


R.T.: 8.743 min
Delta R.T.: -0.009 min
Response: 558559
Conc: 362.42 ng/ml



#41 AR-1268-1


R.T.: 9.175 min
Delta R.T.: 0.010 min
Response: 1585406
Conc: 210.50 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 8.181 min
Delta R.T.: -0.010 min
Response: 465379
Conc: 89.95 ng/ml




#42 AR-1268-2

R.T.: 9.243 min
Delta R.T.: -0.011 min
Response: 447873
Conc: 69.38 ng/ml



#42 AR-1268-2


R.T.: 8.245 min
Delta R.T.: -0.012 min
Response: 1472817
Conc: 299.44 ng/ml



#43 AR-1268-3


R.T.: 9.457 min
Delta R.T.: -0.006 min
Response: 35203
Conc: 5.74 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 8.448 min
Delta R.T.: -0.011 min
Response: 27490
Conc: 6.29 ng/ml




#44 AR-1268-4

R.T.: 9.857 min
Delta R.T.: -0.009 min
Response: 798685
Conc: 367.94 ng/ml



#44 AR-1268-4


R.T.: 8.743 min
Delta R.T.: -0.010 min
Response: 558559
Conc: 336.16 ng/ml



#45 AR-1268-5

R.T.: 10.235 min
Delta R.T.: -0.010 min
Response: 247405
Conc: 15.11 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 9.020 min
Delta R.T.: -0.011 min
Response: 160597
Conc: 12.56 ng/ml