

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP021822\
 Data File : PP043857.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Feb 2022 23:36
 Operator : YP\AJ
 Sample : N1602-08
 Misc :
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 19 07:36:56 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP021022.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Feb 11 04:48:05 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.917	3.174	45896278	41053283	20.758	21.857
2)	SA Decachlor...	10.062	8.546	22348297	29842977	18.814	18.394
Target Compounds							
3)	L1 AR-1016-1	5.174	4.339f	615247	569195	8.479	9.290
4)	L1 AR-1016-2	5.193	4.339	725825	569195	6.882	6.737
5)	L1 AR-1016-3	5.257	4.522	589135	478960	8.947	10.252
6)	L1 AR-1016-4	5.370	4.568	470166	2645892	8.670	70.801 #
7)	L1 AR-1016-5	5.695	4.773f	79261	3984056	1.509	87.212 #
8)	L2 AR-1221-1	4.135	3.399	1662313	6447	65.293	0.270 #
9)	L2 AR-1221-2	4.239	3.484	635802	733246	33.118	40.600
10)	L2 AR-1221-3	4.327	3.574	290980	59287	5.065	1.149 #
11)	L3 AR-1232-1	4.327	3.574	290980	59287	5.996	1.378 #
12)	L3 AR-1232-2	4.883	4.339	262851	569195	11.092	15.945 #
13)	L3 AR-1232-3	5.193	4.522	725825	478960	16.859	24.494 #
14)	L3 AR-1232-4	5.370	4.602f	470166	1520397	21.539	87.923 #
15)	L3 AR-1232-5	5.474	4.773f	327270	3984056	20.291	212.096 #
16)	L4 AR-1242-1	5.174	4.339f	615247	569195	10.949	11.676
17)	L4 AR-1242-2	5.193	4.339	725825	569195	8.773	8.453
18)	L4 AR-1242-3	5.257	4.522	589135	478960	11.382	12.759
19)	L4 AR-1242-4	5.370	4.602f	470166	1520397	11.008	42.105 #
20)	L4 AR-1242-5	6.170	5.166	98923	4134739	2.291	96.050 #
21)	L5 AR-1248-1	5.174	4.339f	615247	569195	15.007	15.280
22)	L5 AR-1248-2	5.474	4.568	327270	2645892	5.760	54.085 #
23)	L5 AR-1248-3	5.695	4.602f	79261	1520397	1.188	29.629 #
24)	L5 AR-1248-4	6.126	4.773f	67465	3984056	0.966	67.957 #
25)	L5 AR-1248-5	6.170	5.197f	98923	10956183	1.431	191.216 #
26)	L6 AR-1254-1	6.103	5.166	87779	4134739	1.162	47.345 #
27)	L6 AR-1254-2	6.341	5.344	59501	2475769	0.530	32.457 #
28)	L6 AR-1254-3	6.745	5.769	34140	27993	0.295	0.228
29)	L6 AR-1254-4	7.053	6.012	258922	28075	3.243	0.356 #
30)	L6 AR-1254-5	7.505	6.466	182346	260760	2.126	2.255
31)	L7 AR-1260-1	6.931	5.923	191208	23386	2.283	0.292 #
32)	L7 AR-1260-2	7.207	6.118	114096	57294	1.260	0.587 #
33)	L7 AR-1260-3	7.605	6.271	254594	64616	3.512	0.708 #
34)	L7 AR-1260-4	7.840	6.786	745201	93487	8.680	1.155 #
35)	L7 AR-1260-5	8.182	7.056	356802	44973	2.302	0.243 #
36)	L8 AR-1262-1	7.605	6.531	254594	139223	2.578	1.266 #
37)	L8 AR-1262-2	8.182	6.786	356802	93487	2.210	0.917 #
38)	L8 AR-1262-3	8.514	7.381	404406	160076	3.697	1.878 #
39)	L8 AR-1262-4	8.620	7.439	173410	107362	3.616	0.691 #
40)	L8 AR-1262-5	0.000	7.978	0	150366	N.D.	1.933 #
41)	L9 AR-1268-1	8.514	7.381	404406	160076	2.075	0.632 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP021822\
 Data File : PP043857.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Feb 2022 23:36
 Operator : YP\AJ
 Sample : N1602-08
 Misc :
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 19 07:36:56 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP021022.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Feb 11 04:48:05 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.620	7.439	173410	107362	0.991	0.475 #
43) L9	AR-1268-3	8.858	7.651	80033	62964	0.518	0.323 #
44) L9	AR-1268-4	0.000	7.978	0	150366	N.D.	1.672 #
45) L9	AR-1268-5	9.732	8.284	315338	260361	0.694	0.433 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP021822\
Data File : PP043857.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Feb 2022 23:36
Operator : YP\AJ
Sample : N1602-08
Misc :
ALS Vial : 39 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 19 07:36:56 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP021022.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Feb 11 04:48:05 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.917 min
Delta R.T.: -0.002 min
Response: 45896278
Conc: 20.76 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.174 min
Delta R.T.: 0.000 min
Response: 41053283
Conc: 21.86 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.062 min
Delta R.T.: -0.010 min
Response: 22348297
Conc: 18.81 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.546 min
Delta R.T.: -0.008 min
Response: 29842977
Conc: 18.39 ng/ml



#3 AR-1016-1


R.T.: 5.174 min
Delta R.T.: 0.000 min
Response: 615247
Conc: 8.48 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.339 min
Delta R.T.: 0.016 min
Response: 569195
Conc: 9.29 ng/ml




#4 AR-1016-2

R.T.: 5.193 min
Delta R.T.: -0.005 min
Response: 725825
Conc: 6.88 ng/ml



#4 AR-1016-2


R.T.: 4.339 min
Delta R.T.: -0.002 min
Response: 569195
Conc: 6.74 ng/ml



#5 AR-1016-3


R.T.: 5.257 min
Delta R.T.: -0.007 min
Response: 589135
Conc: 8.95 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.522 min
Delta R.T.: -0.005 min
Response: 478960
Conc: 10.25 ng/ml




#6 AR-1016-4

R.T.: 5.370 min
Delta R.T.: 0.000 min
Response: 470166
Conc: 8.67 ng/ml



#6 AR-1016-4


R.T.: 4.568 min
Delta R.T.: -0.008 min
Response: 2645892
Conc: 70.80 ng/ml



#7 AR-1016-5


R.T.: 5.695 min
Delta R.T.: 0.004 min
Response: 79261
Conc: 1.51 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 4.773 min
Delta R.T.: -0.028 min
Response: 3984056
Conc: 87.21 ng/ml




#8 AR-1221-1

R.T.: 4.135 min
Delta R.T.: -0.012 min
Response: 1662313
Conc: 65.29 ng/ml



#8 AR-1221-1


R.T.: 3.399 min
Delta R.T.: -0.004 min
Response: 6447
Conc: 0.27 ng/ml



#9 AR-1221-2


R.T.: 4.239 min
Delta R.T.: 0.002 min
Response: 635802
Conc: 33.12 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.484 min
Delta R.T.: -0.008 min
Response: 733246
Conc: 40.60 ng/ml




#10 AR-1221-3

R.T.: 4.327 min
Delta R.T.: 0.009 min
Response: 290980
Conc: 5.07 ng/ml



#10 AR-1221-3


R.T.: 3.574 min
Delta R.T.: 0.002 min
Response: 59287
Conc: 1.15 ng/ml



#11 AR-1232-1


R.T.: 4.327 min
Delta R.T.: 0.009 min
Response: 290980
Conc: 6.00 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.574 min
Delta R.T.: 0.001 min
Response: 59287
Conc: 1.38 ng/ml




#12 AR-1232-2

R.T.: 4.883 min
Delta R.T.: 0.000 min
Response: 262851
Conc: 11.09 ng/ml



#12 AR-1232-2


R.T.: 4.339 min
Delta R.T.: -0.003 min
Response: 569195
Conc: 15.94 ng/ml



#13 AR-1232-3


R.T.: 5.193 min
Delta R.T.: -0.004 min
Response: 725825
Conc: 16.86 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.522 min
Delta R.T.: -0.005 min
Response: 478960
Conc: 24.49 ng/ml




#14 AR-1232-4

R.T.: 5.370 min
Delta R.T.: 0.001 min
Response: 470166
Conc: 21.54 ng/ml



#14 AR-1232-4


R.T.: 4.602 min
Delta R.T.: -0.017 min
Response: 1520397
Conc: 87.92 ng/ml



#15 AR-1232-5


R.T.: 5.474 min
Delta R.T.: 0.002 min
Response: 327270
Conc: 20.29 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 4.773 min
Delta R.T.: -0.028 min
Response: 3984056
Conc: 212.10 ng/ml




#16 AR-1242-1

R.T.: 5.174 min
Delta R.T.: 0.000 min
Response: 615247
Conc: 10.95 ng/ml



#16 AR-1242-1


R.T.: 4.339 min
Delta R.T.: 0.016 min
Response: 569195
Conc: 11.68 ng/ml



#17 AR-1242-2


R.T.: 5.193 min
Delta R.T.: -0.004 min
Response: 725825
Conc: 8.77 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.339 min
Delta R.T.: -0.003 min
Response: 569195
Conc: 8.45 ng/ml




#18 AR-1242-3

R.T.: 5.257 min
Delta R.T.: -0.007 min
Response: 589135
Conc: 11.38 ng/ml



#18 AR-1242-3


R.T.: 4.522 min
Delta R.T.: -0.005 min
Response: 478960
Conc: 12.76 ng/ml



#19 AR-1242-4


R.T.: 5.370 min
Delta R.T.: 0.000 min
Response: 470166
Conc: 11.01 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.602 min
Delta R.T.: -0.018 min
Response: 1520397
Conc: 42.11 ng/ml




#20 AR-1242-5

R.T.: 6.170 min
Delta R.T.: 0.000 min
Response: 98923
Conc: 2.29 ng/ml



#20 AR-1242-5


R.T.: 5.166 min
Delta R.T.: -0.013 min
Response: 4134739
Conc: 96.05 ng/ml



#21 AR-1248-1


R.T.: 5.174 min
Delta R.T.: 0.000 min
Response: 615247
Conc: 15.01 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.339 min
Delta R.T.: 0.017 min
Response: 569195
Conc: 15.28 ng/ml




#22 AR-1248-2

R.T.: 5.474 min
Delta R.T.: 0.002 min
Response: 327270
Conc: 5.76 ng/ml



#22 AR-1248-2


R.T.: 4.568 min
Delta R.T.: -0.008 min
Response: 2645892
Conc: 54.08 ng/ml



#23 AR-1248-3


R.T.: 5.695 min
Delta R.T.: 0.005 min
Response: 79261
Conc: 1.19 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.602 min
Delta R.T.: -0.017 min
Response: 1520397
Conc: 29.63 ng/ml




#24 AR-1248-4

R.T.: 6.126 min
Delta R.T.: -0.005 min
Response: 67465
Conc: 0.97 ng/ml



#24 AR-1248-4


R.T.: 4.773 min
Delta R.T.: -0.028 min
Response: 3984056
Conc: 67.96 ng/ml



#25 AR-1248-5


R.T.: 6.170 min
Delta R.T.: -0.001 min
Response: 98923
Conc: 1.43 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.197 min
Delta R.T.: -0.025 min
Response: 10956183
Conc: 191.22 ng/ml




#26 AR-1254-1

R.T.: 6.103 min
Delta R.T.: 0.001 min
Response: 87779
Conc: 1.16 ng/ml



#26 AR-1254-1


R.T.: 5.166 min
Delta R.T.: -0.013 min
Response: 4134739
Conc: 47.34 ng/ml



#27 AR-1254-2


R.T.: 6.341 min
Delta R.T.: -0.001 min
Response: 59501
Conc: 0.53 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.344 min
Delta R.T.: 0.004 min
Response: 2475769
Conc: 32.46 ng/ml




#28 AR-1254-3

R.T.: 6.745 min
Delta R.T.: 0.003 min
Response: 34140
Conc: 0.30 ng/ml



#28 AR-1254-3


R.T.: 5.769 min
Delta R.T.: -0.003 min
Response: 27993
Conc: 0.23 ng/ml



#29 AR-1254-4


R.T.: 7.053 min
Delta R.T.: -0.002 min
Response: 258922
Conc: 3.24 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.012 min
Delta R.T.: -0.009 min
Response: 28075
Conc: 0.36 ng/ml




#30 AR-1254-5

R.T.: 7.505 min
Delta R.T.: -0.012 min
Response: 182346
Conc: 2.13 ng/ml



#30 AR-1254-5


R.T.: 6.466 min
Delta R.T.: -0.009 min
Response: 260760
Conc: 2.25 ng/ml



#31 AR-1260-1


R.T.: 6.931 min
Delta R.T.: 0.008 min
Response: 191208
Conc: 2.28 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 5.923 min
Delta R.T.: 0.010 min
Response: 23386
Conc: 0.29 ng/ml




#32 AR-1260-2

R.T.: 7.207 min
Delta R.T.: 0.000 min
Response: 114096
Conc: 1.26 ng/ml



#32 AR-1260-2


R.T.: 6.118 min
Delta R.T.: -0.002 min
Response: 57294
Conc: 0.59 ng/ml



#33 AR-1260-3


R.T.: 7.605 min
Delta R.T.: 0.004 min
Response: 254594
Conc: 3.51 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.271 min
Delta R.T.: -0.012 min
Response: 64616
Conc: 0.71 ng/ml




#34 AR-1260-4

R.T.: 7.840 min
Delta R.T.: -0.009 min
Response: 745201
Conc: 8.68 ng/ml



#34 AR-1260-4


R.T.: 6.786 min
Delta R.T.: -0.010 min
Response: 93487
Conc: 1.16 ng/ml



#35 AR-1260-5


R.T.: 8.182 min
Delta R.T.: -0.011 min
Response: 356802
Conc: 2.30 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.056 min
Delta R.T.: -0.008 min
Response: 44973
Conc: 0.24 ng/ml




#36 AR-1262-1

R.T.: 7.605 min
Delta R.T.: 0.003 min
Response: 254594
Conc: 2.58 ng/ml



#36 AR-1262-1


R.T.: 6.531 min
Delta R.T.: 0.014 min
Response: 139223
Conc: 1.27 ng/ml



#37 AR-1262-2


R.T.: 8.182 min
Delta R.T.: -0.011 min
Response: 356802
Conc: 2.21 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.786 min
Delta R.T.: -0.011 min
Response: 93487
Conc: 0.92 ng/ml




#38 AR-1262-3

R.T.: 8.514 min
Delta R.T.: -0.012 min
Response: 404406
Conc: 3.70 ng/ml



#38 AR-1262-3


R.T.: 7.381 min
Delta R.T.: 0.009 min
Response: 160076
Conc: 1.88 ng/ml



#39 AR-1262-4


R.T.: 8.620 min
Delta R.T.: 0.000 min
Response: 173410
Conc: 3.62 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.439 min
Delta R.T.: -0.003 min
Response: 107362
Conc: 0.69 ng/ml




#40 AR-1262-5

R.T.: 0.000 min
Exp R.T. : 9.303 min
Response: 0
Conc: N.D.



#40 AR-1262-5


R.T.: 7.978 min
Delta R.T.: -0.006 min
Response: 150366
Conc: 1.93 ng/ml



#41 AR-1268-1


R.T.: 8.514 min
Delta R.T.: -0.009 min
Response: 404406
Conc: 2.07 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.381 min
Delta R.T.: 0.010 min
Response: 160076
Conc: 0.63 ng/ml




#42 AR-1268-2

R.T.: 8.620 min
Delta R.T.: -0.001 min
Response: 173410
Conc: 0.99 ng/ml



#42 AR-1268-2


R.T.: 7.439 min
Delta R.T.: -0.003 min
Response: 107362
Conc: 0.48 ng/ml



#43 AR-1268-3


R.T.: 8.858 min
Delta R.T.: 0.000 min
Response: 80033
Conc: 0.52 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.651 min
Delta R.T.: -0.013 min
Response: 62964
Conc: 0.32 ng/ml




#44 AR-1268-4

R.T.: 0.000 min
Exp R.T. : 9.302 min
Response: 0
Conc: N.D.



#44 AR-1268-4


R.T.: 7.978 min
Delta R.T.: -0.006 min
Response: 150366
Conc: 1.67 ng/ml



#45 AR-1268-5

R.T.: 9.732 min
Delta R.T.: 0.004 min
Response: 315338
Conc: 0.69 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.284 min
Delta R.T.: -0.006 min
Response: 260361
Conc: 0.43 ng/ml