

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP021925\
 Data File : PP069835.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 19 Feb 2025 11:17
 Operator : YP\AJ
 Sample : Q1379-01
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 1A-1B-1C-GRAY-CAULK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 22 01:19:20 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP012825.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jan 29 00:13:21 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.522	3.828	42241498	22310231	29.509	24.996
2)	SA Decachlor...	10.246	8.885	28020877	28238079	25.639	25.247
Target Compounds							
3)	L1 AR-1016-1	5.703	4.911	3742616	94623	80.776	2.901 #
4)	L1 AR-1016-2	5.703	4.959	3742616	267436	55.138	5.949 #
5)	L1 AR-1016-3	5.837f	5.116	6536779	178818	153.458	7.186 #
6)	L1 AR-1016-4	5.885	5.155	1047710	697295	29.934	34.526
7)	L1 AR-1016-5	6.117f	5.363	196794	583428	5.953	21.750 #
9)	L2 AR-1221-2	4.824	4.132	2800463	453471	204.525	46.830 #
10)	L2 AR-1221-3	4.878	4.216	1119349	365273	26.687	12.520 #
11)	L3 AR-1232-1	4.878	4.216	1119349	365273	33.621	15.557 #
12)	L3 AR-1232-2	0.000	4.959	0	267436	N.D.	11.346 #
13)	L3 AR-1232-3	5.703	5.116	3742616	178818	108.927	13.811 #
14)	L3 AR-1232-4	5.885	5.232	1047710	764882	58.807	68.993
15)	L3 AR-1232-5	5.945	5.363	3656583	583428	319.006	47.782 #
16)	L4 AR-1242-1	5.703	4.911	3742616	94623	89.740	3.282 #
17)	L4 AR-1242-2	5.703	4.959	3742616	267436	63.444	6.788 #
18)	L4 AR-1242-3	5.837f	5.116	6536779	178818	176.200	7.946 #
19)	L4 AR-1242-4	5.885	5.232	1047710	764882	31.948	35.440
20)	L4 AR-1242-5	0.000	5.728	0	2027874	N.D.	70.490 #
21)	L5 AR-1248-1	5.703	4.911	3742616	94623	115.374	4.299 #
22)	L5 AR-1248-2	5.945	5.155	3656583	697295	86.146	23.193 #
23)	L5 AR-1248-3	6.117f	5.232	196794	764882	4.188	24.686 #
24)	L5 AR-1248-4	6.526f	5.363	3083132	583428	55.934	15.792 #
25)	L5 AR-1248-5	0.000	5.767	0	839163	N.D.	22.444 #
26)	L6 AR-1254-1	6.526	5.728	3083132	2027874	53.283	36.833 #
27)	L6 AR-1254-2	6.744	5.874	1418608	1889551	17.679	39.065 #
28)	L6 AR-1254-3	7.107	6.279	1963039	3631199	23.290	47.844 #
29)	L6 AR-1254-4	7.385	6.507	1787090	941191	26.208	18.365 #
30)	L6 AR-1254-5	7.804	6.924	1049270	518436	15.420	7.789 #
31)	L7 AR-1260-1	0.000	6.410	0	1673164	N.D.	34.692 #
32)	L7 AR-1260-2	7.521	6.596	1246673	872079	16.021	14.226
33)	L7 AR-1260-3	0.000	6.753	0	688720	N.D.	11.449 #
34)	L7 AR-1260-4	8.087f	7.261	1193157	533189	18.084	11.474 #
35)	L7 AR-1260-5	8.389f	7.458	658461	679247	5.029	6.111
36)	L8 AR-1262-1	8.087f	6.986	1193157	136244	15.100	1.919 #
37)	L8 AR-1262-2	8.389f	7.261	658461	533189	4.306	8.744 #
38)	L8 AR-1262-3	8.765	7.783	731903	1811359	6.887	34.635 #
39)	L8 AR-1262-4	8.823	7.864	2496384	240120	30.521	2.598 #
40)	L8 AR-1262-5	9.563f	8.291f	414801	3584555	7.327	75.003 #
41)	L9 AR-1268-1	8.765	7.752	731903	179024	4.145	1.234 #
42)	L9 AR-1268-2	8.823	7.864	2496384	240120	15.863	1.808 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP021925\
 Data File : PP069835.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 19 Feb 2025 11:17
 Operator : YP\AJ
 Sample : Q1379-01
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 1A-1B-1C-GRAY-CAULK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 22 01:19:20 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP012825.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jan 29 00:13:21 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
43) L9	AR-1268-3	0.000	8.022	0	148473	N.D.	1.305 #
44) L9	AR-1268-4	9.563f	8.291f	414801	3584555	7.064	68.831 #
45) L9	AR-1268-5	9.985f	8.648	1187651	91770	3.118	0.258 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP021925\
Data File : PP069835.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 19 Feb 2025 11:17
Operator : YP\AJ
Sample : Q1379-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
1A-1B-1C-GRAY-CAULK

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 22 01:19:20 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP012825.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Jan 29 00:13:21 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.522 min
Delta R.T.: -0.016 min
Response: 42241498
Conc: 29.51 ng/ml

Instrument :
ECD_P
ClientSampleId :
1A-1B-1C-GRAY-CAULK




#1 Tetrachloro-m-xylene

R.T.: 3.828 min
Delta R.T.: -0.012 min
Response: 22310231
Conc: 25.00 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.246 min
Delta R.T.: -0.033 min
Response: 28020877
Conc: 25.64 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.885 min
Delta R.T.: -0.026 min
Response: 28238079
Conc: 25.25 ng/ml



#3 AR-1016-1


R.T.: 5.703 min
Delta R.T.: 0.010 min
Response: 3742616
Conc: 80.78 ng/ml

Instrument :
ECD_P
ClientSampleId :
1A-1B-1C-GRAY-CAULK




#3 AR-1016-1

R.T.: 4.911 min
Delta R.T.: -0.023 min
Response: 94623
Conc: 2.90 ng/ml




#4 AR-1016-2

R.T.: 5.703 min
Delta R.T.: -0.012 min
Response: 3742616
Conc: 55.14 ng/ml



#4 AR-1016-2


R.T.: 4.959 min
Delta R.T.: 0.006 min
Response: 267436
Conc: 5.95 ng/ml



#5 AR-1016-3


R.T.: 5.837 min
Delta R.T.: 0.061 min
Response: 6536779
Conc: 153.46 ng/ml

Instrument :
ECD_P
ClientSampleId :
1A-1B-1C-GRAY-CAULK




#5 AR-1016-3

R.T.: 5.116 min
Delta R.T.: -0.014 min
Response: 178818
Conc: 7.19 ng/ml




#6 AR-1016-4

R.T.: 5.885 min
Delta R.T.: 0.011 min
Response: 1047710
Conc: 29.93 ng/ml



#6 AR-1016-4


R.T.: 5.155 min
Delta R.T.: -0.017 min
Response: 697295
Conc: 34.53 ng/ml



#7 AR-1016-5


R.T.: 6.117 min
Delta R.T.: -0.050 min
Response: 196794
Conc: 5.95 ng/ml

Instrument :
ECD_P
ClientSampleId :
1A-1B-1C-GRAY-CAULK




#7 AR-1016-5

R.T.: 5.363 min
Delta R.T.: -0.024 min
Response: 583428
Conc: 21.75 ng/ml




#8 AR-1221-1

R.T.: 4.683 min
Delta R.T.: -0.053 min
Response: -190114
Conc: N.D.



#8 AR-1221-1


R.T.: 4.052 min
Delta R.T.: -0.002 min
Response: 100538
Conc: 8.16 ng/ml



#9 AR-1221-2


R.T.: 4.824 min
Delta R.T.: 0.000 min
Response: 2800463
Conc: 204.53 ng/ml

Instrument :
ECD_P
ClientSampleId :
1A-1B-1C-GRAY-CAULK




#9 AR-1221-2

R.T.: 4.132 min
Delta R.T.: -0.009 min
Response: 453471
Conc: 46.83 ng/ml




#10 AR-1221-3

R.T.: 4.878 min
Delta R.T.: -0.020 min
Response: 1119349
Conc: 26.69 ng/ml



#10 AR-1221-3


R.T.: 4.216 min
Delta R.T.: -0.002 min
Response: 365273
Conc: 12.52 ng/ml



#11 AR-1232-1


R.T.: 4.878 min
Delta R.T.: -0.019 min
Response: 1119349
Conc: 33.62 ng/ml

Instrument :
ECD_P
ClientSampleId :
1A-1B-1C-GRAY-CAULK




#11 AR-1232-1

R.T.: 4.216 min
Delta R.T.: 0.000 min
Response: 365273
Conc: 15.56 ng/ml




#12 AR-1232-2

R.T.: 0.000 min
Exp R.T. : 5.424 min
Response: 0
Conc: N.D.



#12 AR-1232-2


R.T.: 4.959 min
Delta R.T.: 0.007 min
Response: 267436
Conc: 11.35 ng/ml



#13 AR-1232-3


R.T.: 5.703 min
Delta R.T.: -0.007 min
Response: 3742616
Conc: 108.93 ng/ml

Instrument :
ECD_P
ClientSampleId :
1A-1B-1C-GRAY-CAULK




#13 AR-1232-3

R.T.: 5.116 min
Delta R.T.: -0.013 min
Response: 178818
Conc: 13.81 ng/ml




#14 AR-1232-4

R.T.: 5.885 min
Delta R.T.: 0.014 min
Response: 1047710
Conc: 58.81 ng/ml



#14 AR-1232-4


R.T.: 5.232 min
Delta R.T.: 0.017 min
Response: 764882
Conc: 68.99 ng/ml



#15 AR-1232-5


R.T.: 5.945 min
Delta R.T.: -0.015 min
Response: 3656583
Conc: 319.01 ng/ml

Instrument :
ECD_P
ClientSampleId :
1A-1B-1C-GRAY-CAULK




#15 AR-1232-5

R.T.: 5.363 min
Delta R.T.: -0.023 min
Response: 583428
Conc: 47.78 ng/ml




#16 AR-1242-1

R.T.: 5.703 min
Delta R.T.: 0.010 min
Response: 3742616
Conc: 89.74 ng/ml



#16 AR-1242-1


R.T.: 4.911 min
Delta R.T.: -0.022 min
Response: 94623
Conc: 3.28 ng/ml



#17 AR-1242-2


R.T.: 5.703 min
Delta R.T.: -0.012 min
Response: 3742616
Conc: 63.44 ng/ml

Instrument :
ECD_P
ClientSampleId :
1A-1B-1C-GRAY-CAULK




#17 AR-1242-2

R.T.: 4.959 min
Delta R.T.: 0.006 min
Response: 267436
Conc: 6.79 ng/ml




#18 AR-1242-3

R.T.: 5.837 min
Delta R.T.: 0.061 min
Response: 6536779
Conc: 176.20 ng/ml



#18 AR-1242-3


R.T.: 5.116 min
Delta R.T.: -0.013 min
Response: 178818
Conc: 7.95 ng/ml



#19 AR-1242-4


R.T.: 5.885 min
Delta R.T.: 0.010 min
Response: 1047710
Conc: 31.95 ng/ml

Instrument :
ECD_P
ClientSampleId :
1A-1B-1C-GRAY-CAULK




#19 AR-1242-4

R.T.: 5.232 min
Delta R.T.: 0.018 min
Response: 764882
Conc: 35.44 ng/ml




#20 AR-1242-5

R.T.: 0.000 min
Exp R.T. : 6.605 min
Response: 0
Conc: N.D.



#20 AR-1242-5


R.T.: 5.728 min
Delta R.T.: -0.013 min
Response: 2027874
Conc: 70.49 ng/ml



#21 AR-1248-1


R.T.: 5.703 min
Delta R.T.: 0.013 min
Response: 3742616
Conc: 115.37 ng/ml

Instrument :
ECD_P
ClientSampleId :
1A-1B-1C-GRAY-CAULK




#21 AR-1248-1

R.T.: 4.911 min
Delta R.T.: -0.023 min
Response: 94623
Conc: 4.30 ng/ml




#22 AR-1248-2

R.T.: 5.945 min
Delta R.T.: -0.018 min
Response: 3656583
Conc: 86.15 ng/ml



#22 AR-1248-2


R.T.: 5.155 min
Delta R.T.: -0.018 min
Response: 697295
Conc: 23.19 ng/ml



#23 AR-1248-3


R.T.: 6.117 min
Delta R.T.: -0.048 min
Response: 196794
Conc: 4.19 ng/ml

Instrument :
ECD_P
ClientSampleId :
1A-1B-1C-GRAY-CAULK




#23 AR-1248-3

R.T.: 5.232 min
Delta R.T.: 0.017 min
Response: 764882
Conc: 24.69 ng/ml




#24 AR-1248-4

R.T.: 6.526 min
Delta R.T.: -0.039 min
Response: 3083132
Conc: 55.93 ng/ml



#24 AR-1248-4


R.T.: 5.363 min
Delta R.T.: -0.025 min
Response: 583428
Conc: 15.79 ng/ml



#25 AR-1248-5


R.T.: 0.000 min
Exp R.T.: 6.604 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
1A-1B-1C-GRAY-CAULK




#25 AR-1248-5

R.T.: 5.767 min
Delta R.T.: -0.017 min
Response: 839163
Conc: 22.44 ng/ml




#26 AR-1254-1

R.T.: 6.526 min
Delta R.T.: -0.015 min
Response: 3083132
Conc: 53.28 ng/ml



#26 AR-1254-1


R.T.: 5.728 min
Delta R.T.: -0.013 min
Response: 2027874
Conc: 36.83 ng/ml



#27 AR-1254-2


R.T.: 6.744 min
Delta R.T.: -0.013 min
Response: 1418608
Conc: 17.68 ng/ml

Instrument :
ECD_P
ClientSampleId :
1A-1B-1C-GRAY-CAULK




#27 AR-1254-2

R.T.: 5.874 min
Delta R.T.: -0.016 min
Response: 1889551
Conc: 39.07 ng/ml




#28 AR-1254-3

R.T.: 7.107 min
Delta R.T.: -0.014 min
Response: 1963039
Conc: 23.29 ng/ml



#28 AR-1254-3


R.T.: 6.279 min
Delta R.T.: -0.016 min
Response: 3631199
Conc: 47.84 ng/ml



#29 AR-1254-4


R.T.: 7.385 min
Delta R.T.: -0.017 min
Response: 1787090
Conc: 26.21 ng/ml

Instrument :
ECD_P
ClientSampleId :
1A-1B-1C-GRAY-CAULK




#29 AR-1254-4

R.T.: 6.507 min
Delta R.T.: -0.016 min
Response: 941191
Conc: 18.36 ng/ml




#30 AR-1254-5

R.T.: 7.804 min
Delta R.T.: -0.016 min
Response: 1049270
Conc: 15.42 ng/ml



#30 AR-1254-5


R.T.: 6.924 min
Delta R.T.: -0.019 min
Response: 518436
Conc: 7.79 ng/ml



#31 AR-1260-1


R.T.: 0.000 min
Exp R.T.: 7.287 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
1A-1B-1C-GRAY-CAULK




#31 AR-1260-1

R.T.: 6.410 min
Delta R.T.: -0.016 min
Response: 1673164
Conc: 34.69 ng/ml




#32 AR-1260-2

R.T.: 7.521 min
Delta R.T.: -0.020 min
Response: 1246673
Conc: 16.02 ng/ml



#32 AR-1260-2


R.T.: 6.596 min
Delta R.T.: -0.019 min
Response: 872079
Conc: 14.23 ng/ml



#33 AR-1260-3


R.T.: 0.000 min
Exp R.T.: 7.900 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
1A-1B-1C-GRAY-CAULK




#33 AR-1260-3

R.T.: 6.753 min
Delta R.T.: -0.016 min
Response: 688720
Conc: 11.45 ng/ml




#34 AR-1260-4

R.T.: 8.087 min
Delta R.T.: -0.038 min
Response: 1193157
Conc: 18.08 ng/ml



#34 AR-1260-4


R.T.: 7.261 min
Delta R.T.: 0.018 min
Response: 533189
Conc: 11.47 ng/ml



#35 AR-1260-5


R.T.: 8.389 min
Delta R.T.: -0.058 min
Response: 658461
Conc: 5.03 ng/ml

Instrument :
ECD_P
ClientSampleId :
1A-1B-1C-GRAY-CAULK




#35 AR-1260-5

R.T.: 7.458 min
Delta R.T.: -0.026 min
Response: 679247
Conc: 6.11 ng/ml




#36 AR-1262-1

R.T.: 8.087 min
Delta R.T.: -0.037 min
Response: 1193157
Conc: 15.10 ng/ml



#36 AR-1262-1


R.T.: 6.986 min
Delta R.T.: 0.003 min
Response: 136244
Conc: 1.92 ng/ml



#37 AR-1262-2


R.T.: 8.389 min
Delta R.T.: -0.057 min
Response: 658461
Conc: 4.31 ng/ml

Instrument :
ECD_P
ClientSampleId :
1A-1B-1C-GRAY-CAULK




#37 AR-1262-2

R.T.: 7.261 min
Delta R.T.: 0.018 min
Response: 533189
Conc: 8.74 ng/ml




#38 AR-1262-3

R.T.: 8.765 min
Delta R.T.: 0.000 min
Response: 731903
Conc: 6.89 ng/ml



#38 AR-1262-3


R.T.: 7.783 min
Delta R.T.: 0.014 min
Response: 1811359
Conc: 34.63 ng/ml



#39 AR-1262-4


R.T.: 8.823 min
Delta R.T.: -0.028 min
Response: 2496384
Conc: 30.52 ng/ml

Instrument :
ECD_P
ClientSampleId :
1A-1B-1C-GRAY-CAULK




#39 AR-1262-4

R.T.: 7.864 min
Delta R.T.: 0.032 min
Response: 240120
Conc: 2.60 ng/ml




#40 AR-1262-5

R.T.: 9.563 min
Delta R.T.: 0.052 min
Response: 414801
Conc: 7.33 ng/ml



#40 AR-1262-5


R.T.: 8.291 min
Delta R.T.: -0.045 min
Response: 3584555
Conc: 75.00 ng/ml



#41 AR-1268-1


R.T.: 8.765 min
Delta R.T.: 0.002 min
Response: 731903
Conc: 4.14 ng/ml

Instrument :
ECD_P
ClientSampleId :
1A-1B-1C-GRAY-CAULK




#41 AR-1268-1

R.T.: 7.752 min
Delta R.T.: -0.015 min
Response: 179024
Conc: 1.23 ng/ml




#42 AR-1268-2

R.T.: 8.823 min
Delta R.T.: -0.034 min
Response: 2496384
Conc: 15.86 ng/ml



#42 AR-1268-2


R.T.: 7.864 min
Delta R.T.: 0.032 min
Response: 240120
Conc: 1.81 ng/ml



#43 AR-1268-3


R.T.: 0.000 min
Exp R.T.: 9.093 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
1A-1B-1C-GRAY-CAULK




#43 AR-1268-3

R.T.: 8.022 min
Delta R.T.: -0.017 min
Response: 148473
Conc: 1.31 ng/ml




#44 AR-1268-4

R.T.: 9.563 min
Delta R.T.: 0.052 min
Response: 414801
Conc: 7.06 ng/ml



#44 AR-1268-4


R.T.: 8.291 min
Delta R.T.: -0.043 min
Response: 3584555
Conc: 68.83 ng/ml



#45 AR-1268-5

R.T.: 9.985 min
Delta R.T.: 0.052 min
Response: 1187651
Conc: 3.12 ng/ml

Instrument :
ECD_P
ClientSampleId :
1A-1B-1C-GRAY-CAULK



#45 AR-1268-5

R.T.: 8.648 min
Delta R.T.: 0.007 min
Response: 91770
Conc: 0.26 ng/ml