

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP022122\
 Data File : PP043862.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Feb 2022 09:50
 Operator : YP\AJ
 Sample : HEXANE
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 22 00:08:52 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP021022.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Feb 11 04:48:05 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.950f	3.180	33841	8101	0.015	0.004 #
2)	SA Decachlor...	10.057	8.550	498086	23896	0.419	0.015 #
Target Compounds							
3)	L1 AR-1016-1	5.145f	4.326	3855168	16677	53.129	0.272 #
4)	L1 AR-1016-2	0.000	4.344	0	10119	N.D.	0.120 #
5)	L1 AR-1016-3	0.000	4.529	0	27590	N.D.	0.591 #
6)	L1 AR-1016-4	5.380	4.578	8686624	85156	160.180	2.279 #
7)	L1 AR-1016-5	5.684	4.809	181958	254161	3.464	5.564 #
8)	L2 AR-1221-1	4.147	3.404	53303	6431	2.094	0.270 #
9)	L2 AR-1221-2	0.000	3.490	0	22656	N.D.	1.254 #
10)	L2 AR-1221-3	0.000	3.578	0	66580	N.D.	1.291 #
11)	L3 AR-1232-1	0.000	3.578	0	66580	N.D.	1.547 #
12)	L3 AR-1232-2	4.890	4.344	1178526	10119	49.733	0.283 #
13)	L3 AR-1232-3	0.000	4.529	0	27590	N.D.	1.411 #
14)	L3 AR-1232-4	5.380	4.606	8686624	365276	397.953	21.124 #
15)	L3 AR-1232-5	0.000	4.809	0	254161	N.D.	13.531 #
16)	L4 AR-1242-1	5.145f	4.326	3855168	16677	68.607	0.342 #
17)	L4 AR-1242-2	0.000	4.344	0	10119	N.D.	0.150 #
18)	L4 AR-1242-3	5.299f	4.529	1911924	27590	36.938	0.735 #
19)	L4 AR-1242-4	5.380	4.606	8686624	365276	203.374	10.116 #
20)	L4 AR-1242-5	6.179	5.172	1093195	50887	25.316	1.182 #
21)	L5 AR-1248-1	5.145f	4.326	3855168	16677	94.034	0.448 #
22)	L5 AR-1248-2	0.000	4.578	0	85156	N.D.	1.741 #
23)	L5 AR-1248-3	5.684	4.606	181958	365276	2.727	7.118 #
24)	L5 AR-1248-4	6.129	4.809	653727	254161	9.357	4.335 #
25)	L5 AR-1248-5	6.179	5.233	1093195	73300	15.813	1.279 #
26)	L6 AR-1254-1	6.090	5.172	850032	50887	11.250	0.583 #
27)	L6 AR-1254-2	6.345	5.335	160238	158223	1.429	2.074 #
28)	L6 AR-1254-3	6.738	5.763	343715	91205	2.970	0.744 #
29)	L6 AR-1254-4	7.033f	6.020	226653	7527	2.839	0.095 #
30)	L6 AR-1254-5	7.505	6.470	27943692	59117	325.824	0.511 #
31)	L7 AR-1260-1	6.919	5.916	205978	11997	2.460	0.150 #
32)	L7 AR-1260-2	7.195	6.120	374101	36674	4.133	0.376 #
33)	L7 AR-1260-3	0.000	6.276	0	71206	N.D.	0.780 #
34)	L7 AR-1260-4	7.854	6.800	1303758	112826	15.185	1.394 #
35)	L7 AR-1260-5	8.165f	7.065	4766203	12778	30.748	0.069 #
36)	L8 AR-1262-1	0.000	6.519	0	20403	N.D.	0.186 #
37)	L8 AR-1262-2	8.165f	6.800	4766203	112826	29.523	1.106 #
38)	L8 AR-1262-3	0.000	7.373	0	31705	N.D.	0.372 #
39)	L8 AR-1262-4	0.000	7.443	0	26343	N.D.	0.170 #
40)	L8 AR-1262-5	0.000	7.987	0	36187	N.D.	0.465 #
41)	L9 AR-1268-1	0.000	7.373	0	31705	N.D.	0.125 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP022122\
 Data File : PP043862.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Feb 2022 09:50
 Operator : YP\AJ
 Sample : HEXANE
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 22 00:08:52 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP021022.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Feb 11 04:48:05 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	0.000	7.443	0	26343	N.D.	0.117 #
43) L9	AR-1268-3	8.850	7.663	245928	10978	1.593	0.056 #
44) L9	AR-1268-4	0.000	7.987	0	36187	N.D.	0.402 #
45) L9	AR-1268-5	0.000	8.291	0	12959	N.D.	0.022 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP022122\
 Data File : PP043862.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Feb 2022 09:50
 Operator : YP\AJ
 Sample : HEXANE
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 22 00:08:52 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP021022.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Feb 11 04:48:05 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.950 min
Delta R.T.: 0.031 min
Response: 33841
Conc: 0.02 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.180 min
Delta R.T.: 0.006 min
Response: 8101
Conc: 0.00 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.057 min
Delta R.T.: -0.014 min
Response: 498086
Conc: 0.42 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.550 min
Delta R.T.: -0.005 min
Response: 23896
Conc: 0.01 ng/ml



#3 AR-1016-1


R.T.: 5.145 min
Delta R.T.: -0.029 min
Response: 3855168
Conc: 53.13 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.326 min
Delta R.T.: 0.003 min
Response: 16677
Conc: 0.27 ng/ml




#4 AR-1016-2

R.T.: 0.000 min
Exp R.T. : 5.198 min
Response: 0
Conc: N.D.



#4 AR-1016-2


R.T.: 4.344 min
Delta R.T.: 0.003 min
Response: 10119
Conc: 0.12 ng/ml



#5 AR-1016-3


R.T.: 0.000 min
Exp R.T.: 5.263 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.529 min
Delta R.T.: 0.001 min
Response: 27590
Conc: 0.59 ng/ml




#6 AR-1016-4

R.T.: 5.380 min
Delta R.T.: 0.010 min
Response: 8686624
Conc: 160.18 ng/ml



#6 AR-1016-4


R.T.: 4.578 min
Delta R.T.: 0.002 min
Response: 85156
Conc: 2.28 ng/ml



#7 AR-1016-5


R.T.: 5.684 min
Delta R.T.: -0.007 min
Response: 181958
Conc: 3.46 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 4.809 min
Delta R.T.: 0.008 min
Response: 254161
Conc: 5.56 ng/ml




#8 AR-1221-1

R.T.: 4.147 min
Delta R.T.: 0.000 min
Response: 53303
Conc: 2.09 ng/ml



#8 AR-1221-1


R.T.: 3.404 min
Delta R.T.: 0.000 min
Response: 6431
Conc: 0.27 ng/ml



#9 AR-1221-2


R.T.: 0.000 min
Exp R.T.: 4.238 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.490 min
Delta R.T.: -0.002 min
Response: 22656
Conc: 1.25 ng/ml




#10 AR-1221-3

R.T.: 0.000 min
Exp R.T.: 4.318 min
Response: 0
Conc: N.D.



#10 AR-1221-3


R.T.: 3.578 min
Delta R.T.: 0.006 min
Response: 66580
Conc: 1.29 ng/ml



#11 AR-1232-1


R.T.: 0.000 min
Exp R.T.: 4.318 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.578 min
Delta R.T.: 0.006 min
Response: 66580
Conc: 1.55 ng/ml




#12 AR-1232-2

R.T.: 4.890 min
Delta R.T.: 0.006 min
Response: 1178526
Conc: 49.73 ng/ml



#12 AR-1232-2


R.T.: 4.344 min
Delta R.T.: 0.002 min
Response: 10119
Conc: 0.28 ng/ml



#13 AR-1232-3


R.T.: 0.000 min
Exp R.T.: 5.197 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.529 min
Delta R.T.: 0.002 min
Response: 27590
Conc: 1.41 ng/ml




#14 AR-1232-4

R.T.: 5.380 min
Delta R.T.: 0.011 min
Response: 8686624
Conc: 397.95 ng/ml



#14 AR-1232-4


R.T.: 4.606 min
Delta R.T.: -0.013 min
Response: 365276
Conc: 21.12 ng/ml



#15 AR-1232-5


R.T.: 0.000 min
Exp R.T.: 5.472 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 4.809 min
Delta R.T.: 0.008 min
Response: 254161
Conc: 13.53 ng/ml




#16 AR-1242-1

R.T.: 5.145 min
Delta R.T.: -0.029 min
Response: 3855168
Conc: 68.61 ng/ml



#16 AR-1242-1


R.T.: 4.326 min
Delta R.T.: 0.003 min
Response: 16677
Conc: 0.34 ng/ml



#17 AR-1242-2


R.T.: 0.000 min
Exp R.T.: 5.197 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.344 min
Delta R.T.: 0.002 min
Response: 10119
Conc: 0.15 ng/ml




#18 AR-1242-3

R.T.: 5.299 min
Delta R.T.: 0.035 min
Response: 1911924
Conc: 36.94 ng/ml



#18 AR-1242-3


R.T.: 4.529 min
Delta R.T.: 0.002 min
Response: 27590
Conc: 0.73 ng/ml



#19 AR-1242-4


R.T.: 5.380 min
Delta R.T.: 0.010 min
Response: 8686624
Conc: 203.37 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.606 min
Delta R.T.: -0.013 min
Response: 365276
Conc: 10.12 ng/ml




#20 AR-1242-5

R.T.: 6.179 min
Delta R.T.: 0.008 min
Response: 1093195
Conc: 25.32 ng/ml



#20 AR-1242-5

R.T.: 5.172 min
Delta R.T.: -0.007 min
Response: 50887
Conc: 1.18 ng/ml



#21 AR-1248-1

R.T.: 5.145 min
Delta R.T.: -0.029 min
Response: 3855168
Conc: 94.03 ng/ml

Instrument :
ECD_P
ClientSampleId :

#21 AR-1248-1


R.T.: 4.326 min
Delta R.T.: 0.003 min
Response: 16677
Conc: 0.45 ng/ml

#22 AR-1248-2

R.T.: 0.000 min
Exp R.T. : 5.472 min
Response: 0
Conc: N.D.

#22 AR-1248-2


R.T.: 4.578 min
Delta R.T.: 0.003 min
Response: 85156
Conc: 1.74 ng/ml



#23 AR-1248-3


R.T.: 5.684 min
Delta R.T.: -0.006 min
Response: 181958
Conc: 2.73 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.606 min
Delta R.T.: -0.013 min
Response: 365276
Conc: 7.12 ng/ml




#24 AR-1248-4

R.T.: 6.129 min
Delta R.T.: -0.002 min
Response: 653727
Conc: 9.36 ng/ml



#24 AR-1248-4


R.T.: 4.809 min
Delta R.T.: 0.008 min
Response: 254161
Conc: 4.34 ng/ml



#25 AR-1248-5


R.T.: 6.179 min
Delta R.T.: 0.008 min
Response: 1093195
Conc: 15.81 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.233 min
Delta R.T.: 0.011 min
Response: 73300
Conc: 1.28 ng/ml




#26 AR-1254-1

R.T.: 6.090 min
Delta R.T.: -0.012 min
Response: 850032
Conc: 11.25 ng/ml



#26 AR-1254-1


R.T.: 5.172 min
Delta R.T.: -0.007 min
Response: 50887
Conc: 0.58 ng/ml



#27 AR-1254-2


R.T.: 6.345 min
Delta R.T.: 0.004 min
Response: 160238
Conc: 1.43 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.335 min
Delta R.T.: -0.004 min
Response: 158223
Conc: 2.07 ng/ml




#28 AR-1254-3

R.T.: 6.738 min
Delta R.T.: -0.004 min
Response: 343715
Conc: 2.97 ng/ml



#28 AR-1254-3


R.T.: 5.763 min
Delta R.T.: -0.010 min
Response: 91205
Conc: 0.74 ng/ml



#29 AR-1254-4


R.T.: 7.033 min
Delta R.T.: -0.023 min
Response: 226653
Conc: 2.84 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.020 min
Delta R.T.: -0.001 min
Response: 7527
Conc: 0.10 ng/ml




#30 AR-1254-5

R.T.: 7.505 min
Delta R.T.: -0.012 min
Response: 27943692
Conc: 325.82 ng/ml



#30 AR-1254-5


R.T.: 6.470 min
Delta R.T.: -0.004 min
Response: 59117
Conc: 0.51 ng/ml



#31 AR-1260-1


R.T.: 6.919 min
Delta R.T.: -0.004 min
Response: 205978
Conc: 2.46 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 5.916 min
Delta R.T.: 0.003 min
Response: 11997
Conc: 0.15 ng/ml




#32 AR-1260-2

R.T.: 7.195 min
Delta R.T.: -0.011 min
Response: 374101
Conc: 4.13 ng/ml



#32 AR-1260-2


R.T.: 6.120 min
Delta R.T.: 0.000 min
Response: 36674
Conc: 0.38 ng/ml



#33 AR-1260-3


R.T.: 0.000 min
Exp R.T.: 7.601 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.276 min
Delta R.T.: -0.007 min
Response: 71206
Conc: 0.78 ng/ml




#34 AR-1260-4

R.T.: 7.854 min
Delta R.T.: 0.005 min
Response: 1303758
Conc: 15.19 ng/ml



#34 AR-1260-4


R.T.: 6.800 min
Delta R.T.: 0.003 min
Response: 112826
Conc: 1.39 ng/ml



#35 AR-1260-5


R.T.: 8.165 min
Delta R.T.: -0.027 min
Response: 4766203
Conc: 30.75 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.065 min
Delta R.T.: 0.000 min
Response: 12778
Conc: 0.07 ng/ml




#36 AR-1262-1

R.T.: 0.000 min
Exp R.T. : 7.602 min
Response: 0
Conc: N.D.



#36 AR-1262-1


R.T.: 6.519 min
Delta R.T.: 0.003 min
Response: 20403
Conc: 0.19 ng/ml



#37 AR-1262-2


R.T.: 8.165 min
Delta R.T.: -0.028 min
Response: 4766203
Conc: 29.52 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.800 min
Delta R.T.: 0.003 min
Response: 112826
Conc: 1.11 ng/ml




#38 AR-1262-3

R.T.: 0.000 min
Exp R.T. : 8.526 min
Response: 0
Conc: N.D.



#38 AR-1262-3

R.T.: 7.373 min
Delta R.T.: 0.000 min
Response: 31705
Conc: 0.37 ng/ml



#39 AR-1262-4

R.T.: 0.000 min
Exp R.T.: 8.619 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :

#39 AR-1262-4


R.T.: 7.443 min
Delta R.T.: 0.001 min
Response: 26343
Conc: 0.17 ng/ml

#40 AR-1262-5

R.T.: 0.000 min
Exp R.T.: 9.303 min
Response: 0
Conc: N.D.

#40 AR-1262-5


R.T.: 7.987 min
Delta R.T.: 0.003 min
Response: 36187
Conc: 0.47 ng/ml



#41 AR-1268-1


R.T.: 0.000 min
Exp R.T.: 8.523 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.373 min
Delta R.T.: 0.001 min
Response: 31705
Conc: 0.13 ng/ml




#42 AR-1268-2

R.T.: 0.000 min
Exp R.T.: 8.621 min
Response: 0
Conc: N.D.



#42 AR-1268-2


R.T.: 7.443 min
Delta R.T.: 0.000 min
Response: 26343
Conc: 0.12 ng/ml



#43 AR-1268-3


R.T.: 8.850 min
Delta R.T.: -0.008 min
Response: 245928
Conc: 1.59 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.663 min
Delta R.T.: -0.002 min
Response: 10978
Conc: 0.06 ng/ml




#44 AR-1268-4

R.T.: 0.000 min
Exp R.T. : 9.302 min
Response: 0
Conc: N.D.



#44 AR-1268-4


R.T.: 7.987 min
Delta R.T.: 0.003 min
Response: 36187
Conc: 0.40 ng/ml



#45 AR-1268-5

R.T.: 0.000 min
Exp R.T.: 9.728 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.291 min
Delta R.T.: 0.000 min
Response: 12959
Conc: 0.02 ng/ml