

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP022822\
 Data File : PP044096.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Feb 2022 19:48
 Operator : YP\AJ
 Sample : N1674-02 10X
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 01 00:43:11 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP021022.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Feb 11 04:48:05 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.914	3.169	4017803	4103773	1.817	2.185
2)	SA Decachlor...	10.055	8.541	2671465	3549949	2.249	2.188
Target Compounds							
3)	L1 AR-1016-1	5.172	4.312	186410	47346	2.569	0.773 #
4)	L1 AR-1016-2	5.204	4.338	155787	119833	1.477	1.418
5)	L1 AR-1016-3	5.268	4.529	70673	29838	1.073	0.639 #
6)	L1 AR-1016-4	5.372	4.586	54860	296185	1.012	7.926 #
7)	L1 AR-1016-5	5.689	4.794	157741	51647	3.003	1.131 #
8)	L2 AR-1221-1	4.154	3.398	74252	9413	2.917	0.395 #
9)	L2 AR-1221-2	4.239	3.502	164586	24845	8.573	1.376 #
10)	L2 AR-1221-3	4.328	3.572	133828	15268	2.330	0.296 #
11)	L3 AR-1232-1	4.328	3.572	133828	15268	2.758	0.355 #
12)	L3 AR-1232-2	4.871	4.338	53067	119833	2.239	3.357 #
13)	L3 AR-1232-3	5.204	4.529	155787	29838	3.618	1.526 #
14)	L3 AR-1232-4	5.372	4.621	54860	20942	2.513	1.211 #
15)	L3 AR-1232-5	5.476	4.794	85876	51647	5.324	2.750 #
16)	L4 AR-1242-1	5.172	4.312	186410	47346	3.317	0.971 #
17)	L4 AR-1242-2	5.204	4.338	155787	119833	1.883	1.780
18)	L4 AR-1242-3	5.268	4.529	70673	29838	1.365	0.795 #
19)	L4 AR-1242-4	5.372	4.621	54860	20942	1.284	0.580 #
20)	L4 AR-1242-5	6.172	5.179	131071	25885	3.035	0.601 #
21)	L5 AR-1248-1	5.172	4.312	186410	47346	4.547	1.271 #
22)	L5 AR-1248-2	5.476	4.586	85876	296185	1.512	6.054 #
23)	L5 AR-1248-3	5.689	4.621	157741	20942	2.364	0.408 #
24)	L5 AR-1248-4	6.120	4.794	198714	51647	2.844	0.881 #
25)	L5 AR-1248-5	6.172	5.227	131071	28748	1.896	0.502 #
26)	L6 AR-1254-1	6.088	5.179	56715	25885	0.751	0.296 #
27)	L6 AR-1254-2	6.345	5.342	44169	45565	0.394	0.597 #
28)	L6 AR-1254-3	6.742	5.770	240268	26457	2.076	0.216 #
29)	L6 AR-1254-4	7.061	6.019	104026	15151	1.303	0.192 #
30)	L6 AR-1254-5	7.509	6.480	261376	15280	3.048	0.132 #
31)	L7 AR-1260-1	6.918	5.908	49834	31597	0.595	0.395 #
32)	L7 AR-1260-2	7.202	6.122	59790	28137	0.661	0.288 #
33)	L7 AR-1260-3	7.617f	6.283	601216	24272	8.294	0.266 #
34)	L7 AR-1260-4	7.848	6.794	309230	12505	3.602	0.155 #
35)	L7 AR-1260-5	8.214f	7.062	754550	45866	4.868	0.248 #
36)	L8 AR-1262-1	7.617	6.511	601216	19434	6.089	0.177 #
37)	L8 AR-1262-2	8.214f	6.794	754550	12505	4.674	0.123 #
38)	L8 AR-1262-3	8.530	7.372	47282	11996	0.432	0.141 #
39)	L8 AR-1262-4	8.624	7.446	106553	30831	2.222	0.199 #
40)	L8 AR-1262-5	9.307	7.981	40912	74608	0.735	0.959 #
41)	L9 AR-1268-1	8.520	7.372	30735	11996	0.158	0.047 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP022822\
 Data File : PP044096.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Feb 2022 19:48
 Operator : YP\AJ
 Sample : N1674-02 10X
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 01 00:43:11 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP021022.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Feb 11 04:48:05 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.624	7.446	106553	30831	0.609	0.136 #
43) L9	AR-1268-3	8.861	7.663	73748	17390	0.478	0.089 #
44) L9	AR-1268-4	9.307	7.981	40912	74608	0.654	0.830 #
45) L9	AR-1268-5	9.729	8.293	89128	20978	0.196	0.035 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP022822\
Data File : PP044096.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Feb 2022 19:48
Operator : YP\AJ
Sample : N1674-02 10X
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 01 00:43:11 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP021022.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Feb 11 04:48:05 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.914 min
Delta R.T.: -0.005 min
Response: 4017803
Conc: 1.82 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.169 min
Delta R.T.: -0.006 min
Response: 4103773
Conc: 2.18 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.055 min
Delta R.T.: -0.005 min
Response: 2671465
Conc: 2.25 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.541 min
Delta R.T.: -0.009 min
Response: 3549949
Conc: 2.19 ng/ml



#3 AR-1016-1


R.T.: 5.172 min
Delta R.T.: -0.002 min
Response: 186410
Conc: 2.57 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.312 min
Delta R.T.: -0.011 min
Response: 47346
Conc: 0.77 ng/ml




#4 AR-1016-2

R.T.: 5.204 min
Delta R.T.: 0.007 min
Response: 155787
Conc: 1.48 ng/ml



#4 AR-1016-2


R.T.: 4.338 min
Delta R.T.: -0.003 min
Response: 119833
Conc: 1.42 ng/ml



#5 AR-1016-3


R.T.: 5.268 min
Delta R.T.: 0.004 min
Response: 70673
Conc: 1.07 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.529 min
Delta R.T.: 0.001 min
Response: 29838
Conc: 0.64 ng/ml




#6 AR-1016-4

R.T.: 5.372 min
Delta R.T.: 0.002 min
Response: 54860
Conc: 1.01 ng/ml



#6 AR-1016-4


R.T.: 4.586 min
Delta R.T.: 0.010 min
Response: 296185
Conc: 7.93 ng/ml



#7 AR-1016-5


R.T.: 5.689 min
Delta R.T.: -0.002 min
Response: 157741
Conc: 3.00 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 4.794 min
Delta R.T.: -0.007 min
Response: 51647
Conc: 1.13 ng/ml




#8 AR-1221-1

R.T.: 4.154 min
Delta R.T.: 0.007 min
Response: 74252
Conc: 2.92 ng/ml



#8 AR-1221-1


R.T.: 3.398 min
Delta R.T.: -0.005 min
Response: 9413
Conc: 0.39 ng/ml



#9 AR-1221-2


R.T.: 4.239 min
Delta R.T.: 0.001 min
Response: 164586
Conc: 8.57 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.502 min
Delta R.T.: 0.010 min
Response: 24845
Conc: 1.38 ng/ml




#10 AR-1221-3

R.T.: 4.328 min
Delta R.T.: 0.010 min
Response: 133828
Conc: 2.33 ng/ml



#10 AR-1221-3


R.T.: 3.572 min
Delta R.T.: 0.000 min
Response: 15268
Conc: 0.30 ng/ml



#11 AR-1232-1


R.T.: 4.328 min
Delta R.T.: 0.010 min
Response: 133828
Conc: 2.76 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.572 min
Delta R.T.: 0.000 min
Response: 15268
Conc: 0.35 ng/ml




#12 AR-1232-2

R.T.: 4.871 min
Delta R.T.: -0.013 min
Response: 53067
Conc: 2.24 ng/ml



#12 AR-1232-2


R.T.: 4.338 min
Delta R.T.: -0.003 min
Response: 119833
Conc: 3.36 ng/ml



#13 AR-1232-3


R.T.: 5.204 min
Delta R.T.: 0.007 min
Response: 155787
Conc: 3.62 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.529 min
Delta R.T.: 0.002 min
Response: 29838
Conc: 1.53 ng/ml




#14 AR-1232-4

R.T.: 5.372 min
Delta R.T.: 0.003 min
Response: 54860
Conc: 2.51 ng/ml



#14 AR-1232-4


R.T.: 4.621 min
Delta R.T.: 0.002 min
Response: 20942
Conc: 1.21 ng/ml



#15 AR-1232-5


R.T.: 5.476 min
Delta R.T.: 0.005 min
Response: 85876
Conc: 5.32 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 4.794 min
Delta R.T.: -0.007 min
Response: 51647
Conc: 2.75 ng/ml




#16 AR-1242-1

R.T.: 5.172 min
Delta R.T.: -0.002 min
Response: 186410
Conc: 3.32 ng/ml



#16 AR-1242-1


R.T.: 4.312 min
Delta R.T.: -0.011 min
Response: 47346
Conc: 0.97 ng/ml



#17 AR-1242-2


R.T.: 5.204 min
Delta R.T.: 0.007 min
Response: 155787
Conc: 1.88 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.338 min
Delta R.T.: -0.004 min
Response: 119833
Conc: 1.78 ng/ml




#18 AR-1242-3

R.T.: 5.268 min
Delta R.T.: 0.004 min
Response: 70673
Conc: 1.37 ng/ml



#18 AR-1242-3


R.T.: 4.529 min
Delta R.T.: 0.002 min
Response: 29838
Conc: 0.79 ng/ml



#19 AR-1242-4


R.T.: 5.372 min
Delta R.T.: 0.002 min
Response: 54860
Conc: 1.28 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.621 min
Delta R.T.: 0.002 min
Response: 20942
Conc: 0.58 ng/ml




#20 AR-1242-5

R.T.: 6.172 min
Delta R.T.: 0.001 min
Response: 131071
Conc: 3.04 ng/ml



#20 AR-1242-5


R.T.: 5.179 min
Delta R.T.: 0.000 min
Response: 25885
Conc: 0.60 ng/ml



#21 AR-1248-1


R.T.: 5.172 min
Delta R.T.: -0.002 min
Response: 186410
Conc: 4.55 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.312 min
Delta R.T.: -0.010 min
Response: 47346
Conc: 1.27 ng/ml




#22 AR-1248-2

R.T.: 5.476 min
Delta R.T.: 0.005 min
Response: 85876
Conc: 1.51 ng/ml



#22 AR-1248-2


R.T.: 4.586 min
Delta R.T.: 0.010 min
Response: 296185
Conc: 6.05 ng/ml



#23 AR-1248-3


R.T.: 5.689 min
Delta R.T.: -0.001 min
Response: 157741
Conc: 2.36 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.621 min
Delta R.T.: 0.003 min
Response: 20942
Conc: 0.41 ng/ml




#24 AR-1248-4

R.T.: 6.120 min
Delta R.T.: -0.010 min
Response: 198714
Conc: 2.84 ng/ml



#24 AR-1248-4


R.T.: 4.794 min
Delta R.T.: -0.007 min
Response: 51647
Conc: 0.88 ng/ml



#25 AR-1248-5


R.T.: 6.172 min
Delta R.T.: 0.001 min
Response: 131071
Conc: 1.90 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.227 min
Delta R.T.: 0.004 min
Response: 28748
Conc: 0.50 ng/ml




#26 AR-1254-1

R.T.: 6.088 min
Delta R.T.: -0.014 min
Response: 56715
Conc: 0.75 ng/ml



#26 AR-1254-1


R.T.: 5.179 min
Delta R.T.: 0.000 min
Response: 25885
Conc: 0.30 ng/ml



#27 AR-1254-2


R.T.: 6.345 min
Delta R.T.: 0.003 min
Response: 44169
Conc: 0.39 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.342 min
Delta R.T.: 0.003 min
Response: 45565
Conc: 0.60 ng/ml




#28 AR-1254-3

R.T.: 6.742 min
Delta R.T.: 0.000 min
Response: 240268
Conc: 2.08 ng/ml



#28 AR-1254-3


R.T.: 5.770 min
Delta R.T.: -0.003 min
Response: 26457
Conc: 0.22 ng/ml



#29 AR-1254-4


R.T.: 7.061 min
Delta R.T.: 0.006 min
Response: 104026
Conc: 1.30 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.019 min
Delta R.T.: -0.002 min
Response: 15151
Conc: 0.19 ng/ml




#30 AR-1254-5

R.T.: 7.509 min
Delta R.T.: -0.008 min
Response: 261376
Conc: 3.05 ng/ml



#30 AR-1254-5


R.T.: 6.480 min
Delta R.T.: 0.006 min
Response: 15280
Conc: 0.13 ng/ml



#31 AR-1260-1


R.T.: 6.918 min
Delta R.T.: -0.005 min
Response: 49834
Conc: 0.60 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 5.908 min
Delta R.T.: -0.005 min
Response: 31597
Conc: 0.40 ng/ml




#32 AR-1260-2

R.T.: 7.202 min
Delta R.T.: -0.004 min
Response: 59790
Conc: 0.66 ng/ml



#32 AR-1260-2


R.T.: 6.122 min
Delta R.T.: 0.002 min
Response: 28137
Conc: 0.29 ng/ml



#33 AR-1260-3


R.T.: 7.617 min
Delta R.T.: 0.016 min
Response: 601216
Conc: 8.29 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.283 min
Delta R.T.: 0.000 min
Response: 24272
Conc: 0.27 ng/ml




#34 AR-1260-4

R.T.: 7.848 min
Delta R.T.: 0.000 min
Response: 309230
Conc: 3.60 ng/ml



#34 AR-1260-4


R.T.: 6.794 min
Delta R.T.: -0.002 min
Response: 12505
Conc: 0.15 ng/ml



#35 AR-1260-5


R.T.: 8.214 min
Delta R.T.: 0.022 min
Response: 754550
Conc: 4.87 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.062 min
Delta R.T.: -0.002 min
Response: 45866
Conc: 0.25 ng/ml




#36 AR-1262-1

R.T.: 7.617 min
Delta R.T.: 0.015 min
Response: 601216
Conc: 6.09 ng/ml



#36 AR-1262-1


R.T.: 6.511 min
Delta R.T.: -0.005 min
Response: 19434
Conc: 0.18 ng/ml



#37 AR-1262-2


R.T.: 8.214 min
Delta R.T.: 0.021 min
Response: 754550
Conc: 4.67 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.794 min
Delta R.T.: -0.003 min
Response: 12505
Conc: 0.12 ng/ml




#38 AR-1262-3

R.T.: 8.530 min
Delta R.T.: 0.003 min
Response: 47282
Conc: 0.43 ng/ml



#38 AR-1262-3


R.T.: 7.372 min
Delta R.T.: 0.000 min
Response: 11996
Conc: 0.14 ng/ml



#39 AR-1262-4


R.T.: 8.624 min
Delta R.T.: 0.005 min
Response: 106553
Conc: 2.22 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.446 min
Delta R.T.: 0.004 min
Response: 30831
Conc: 0.20 ng/ml




#40 AR-1262-5

R.T.: 9.307 min
Delta R.T.: 0.004 min
Response: 40912
Conc: 0.73 ng/ml



#40 AR-1262-5


R.T.: 7.981 min
Delta R.T.: -0.003 min
Response: 74608
Conc: 0.96 ng/ml



#41 AR-1268-1


R.T.: 8.520 min
Delta R.T.: -0.002 min
Response: 30735
Conc: 0.16 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.372 min
Delta R.T.: 0.000 min
Response: 11996
Conc: 0.05 ng/ml




#42 AR-1268-2

R.T.: 8.624 min
Delta R.T.: 0.003 min
Response: 106553
Conc: 0.61 ng/ml



#42 AR-1268-2


R.T.: 7.446 min
Delta R.T.: 0.003 min
Response: 30831
Conc: 0.14 ng/ml



#43 AR-1268-3


R.T.: 8.861 min
Delta R.T.: 0.003 min
Response: 73748
Conc: 0.48 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.663 min
Delta R.T.: -0.002 min
Response: 17390
Conc: 0.09 ng/ml




#44 AR-1268-4

R.T.: 9.307 min
Delta R.T.: 0.005 min
Response: 40912
Conc: 0.65 ng/ml



#44 AR-1268-4


R.T.: 7.981 min
Delta R.T.: -0.003 min
Response: 74608
Conc: 0.83 ng/ml



#45 AR-1268-5

R.T.: 9.729 min
Delta R.T.: 0.001 min
Response: 89128
Conc: 0.20 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.293 min
Delta R.T.: 0.002 min
Response: 20978
Conc: 0.03 ng/ml