

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP030121\
 Data File : PP033625.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 01 Mar 2021 15:28
 Operator : DD\AJ
 Sample : M1486-05
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 01 17:21:45 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP022121.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Mon Feb 22 12:13:48 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.723	3.993	1802724	1006290	24.493	22.850
2)	SA Decachlor...	10.536	9.247	842353	589461	18.111	18.655
Target Compounds							
3)	L1 AR-1016-1	6.021	5.234	330664	154396	172.762	131.445
4)	L1 AR-1016-2	6.044	5.254	440704	219252	150.159	122.860
5)	L1 AR-1016-3	6.109	5.444	320865	110721	183.324	114.971 #
6)	L1 AR-1016-4	6.214	5.495	253309	93043	170.002	124.410 #
7)	L1 AR-1016-5	6.527	5.724	151233	42923	108.451	44.527 #
8)	L2 AR-1221-1	4.971	0.000	52830	0	78.386	N.D. #
9)	L2 AR-1221-2	5.070	4.343	61712	35394	121.315	116.161
10)	L2 AR-1221-3	5.151	4.431	81119	51213	51.845	52.044
11)	L3 AR-1232-1	5.151	4.431	81119	51213	61.075	62.793
12)	L3 AR-1232-2	5.729	5.254	382401	219252	592.815	287.174 #
13)	L3 AR-1232-3	6.044	5.444	440704	110721	361.285	274.088
14)	L3 AR-1232-4	6.214	5.540	253309	133079	411.562	389.083
15)	L3 AR-1232-5	6.314	5.724	309986	42923	789.551	111.635 #
16)	L4 AR-1242-1	6.021	5.234	330664	154396	226.327	169.770
17)	L4 AR-1242-2	6.044	5.254	440704	219252	197.717	163.031
18)	L4 AR-1242-3	6.109	5.444	320865	110721	232.219	150.579 #
19)	L4 AR-1242-4	6.214	5.540	253309	133079	218.357	194.525
20)	L4 AR-1242-5	6.993	6.100	203310	126763	181.423	167.262
21)	L5 AR-1248-1	6.021	5.234	330664	154396	299.231	224.398 #
22)	L5 AR-1248-2	6.314	5.495	309986	93043	203.044	93.949 #
23)	L5 AR-1248-3	6.527	5.540	151233	133079	83.792	126.361 #
24)	L5 AR-1248-4	6.951	5.724	139453	42923	73.659	33.771 #
25)	L5 AR-1248-5	6.993	6.145	203310	96453	110.285	85.725
26)	L6 AR-1254-1	6.924	6.100	67907	126763	34.835	69.622 #
27)	L6 AR-1254-2	7.154	6.258	119306	17913	38.553	11.511 #
28)	L6 AR-1254-3	7.533	6.677	30559	19982	10.014	8.077
29)	L6 AR-1254-4	7.826	0.000	63105	0	28.179	N.D. #
30)	L6 AR-1254-5	8.266f	0.000	89392	0	38.120	N.D. #
31)	L7 AR-1260-1	7.685	0.000	19697	0	8.598	N.D. #
32)	L7 AR-1260-2	7.948	7.011	6020	43461	1.891	22.090 #
33)	L7 AR-1260-3	8.316	0.000	4555	0	1.570	N.D. #
34)	L7 AR-1260-4	8.553	0.000	10922	0	4.185	N.D. #
35)	L7 AR-1260-5	8.861	0.000	10437	0	1.767	N.D. #
36)	L8 AR-1262-1	8.316	0.000	4555	0	1.128	N.D. #
37)	L8 AR-1262-2	8.861	0.000	10437	0	1.699	N.D. #
38)	L8 AR-1262-3	9.177f	0.000	2693	0	0.640	N.D. #
39)	L8 AR-1262-4	9.236	0.000	4751	0	1.430	N.D. #
40)	L8 AR-1262-5	9.878f	0.000	3605	0	1.823	N.D. #
41)	L9 AR-1268-1	9.177f	0.000	2693	0	0.340	N.D. #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP030121\
 Data File : PP033625.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 01 Mar 2021 15:28
 Operator : DD\AJ
 Sample : M1486-05
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 01 17:21:45 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP022121.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Mon Feb 22 12:13:48 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	9.236	0.000	4751	0	0.722	N.D. #
43) L9	AR-1268-3	9.456	8.430	5929	5775	0.912	1.415 #
44) L9	AR-1268-4	9.878f	0.000	3605	0	1.735	N.D. #
45) L9	AR-1268-5	10.238	0.000	7487	0	0.450	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP030121\
Data File : PP033625.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 01 Mar 2021 15:28
Operator : DD\AJ
Sample : M1486-05
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampled :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 01 17:21:45 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP022121.M
Quant Title : GC EXTRACTABLES
QLast Update : Mon Feb 22 12:13:48 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.723 min
Delta R.T.: 0.003 min
Response: 1802724
Conc: 24.49 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.993 min
Delta R.T.: 0.002 min
Response: 1006290
Conc: 22.85 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.536 min
Delta R.T.: 0.000 min
Response: 842353
Conc: 18.11 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.247 min
Delta R.T.: -0.002 min
Response: 589461
Conc: 18.66 ng/ml



#3 AR-1016-1


R.T.: 6.021 min
Delta R.T.: 0.001 min
Response: 330664
Conc: 172.76 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 5.234 min
Delta R.T.: 0.000 min
Response: 154396
Conc: 131.45 ng/ml




#4 AR-1016-2

R.T.: 6.044 min
Delta R.T.: 0.001 min
Response: 440704
Conc: 150.16 ng/ml



#4 AR-1016-2


R.T.: 5.254 min
Delta R.T.: 0.000 min
Response: 219252
Conc: 122.86 ng/ml



#5 AR-1016-3


R.T.: 6.109 min
Delta R.T.: 0.002 min
Response: 320865
Conc: 183.32 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 5.444 min
Delta R.T.: 0.000 min
Response: 110721
Conc: 114.97 ng/ml




#6 AR-1016-4

R.T.: 6.214 min
Delta R.T.: 0.000 min
Response: 253309
Conc: 170.00 ng/ml



#6 AR-1016-4


R.T.: 5.495 min
Delta R.T.: 0.000 min
Response: 93043
Conc: 124.41 ng/ml



#7 AR-1016-5


R.T.: 6.527 min
Delta R.T.: 0.001 min
Response: 151233
Conc: 108.45 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.724 min
Delta R.T.: 0.000 min
Response: 42923
Conc: 44.53 ng/ml




#8 AR-1221-1

R.T.: 4.971 min
Delta R.T.: 0.006 min
Response: 52830
Conc: 78.39 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T. : 4.244 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 5.070 min
Delta R.T.: 0.006 min
Response: 61712
Conc: 121.31 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 4.343 min
Delta R.T.: 0.000 min
Response: 35394
Conc: 116.16 ng/ml




#10 AR-1221-3

R.T.: 5.151 min
Delta R.T.: 0.003 min
Response: 81119
Conc: 51.84 ng/ml



#10 AR-1221-3


R.T.: 4.431 min
Delta R.T.: 0.000 min
Response: 51213
Conc: 52.04 ng/ml



#11 AR-1232-1


R.T.: 5.151 min
Delta R.T.: 0.003 min
Response: 81119
Conc: 61.08 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.431 min
Delta R.T.: 0.000 min
Response: 51213
Conc: 62.79 ng/ml




#12 AR-1232-2

R.T.: 5.729 min
Delta R.T.: 0.001 min
Response: 382401
Conc: 592.82 ng/ml



#12 AR-1232-2


R.T.: 5.254 min
Delta R.T.: 0.000 min
Response: 219252
Conc: 287.17 ng/ml



#13 AR-1232-3


R.T.: 6.044 min
Delta R.T.: 0.001 min
Response: 440704
Conc: 361.29 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 5.444 min
Delta R.T.: -0.001 min
Response: 110721
Conc: 274.09 ng/ml




#14 AR-1232-4

R.T.: 6.214 min
Delta R.T.: 0.001 min
Response: 253309
Conc: 411.56 ng/ml



#14 AR-1232-4


R.T.: 5.540 min
Delta R.T.: 0.000 min
Response: 133079
Conc: 389.08 ng/ml



#15 AR-1232-5


R.T.: 6.314 min
Delta R.T.: 0.000 min
Response: 309986
Conc: 789.55 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.724 min
Delta R.T.: 0.000 min
Response: 42923
Conc: 111.64 ng/ml




#16 AR-1242-1

R.T.: 6.021 min
Delta R.T.: 0.001 min
Response: 330664
Conc: 226.33 ng/ml



#16 AR-1242-1


R.T.: 5.234 min
Delta R.T.: 0.000 min
Response: 154396
Conc: 169.77 ng/ml



#17 AR-1242-2


R.T.: 6.044 min
Delta R.T.: 0.003 min
Response: 440704
Conc: 197.72 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 5.254 min
Delta R.T.: 0.001 min
Response: 219252
Conc: 163.03 ng/ml




#18 AR-1242-3

R.T.: 6.109 min
Delta R.T.: 0.002 min
Response: 320865
Conc: 232.22 ng/ml



#18 AR-1242-3


R.T.: 5.444 min
Delta R.T.: 0.000 min
Response: 110721
Conc: 150.58 ng/ml



#19 AR-1242-4


R.T.: 6.214 min
Delta R.T.: 0.002 min
Response: 253309
Conc: 218.36 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.540 min
Delta R.T.: 0.001 min
Response: 133079
Conc: 194.52 ng/ml




#20 AR-1242-5

R.T.: 6.993 min
Delta R.T.: 0.003 min
Response: 203310
Conc: 181.42 ng/ml



#20 AR-1242-5


R.T.: 6.100 min
Delta R.T.: -0.002 min
Response: 126763
Conc: 167.26 ng/ml



#21 AR-1248-1


R.T.: 6.021 min
Delta R.T.: 0.000 min
Response: 330664
Conc: 299.23 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 5.234 min
Delta R.T.: 0.001 min
Response: 154396
Conc: 224.40 ng/ml




#22 AR-1248-2

R.T.: 6.314 min
Delta R.T.: 0.003 min
Response: 309986
Conc: 203.04 ng/ml



#22 AR-1248-2


R.T.: 5.495 min
Delta R.T.: 0.000 min
Response: 93043
Conc: 93.95 ng/ml



#23 AR-1248-3


R.T.: 6.527 min
Delta R.T.: 0.000 min
Response: 151233
Conc: 83.79 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.540 min
Delta R.T.: 0.000 min
Response: 133079
Conc: 126.36 ng/ml




#24 AR-1248-4

R.T.: 6.951 min
Delta R.T.: 0.000 min
Response: 139453
Conc: 73.66 ng/ml



#24 AR-1248-4


R.T.: 5.724 min
Delta R.T.: 0.000 min
Response: 42923
Conc: 33.77 ng/ml



#25 AR-1248-5


R.T.: 6.993 min
Delta R.T.: 0.002 min
Response: 203310
Conc: 110.29 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 6.145 min
Delta R.T.: 0.000 min
Response: 96453
Conc: 85.72 ng/ml




#26 AR-1254-1

R.T.: 6.924 min
Delta R.T.: 0.003 min
Response: 67907
Conc: 34.83 ng/ml



#26 AR-1254-1


R.T.: 6.100 min
Delta R.T.: -0.001 min
Response: 126763
Conc: 69.62 ng/ml



#27 AR-1254-2


R.T.: 7.154 min
Delta R.T.: 0.006 min
Response: 119306
Conc: 38.55 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 6.258 min
Delta R.T.: -0.001 min
Response: 17913
Conc: 11.51 ng/ml




#28 AR-1254-3

R.T.: 7.533 min
Delta R.T.: 0.005 min
Response: 30559
Conc: 10.01 ng/ml



#28 AR-1254-3


R.T.: 6.677 min
Delta R.T.: -0.002 min
Response: 19982
Conc: 8.08 ng/ml



#29 AR-1254-4


R.T.: 7.826 min
Delta R.T.: 0.003 min
Response: 63105
Conc: 28.18 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 0.000 min
Exp R.T. : 6.918 min
Response: 0
Conc: N.D.




#30 AR-1254-5

R.T.: 8.266 min
Delta R.T.: 0.017 min
Response: 89392
Conc: 38.12 ng/ml



#30 AR-1254-5


R.T.: 0.000 min
Exp R.T. : 7.344 min
Response: 0
Conc: N.D.



#31 AR-1260-1


R.T.: 7.685 min
Delta R.T.: -0.010 min
Response: 19697
Conc: 8.60 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 0.000 min
Exp R.T. : 6.812 min
Response: 0
Conc: N.D.




#32 AR-1260-2

R.T.: 7.948 min
Delta R.T.: -0.010 min
Response: 6020
Conc: 1.89 ng/ml



#32 AR-1260-2


R.T.: 7.011 min
Delta R.T.: 0.000 min
Response: 43461
Conc: 22.09 ng/ml



#33 AR-1260-3


R.T.: 8.316 min
Delta R.T.: -0.008 min
Response: 4555
Conc: 1.57 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 0.000 min
Exp R.T. : 7.164 min
Response: 0
Conc: N.D.




#34 AR-1260-4

R.T.: 8.553 min
Delta R.T.: 0.002 min
Response: 10922
Conc: 4.19 ng/ml



#34 AR-1260-4


R.T.: 0.000 min
Exp R.T. : 7.643 min
Response: 0
Conc: N.D.



#35 AR-1260-5


R.T.: 8.861 min
Delta R.T.: -0.003 min
Response: 10437
Conc: 1.77 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 0.000 min
Exp R.T. : 7.892 min
Response: 0
Conc: N.D.




#36 AR-1262-1

R.T.: 8.316 min
Delta R.T.: -0.006 min
Response: 4555
Conc: 1.13 ng/ml



#36 AR-1262-1


R.T.: 0.000 min
Exp R.T. : 7.343 min
Response: 0
Conc: N.D.



#37 AR-1262-2


R.T.: 8.861 min
Delta R.T.: -0.003 min
Response: 10437
Conc: 1.70 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 0.000 min
Exp R.T. : 7.892 min
Response: 0
Conc: N.D.




#38 AR-1262-3

R.T.: 9.177 min
Delta R.T.: 0.022 min
Response: 2693
Conc: 0.64 ng/ml



#38 AR-1262-3


R.T.: 0.000 min
Exp R.T. : 8.174 min
Response: 0
Conc: N.D.



#39 AR-1262-4


R.T.: 9.236 min
Delta R.T.: -0.002 min
Response: 4751
Conc: 1.43 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 0.000 min
Exp R.T. : 8.240 min
Response: 0
Conc: N.D.




#40 AR-1262-5

R.T.: 9.878 min
Delta R.T.: 0.021 min
Response: 3605
Conc: 1.82 ng/ml



#40 AR-1262-5


R.T.: 0.000 min
Exp R.T. : 8.738 min
Response: 0
Conc: N.D.



#41 AR-1268-1


R.T.: 9.177 min
Delta R.T.: 0.022 min
Response: 2693
Conc: 0.34 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 0.000 min
Exp R.T. : 8.175 min
Response: 0
Conc: N.D.




#42 AR-1268-2

R.T.: 9.236 min
Delta R.T.: -0.008 min
Response: 4751
Conc: 0.72 ng/ml



#42 AR-1268-2


R.T.: 0.000 min
Exp R.T. : 8.241 min
Response: 0
Conc: N.D.



#43 AR-1268-3


R.T.: 9.456 min
Delta R.T.: 0.004 min
Response: 5929
Conc: 0.91 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 8.430 min
Delta R.T.: -0.012 min
Response: 5775
Conc: 1.42 ng/ml




#44 AR-1268-4

R.T.: 9.878 min
Delta R.T.: 0.022 min
Response: 3605
Conc: 1.74 ng/ml



#44 AR-1268-4


R.T.: 0.000 min
Exp R.T.: 8.738 min
Response: 0
Conc: N.D.



#45 AR-1268-5

R.T.: 10.238 min
Delta R.T.: 0.005 min
Response: 7487
Conc: 0.45 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 0.000 min
Exp R.T. : 9.013 min
Response: 0
Conc: N.D.