Quantitation Report (Not Reviewed)

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP030322\
Data File : PP044218.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 03 Mar 2022 16:53
Operator : YP\AJ
Sample : AR1248CCC500
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 04 01:03:26 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP030222.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Mar 03 02:21:53 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml	
	System Monitoring Compounds							
1)	SA Tetrachlo...	3.911	3.167	112.7E6	96176834	54.377	54.976	
2)	SA Decachlor...	10.048	8.535	73439378	81151837	53.358	52.903	
	Target Compounds							
3)	L1 AR-1016-1	5.165	4.311	20772142	17758990	305.899	319.401	
4)	L1 AR-1016-2	5.187	4.330	25509969	18314425	251.899	236.366	
5)	L1 AR-1016-3	5.253	4.516	11959976	12404552	190.678	289.174	#
6)	L1 AR-1016-4	5.358	4.564	13883698	23297057	267.438	691.190	#
7)	L1 AR-1016-5	5.679	4.789	33906078	27911823	673.198	671.027	
8)	L2 AR-1221-1	4.140	3.393	705799	368535	28.564	16.054	#
9)	L2 AR-1221-2	4.235	3.480	3488107	1761998	185.912	102.014	#
10)	L2 AR-1221-3	4.309	3.562	3200950	1948741	57.206	39.190	#
11)	L3 AR-1232-1	4.309	3.562	3200950	1948741	69.753	46.895	#
12)	L3 AR-1232-2	4.874	4.330	9771248	18314425	434.200	530.291	
13)	L3 AR-1232-3	5.187	4.516	25509969	12404552	589.554	664.872	
14)	L3 AR-1232-4	5.358	4.607	13883698	24543669	691.486	1488.490	#
15)	L3 AR-1232-5	5.461	4.789	28531113	27911823	1880.559	1541.865	
16)	L4 AR-1242-1	5.165	4.311	20772142	17758990	381.612	387.267	
17)	L4 AR-1242-2	5.187	4.330	25509969	18314425	320.333	289.805	
18)	L4 AR-1242-3	5.253	4.516	11959976	12404552	253.266	347.287	#
19)	L4 AR-1242-4	5.358	4.607	13883698	24543669	358.716	709.438	#
20)	L4 AR-1242-5	6.160	5.166	35721868	38555201	837.855	912.809	
21)	L5 AR-1248-1	5.165	4.311	20772142	17758990	502.480	500.691	
22)	L5 AR-1248-2	5.461	4.564	28531113	23297057	508.594	495.035	
23)	L5 AR-1248-3	5.679	4.607	33906078	24543669	496.440	498.013	
24)	L5 AR-1248-4	6.120	4.789	36156009	27911823	495.802	493.848	
25)	L5 AR-1248-5	6.160	5.209	35721868	27672120	486.355	493.343	
26)	L6 AR-1254-1	6.089	5.166	28246835	38555201	376.635	466.355	
27)	L6 AR-1254-2	6.331	5.326	35993647	12186970	320.331	169.408	#
28)	L6 AR-1254-3	6.729	5.758	20497463	18685336	175.168	162.181	
29)	L6 AR-1254-4	7.043	6.007	13329525	13266115	165.788	176.216	
30)	L6 AR-1254-5	7.504	6.458	3335308	4273375	38.317	39.212	
31)	L7 AR-1260-1	6.910	5.911	2820443	10154130	32.094	126.583	#
32)	L7 AR-1260-2	7.193	6.105	1381368	2384242	14.380	24.204	#
33)	L7 AR-1260-3	7.591	6.266	145319	2354339	2.240	25.384	#
34)	L7 AR-1260-4	7.850	6.781	90233	371543	1.157	5.211	#
35)	L7 AR-1260-5	8.174	7.047	1127578	715447	8.045	4.333	#
36)	L8 AR-1262-1	7.591	0.000	145319	0	1.438	N.D.	#
37)	L8 AR-1262-2	8.174	6.781	1127578	371543	6.791	3.882	#
38)	L8 AR-1262-3	8.521	7.356	253573	198854	2.266	2.521	
39)	L8 AR-1262-4	8.617	7.423	63476	889648	1.279	6.160	#
40)	L8 AR-1262-5	9.284	7.968	145607	338447	2.551	4.727	#
41)	L9 AR-1268-1	8.500	7.356	94015	198854	0.481	0.874	#

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP030322\
Data File : PP044218.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 03 Mar 2022 16:53
Operator : YP\AJ
Sample : AR1248CCC500
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 04 01:03:26 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP030222.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Mar 03 02:21:53 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml	
42) L9	AR-1268-2	8.617	7.423	63476	889648	0.348	4.343	#
43) L9	AR-1268-3	8.843	7.648	245903	198352	1.593	1.135	#
44) L9	AR-1268-4	9.284	7.968	145607	338447	2.327	4.171	#
45) L9	AR-1268-5	9.712	8.272	531322	659675	1.132	1.224	

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Quantitation Report (Not Reviewed)

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP030322\
Data File : PP044218.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 03 Mar 2022 16:53
Operator : YP\AJ
Sample : AR1248CCC500
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 04 01:03:26 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP030222.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Mar 03 02:21:53 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm







#1 Tetrachloro-m-xylene

R.T.: 3.911 min
Delta R.T.: 0.000 min
Response: 112668696
Conc: 54.38 ng/ml

Instrument :
ECD_P
ClientSampleId :



#1 Tetrachloro-m-xylene

R.T.: 3.167 min
Delta R.T.: 0.000 min
Response: 96176834
Conc: 54.98 ng/ml



#2 Decachlorobiphenyl

R.T.: 10.048 min
Delta R.T.: -0.003 min
Response: 73439378
Conc: 53.36 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.535 min
Delta R.T.: -0.001 min
Response: 81151837
Conc: 52.90 ng/ml



#3 AR-1016-1

R.T.: 5.165 min
Delta R.T.: 0.000 min
Response: 20772142
Conc: 305.90 ng/ml

Instrument :
ECD_P
ClientSampleId :



#3 AR-1016-1

R.T.: 4.311 min
Delta R.T.: -0.001 min
Response: 17758990
Conc: 319.40 ng/ml



#4 AR-1016-2

R.T.: 5.187 min
Delta R.T.: -0.001 min
Response: 25509969
Conc: 251.90 ng/ml



#4 AR-1016-2

R.T.: 4.330 min
Delta R.T.: 0.000 min
Response: 18314425
Conc: 236.37 ng/ml



#5 AR-1016-3

R.T.: 5.253 min
Delta R.T.: -0.001 min
Response: 11959976
Conc: 190.68 ng/ml

Instrument :
ECD_P
ClientSampleId :



#5 AR-1016-3

R.T.: 4.516 min
Delta R.T.: 0.000 min
Response: 12404552
Conc: 289.17 ng/ml



#6 AR-1016-4

R.T.: 5.358 min
Delta R.T.: -0.002 min
Response: 13883698
Conc: 267.44 ng/ml



#6 AR-1016-4

R.T.: 4.564 min
Delta R.T.: -0.001 min
Response: 23297057
Conc: 691.19 ng/ml



#7 AR-1016-5

R.T.: 5.679 min
Delta R.T.: -0.002 min
Response: 33906078
Conc: 673.20 ng/ml

Instrument :
ECD_P
ClientSampleId :



#7 AR-1016-5

R.T.: 4.789 min
Delta R.T.: -0.001 min
Response: 27911823
Conc: 671.03 ng/ml



#8 AR-1221-1

R.T.: 4.140 min
Delta R.T.: 0.002 min
Response: 705799
Conc: 28.56 ng/ml



#8 AR-1221-1

R.T.: 3.393 min
Delta R.T.: -0.002 min
Response: 368535
Conc: 16.05 ng/ml



#9 AR-1221-2

R.T.: 4.235 min
Delta R.T.: 0.004 min
Response: 3488107
Conc: 185.91 ng/ml

Instrument :
ECD_P
ClientSampleId :



#9 AR-1221-2

R.T.: 3.480 min
Delta R.T.: -0.003 min
Response: 1761998
Conc: 102.01 ng/ml



#10 AR-1221-3

R.T.: 4.309 min
Delta R.T.: -0.002 min
Response: 3200950
Conc: 57.21 ng/ml



#10 AR-1221-3

R.T.: 3.562 min
Delta R.T.: 0.000 min
Response: 1948741
Conc: 39.19 ng/ml



#11 AR-1232-1

R.T.: 4.309 min
Delta R.T.: -0.002 min
Response: 3200950
Conc: 69.75 ng/ml

Instrument :
ECD_P
ClientSampleId :



#11 AR-1232-1

R.T.: 3.562 min
Delta R.T.: 0.000 min
Response: 1948741
Conc: 46.89 ng/ml



#12 AR-1232-2

R.T.: 4.874 min
Delta R.T.: -0.001 min
Response: 9771248
Conc: 434.20 ng/ml



#12 AR-1232-2

R.T.: 4.330 min
Delta R.T.: 0.000 min
Response: 18314425
Conc: 530.29 ng/ml



#13 AR-1232-3

R.T.: 5.187 min
Delta R.T.: -0.001 min
Response: 25509969
Conc: 589.55 ng/ml

Instrument :
ECD_P
ClientSampleId :



#13 AR-1232-3

R.T.: 4.516 min
Delta R.T.: 0.000 min
Response: 12404552
Conc: 664.87 ng/ml



#14 AR-1232-4

R.T.: 5.358 min
Delta R.T.: -0.003 min
Response: 13883698
Conc: 691.49 ng/ml



#14 AR-1232-4

R.T.: 4.607 min
Delta R.T.: 0.000 min
Response: 24543669
Conc: 1488.49 ng/ml



#15 AR-1232-5

R.T.: 5.461 min
Delta R.T.: -0.002 min
Response: 28531113
Conc: 1880.56 ng/m

Instrument :
ECD_P
ClientSampleId :



#15 AR-1232-5

R.T.: 4.789 min
Delta R.T.: 0.000 min
Response: 27911823
Conc: 1541.86 ng/ml



#16 AR-1242-1

R.T.: 5.165 min
Delta R.T.: 0.000 min
Response: 20772142
Conc: 381.61 ng/ml



#16 AR-1242-1

R.T.: 4.311 min
Delta R.T.: 0.000 min
Response: 17758990
Conc: 387.27 ng/ml



#17 AR-1242-2

R.T.: 5.187 min
Delta R.T.: -0.001 min
Response: 25509969
Conc: 320.33 ng/ml

Instrument :
ECD_P
ClientSampleId :



#17 AR-1242-2

R.T.: 4.330 min
Delta R.T.: 0.000 min
Response: 18314425
Conc: 289.80 ng/ml



#18 AR-1242-3

R.T.: 5.253 min
Delta R.T.: -0.002 min
Response: 11959976
Conc: 253.27 ng/ml



#18 AR-1242-3

R.T.: 4.516 min
Delta R.T.: 0.000 min
Response: 12404552
Conc: 347.29 ng/ml



#19 AR-1242-4

R.T.: 5.358 min
Delta R.T.: -0.002 min
Response: 13883698
Conc: 358.72 ng/ml

Instrument :
ECD_P
ClientSampleId :



#19 AR-1242-4

R.T.: 4.607 min
Delta R.T.: 0.000 min
Response: 24543669
Conc: 709.44 ng/ml



#20 AR-1242-5

R.T.: 6.160 min
Delta R.T.: -0.001 min
Response: 35721868
Conc: 837.86 ng/ml



#20 AR-1242-5

R.T.: 5.166 min
Delta R.T.: 0.000 min
Response: 38555201
Conc: 912.81 ng/ml



#21 AR-1248-1

R.T.: 5.165 min
Delta R.T.: 0.000 min
Response: 20772142
Conc: 502.48 ng/ml

Instrument :
ECD_P
ClientSampleId :



#21 AR-1248-1

R.T.: 4.311 min
Delta R.T.: -0.001 min
Response: 17758990
Conc: 500.69 ng/ml



#22 AR-1248-2

R.T.: 5.461 min
Delta R.T.: 0.000 min
Response: 28531113
Conc: 508.59 ng/ml



#22 AR-1248-2

R.T.: 4.564 min
Delta R.T.: 0.000 min
Response: 23297057
Conc: 495.04 ng/ml



#23 AR-1248-3

R.T.: 5.679 min
Delta R.T.: -0.001 min
Response: 33906078
Conc: 496.44 ng/ml

Instrument :
ECD_P
ClientSampleId :



#23 AR-1248-3

R.T.: 4.607 min
Delta R.T.: 0.000 min
Response: 24543669
Conc: 498.01 ng/ml



#24 AR-1248-4

R.T.: 6.120 min
Delta R.T.: 0.000 min
Response: 36156009
Conc: 495.80 ng/ml



#24 AR-1248-4

R.T.: 4.789 min
Delta R.T.: -0.001 min
Response: 27911823
Conc: 493.85 ng/ml



#25 AR-1248-5

R.T.: 6.160 min
Delta R.T.: 0.000 min
Response: 35721868
Conc: 486.35 ng/ml

Instrument :
ECD_P
ClientSampleId :



#25 AR-1248-5

R.T.: 5.209 min
Delta R.T.: -0.001 min
Response: 27672120
Conc: 493.34 ng/ml



#26 AR-1254-1

R.T.: 6.089 min
Delta R.T.: -0.003 min
Response: 28246835
Conc: 376.63 ng/ml



#26 AR-1254-1

R.T.: 5.166 min
Delta R.T.: 0.000 min
Response: 38555201
Conc: 466.35 ng/ml



#27 AR-1254-2

R.T.: 6.331 min
Delta R.T.: 0.000 min
Response: 35993647
Conc: 320.33 ng/ml

Instrument :
ECD_P
ClientSampleId :



#27 AR-1254-2

R.T.: 5.326 min
Delta R.T.: -0.001 min
Response: 12186970
Conc: 169.41 ng/ml



#28 AR-1254-3

R.T.: 6.729 min
Delta R.T.: -0.001 min
Response: 20497463
Conc: 175.17 ng/ml



#28 AR-1254-3

R.T.: 5.758 min
Delta R.T.: 0.000 min
Response: 18685336
Conc: 162.18 ng/ml



#29 AR-1254-4

R.T.: 7.043 min
Delta R.T.: -0.001 min
Response: 13329525
Conc: 165.79 ng/ml

Instrument :
ECD_P
ClientSampleId :



#29 AR-1254-4

R.T.: 6.007 min
Delta R.T.: -0.001 min
Response: 13266115
Conc: 176.22 ng/ml



#30 AR-1254-5

R.T.: 7.504 min
Delta R.T.: -0.002 min
Response: 3335308
Conc: 38.32 ng/ml



#30 AR-1254-5

R.T.: 6.458 min
Delta R.T.: -0.002 min
Response: 4273375
Conc: 39.21 ng/ml



#31 AR-1260-1

R.T.: 6.910 min
Delta R.T.: 0.000 min
Response: 2820443
Conc: 32.09 ng/ml

Instrument :
ECD_P
ClientSampleId :



#31 AR-1260-1

R.T.: 5.911 min
Delta R.T.: 0.011 min
Response: 10154130
Conc: 126.58 ng/ml



#32 AR-1260-2

R.T.: 7.193 min
Delta R.T.: -0.001 min
Response: 1381368
Conc: 14.38 ng/ml



#32 AR-1260-2

R.T.: 6.105 min
Delta R.T.: -0.002 min
Response: 2384242
Conc: 24.20 ng/ml



#33 AR-1260-3

R.T.: 7.591 min
Delta R.T.: 0.001 min
Response: 145319
Conc: 2.24 ng/ml

Instrument :
ECD_P
ClientSampleId :



#33 AR-1260-3

R.T.: 6.266 min
Delta R.T.: -0.003 min
Response: 2354339
Conc: 25.38 ng/ml



#34 AR-1260-4

R.T.: 7.850 min
Delta R.T.: 0.013 min
Response: 90233
Conc: 1.16 ng/ml



#34 AR-1260-4

R.T.: 6.781 min
Delta R.T.: -0.002 min
Response: 371543
Conc: 5.21 ng/ml



#35 AR-1260-5

R.T.: 8.174 min
Delta R.T.: -0.006 min
Response: 1127578
Conc: 8.05 ng/ml

Instrument :
ECD_P
ClientSampleId :



#35 AR-1260-5

R.T.: 7.047 min
Delta R.T.: -0.003 min
Response: 715447
Conc: 4.33 ng/ml



#36 AR-1262-1

R.T.: 7.591 min
Delta R.T.: 0.000 min
Response: 145319
Conc: 1.44 ng/ml



#36 AR-1262-1

R.T.: 0.000 min
Exp R.T. : 6.502 min
Response: 0
Conc: N.D.



#37 AR-1262-2

R.T.: 8.174 min
Delta R.T.: -0.006 min
Response: 1127578
Conc: 6.79 ng/ml

Instrument :
ECD_P
ClientSampleId :



#37 AR-1262-2

R.T.: 6.781 min
Delta R.T.: 0.000 min
Response: 371543
Conc: 3.88 ng/ml



#38 AR-1262-3

R.T.: 8.521 min
Delta R.T.: 0.009 min
Response: 253573
Conc: 2.27 ng/ml



#38 AR-1262-3

R.T.: 7.356 min
Delta R.T.: 0.000 min
Response: 198854
Conc: 2.52 ng/ml



#39 AR-1262-4

R.T.: 8.617 min
Delta R.T.: 0.012 min
Response: 63476
Conc: 1.28 ng/ml

Instrument :
ECD_P
ClientSampleId :



#39 AR-1262-4

R.T.: 7.423 min
Delta R.T.: -0.003 min
Response: 889648
Conc: 6.16 ng/ml



#40 AR-1262-5

R.T.: 9.284 min
Delta R.T.: -0.003 min
Response: 145607
Conc: 2.55 ng/ml



#40 AR-1262-5

R.T.: 7.968 min
Delta R.T.: 0.000 min
Response: 338447
Conc: 4.73 ng/ml



#41 AR-1268-1

R.T.: 8.500 min
Delta R.T.: -0.010 min
Response: 94015
Conc: 0.48 ng/ml

Instrument :
ECD_P
ClientSampleId :



#41 AR-1268-1

R.T.: 7.356 min
Delta R.T.: 0.000 min
Response: 198854
Conc: 0.87 ng/ml



#42 AR-1268-2

R.T.: 8.617 min
Delta R.T.: 0.009 min
Response: 63476
Conc: 0.35 ng/ml



#42 AR-1268-2

R.T.: 7.423 min
Delta R.T.: -0.004 min
Response: 889648
Conc: 4.34 ng/ml



#43 AR-1268-3

R.T.: 8.843 min
Delta R.T.: -0.001 min
Response: 245903
Conc: 1.59 ng/ml

Instrument :
ECD_P
ClientSampleId :



#43 AR-1268-3

R.T.: 7.648 min
Delta R.T.: 0.000 min
Response: 198352
Conc: 1.13 ng/ml



#44 AR-1268-4

R.T.: 9.284 min
Delta R.T.: -0.002 min
Response: 145607
Conc: 2.33 ng/ml



#44 AR-1268-4

R.T.: 7.968 min
Delta R.T.: -0.001 min
Response: 338447
Conc: 4.17 ng/ml



#45 AR-1268-5

R.T.: 9.712 min
Delta R.T.: 0.001 min
Response: 531322
Conc: 1.13 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.272 min
Delta R.T.: -0.002 min
Response: 659675
Conc: 1.22 ng/ml