

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP030922\
 Data File : PP044415.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 09 Mar 2022 18:58
 Operator : YP\AJ
 Sample : N1645-01
 Misc : AR1248 LOD 25 PPB
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 10 01:14:09 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP030222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Mar 03 02:21:53 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.910	3.165	36467450	32476289	17.600	18.564
2)	SA Decachlor...	10.045	8.530	24584777	28601053	17.862	18.645
Target Compounds							
3)	L1 AR-1016-1	5.162	4.309	923699	834640	13.603	15.011
4)	L1 AR-1016-2	5.190	4.328	497909	997501	4.917	12.874 #
5)	L1 AR-1016-3	5.251	4.513	690043	570455	11.001	13.298
6)	L1 AR-1016-4	5.356	4.561	582273	1304739	11.216	38.710 #
7)	L1 AR-1016-5	5.679	4.785	1493799	1350994	29.659	32.479
8)	L2 AR-1221-1	4.130	3.390	3804480	32228	153.968	1.404 #
9)	L2 AR-1221-2	4.232	3.458f	642832	4670406	34.262	270.401 #
10)	L2 AR-1221-3	4.305	3.560	151427	145127	2.706	2.919
11)	L3 AR-1232-1	4.305	3.560	151427	145127	3.300	3.492
12)	L3 AR-1232-2	4.869	4.328	432384	997501	19.214	28.882 #
13)	L3 AR-1232-3	5.190	4.513	497909	570455	11.507	30.576 #
14)	L3 AR-1232-4	5.356	4.604	582273	1204297	29.000	73.036 #
15)	L3 AR-1232-5	5.459	4.785	1203013	1350994	79.294	74.630
16)	L4 AR-1242-1	5.162	4.309	923699	834640	16.970	18.201
17)	L4 AR-1242-2	5.190	4.328	497909	997501	6.252	15.784 #
18)	L4 AR-1242-3	5.251	4.513	690043	570455	14.612	15.971
19)	L4 AR-1242-4	5.356	4.604	582273	1204297	15.044	34.810 #
20)	L4 AR-1242-5	6.157	5.162	1641661	1933430	38.505	45.775
21)	L5 AR-1248-1	5.162	4.309	923699	834640	22.344	23.532
22)	L5 AR-1248-2	5.459	4.561	1203013	1304739	21.445	27.724 #
23)	L5 AR-1248-3	5.679	4.604	1493799	1204297	21.872	24.436
24)	L5 AR-1248-4	6.117	4.785	1556105	1350994	21.339	23.903
25)	L5 AR-1248-5	6.157	5.205	1641661	1350765	22.351	24.082
26)	L6 AR-1254-1	6.085	5.162	1221026	1933430	16.281	23.386 #
27)	L6 AR-1254-2	6.328	5.323	1412585	669597	12.572	9.308 #
28)	L6 AR-1254-3	6.727	5.754	990757	973539	8.467	8.450
29)	L6 AR-1254-4	7.042	6.003	638697	651820	7.944	8.658
30)	L6 AR-1254-5	7.498	6.457	538790	221195	6.190	2.030 #
31)	L7 AR-1260-1	6.908	5.908	77985	396727	0.887	4.946 #
32)	L7 AR-1260-2	7.198	6.104	25932	60479	0.270	0.614 #
33)	L7 AR-1260-3	7.606f	6.262	355474	204338	5.479	2.203 #
34)	L7 AR-1260-4	7.829	6.781	361931	18181	4.640	0.255 #
35)	L7 AR-1260-5	8.171	7.047	215368	75845	1.537	0.459 #
36)	L8 AR-1262-1	7.606f	6.497	355474	37670	3.517	0.363 #
37)	L8 AR-1262-2	8.171	6.781	215368	18181	1.297	0.190 #
38)	L8 AR-1262-3	8.513	7.356	46088	26543	0.412	0.336
39)	L8 AR-1262-4	8.610	7.426	53330	17632	1.074	0.122 #
40)	L8 AR-1262-5	9.287	7.970	28721	118367	0.503	1.653 #
41)	L9 AR-1268-1	8.513	7.356	46088	26543	0.236	0.117 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP030922\
 Data File : PP044415.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 09 Mar 2022 18:58
 Operator : YP\AJ
 Sample : N1645-01
 Misc : AR1248 LOD 25 PPB
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 10 01:14:09 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP030222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Mar 03 02:21:53 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.610	7.426	53330	17632	0.293	0.086 #
43) L9	AR-1268-3	8.850	7.645	54409	58308	0.353	0.334
44) L9	AR-1268-4	9.287	7.970	28721	118367	0.459	1.459 #
45) L9	AR-1268-5	9.714	8.268	40466	259926	0.086	0.482 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP030922\
Data File : PP044415.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 09 Mar 2022 18:58
Operator : YP\AJ
Sample : N1645-01
Misc : AR1248 LOD 25 PPB
ALS Vial : 21 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 10 01:14:09 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP030222.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Mar 03 02:21:53 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.910 min
Delta R.T.: -0.002 min
Response: 36467450
Conc: 17.60 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.165 min
Delta R.T.: -0.002 min
Response: 32476289
Conc: 18.56 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.045 min
Delta R.T.: -0.006 min
Response: 24584777
Conc: 17.86 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.530 min
Delta R.T.: -0.007 min
Response: 28601053
Conc: 18.64 ng/ml



#3 AR-1016-1


R.T.: 5.162 min
Delta R.T.: -0.003 min
Response: 923699
Conc: 13.60 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.309 min
Delta R.T.: -0.004 min
Response: 834640
Conc: 15.01 ng/ml




#4 AR-1016-2

R.T.: 5.190 min
Delta R.T.: 0.001 min
Response: 497909
Conc: 4.92 ng/ml



#4 AR-1016-2


R.T.: 4.328 min
Delta R.T.: -0.003 min
Response: 997501
Conc: 12.87 ng/ml



#5 AR-1016-3


R.T.: 5.251 min
Delta R.T.: -0.004 min
Response: 690043
Conc: 11.00 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.513 min
Delta R.T.: -0.003 min
Response: 570455
Conc: 13.30 ng/ml




#6 AR-1016-4

R.T.: 5.356 min
Delta R.T.: -0.004 min
Response: 582273
Conc: 11.22 ng/ml



#6 AR-1016-4


R.T.: 4.561 min
Delta R.T.: -0.004 min
Response: 1304739
Conc: 38.71 ng/ml



#7 AR-1016-5


R.T.: 5.679 min
Delta R.T.: -0.002 min
Response: 1493799
Conc: 29.66 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 4.785 min
Delta R.T.: -0.005 min
Response: 1350994
Conc: 32.48 ng/ml




#8 AR-1221-1

R.T.: 4.130 min
Delta R.T.: -0.009 min
Response: 3804480
Conc: 153.97 ng/ml



#8 AR-1221-1


R.T.: 3.390 min
Delta R.T.: -0.005 min
Response: 32228
Conc: 1.40 ng/ml



#9 AR-1221-2


R.T.: 4.232 min
Delta R.T.: 0.000 min
Response: 642832
Conc: 34.26 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.458 min
Delta R.T.: -0.025 min
Response: 4670406
Conc: 270.40 ng/ml




#10 AR-1221-3

R.T.: 4.305 min
Delta R.T.: -0.005 min
Response: 151427
Conc: 2.71 ng/ml



#10 AR-1221-3


R.T.: 3.560 min
Delta R.T.: -0.003 min
Response: 145127
Conc: 2.92 ng/ml



#11 AR-1232-1


R.T.: 4.305 min
Delta R.T.: -0.006 min
Response: 151427
Conc: 3.30 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.560 min
Delta R.T.: -0.002 min
Response: 145127
Conc: 3.49 ng/ml




#12 AR-1232-2

R.T.: 4.869 min
Delta R.T.: -0.006 min
Response: 432384
Conc: 19.21 ng/ml



#12 AR-1232-2


R.T.: 4.328 min
Delta R.T.: -0.003 min
Response: 997501
Conc: 28.88 ng/ml



#13 AR-1232-3


R.T.: 5.190 min
Delta R.T.: 0.000 min
Response: 497909
Conc: 11.51 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.513 min
Delta R.T.: -0.003 min
Response: 570455
Conc: 30.58 ng/ml




#14 AR-1232-4

R.T.: 5.356 min
Delta R.T.: -0.005 min
Response: 582273
Conc: 29.00 ng/ml



#14 AR-1232-4


R.T.: 4.604 min
Delta R.T.: -0.004 min
Response: 1204297
Conc: 73.04 ng/ml



#15 AR-1232-5


R.T.: 5.459 min
Delta R.T.: -0.005 min
Response: 1203013
Conc: 79.29 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 4.785 min
Delta R.T.: -0.005 min
Response: 1350994
Conc: 74.63 ng/ml




#16 AR-1242-1

R.T.: 5.162 min
Delta R.T.: -0.003 min
Response: 923699
Conc: 16.97 ng/ml



#16 AR-1242-1


R.T.: 4.309 min
Delta R.T.: -0.003 min
Response: 834640
Conc: 18.20 ng/ml



#17 AR-1242-2


R.T.: 5.190 min
Delta R.T.: 0.000 min
Response: 497909
Conc: 6.25 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.328 min
Delta R.T.: -0.003 min
Response: 997501
Conc: 15.78 ng/ml




#18 AR-1242-3

R.T.: 5.251 min
Delta R.T.: -0.004 min
Response: 690043
Conc: 14.61 ng/ml



#18 AR-1242-3


R.T.: 4.513 min
Delta R.T.: -0.003 min
Response: 570455
Conc: 15.97 ng/ml



#19 AR-1242-4


R.T.: 5.356 min
Delta R.T.: -0.005 min
Response: 582273
Conc: 15.04 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.604 min
Delta R.T.: -0.004 min
Response: 1204297
Conc: 34.81 ng/ml




#20 AR-1242-5

R.T.: 6.157 min
Delta R.T.: -0.005 min
Response: 1641661
Conc: 38.51 ng/ml



#20 AR-1242-5


R.T.: 5.162 min
Delta R.T.: -0.004 min
Response: 1933430
Conc: 45.77 ng/ml



#21 AR-1248-1


R.T.: 5.162 min
Delta R.T.: -0.003 min
Response: 923699
Conc: 22.34 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.309 min
Delta R.T.: -0.004 min
Response: 834640
Conc: 23.53 ng/ml




#22 AR-1248-2

R.T.: 5.459 min
Delta R.T.: -0.004 min
Response: 1203013
Conc: 21.44 ng/ml



#22 AR-1248-2


R.T.: 4.561 min
Delta R.T.: -0.004 min
Response: 1304739
Conc: 27.72 ng/ml



#23 AR-1248-3


R.T.: 5.679 min
Delta R.T.: -0.002 min
Response: 1493799
Conc: 21.87 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.604 min
Delta R.T.: -0.004 min
Response: 1204297
Conc: 24.44 ng/ml




#24 AR-1248-4

R.T.: 6.117 min
Delta R.T.: -0.003 min
Response: 1556105
Conc: 21.34 ng/ml



#24 AR-1248-4


R.T.: 4.785 min
Delta R.T.: -0.005 min
Response: 1350994
Conc: 23.90 ng/ml



#25 AR-1248-5


R.T.: 6.157 min
Delta R.T.: -0.005 min
Response: 1641661
Conc: 22.35 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.205 min
Delta R.T.: -0.005 min
Response: 1350765
Conc: 24.08 ng/ml




#26 AR-1254-1

R.T.: 6.085 min
Delta R.T.: -0.007 min
Response: 1221026
Conc: 16.28 ng/ml



#26 AR-1254-1


R.T.: 5.162 min
Delta R.T.: -0.004 min
Response: 1933430
Conc: 23.39 ng/ml



#27 AR-1254-2


R.T.: 6.328 min
Delta R.T.: -0.003 min
Response: 1412585
Conc: 12.57 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.323 min
Delta R.T.: -0.005 min
Response: 669597
Conc: 9.31 ng/ml




#28 AR-1254-3

R.T.: 6.727 min
Delta R.T.: -0.003 min
Response: 990757
Conc: 8.47 ng/ml



#28 AR-1254-3


R.T.: 5.754 min
Delta R.T.: -0.004 min
Response: 973539
Conc: 8.45 ng/ml



#29 AR-1254-4


R.T.: 7.042 min
Delta R.T.: -0.002 min
Response: 638697
Conc: 7.94 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.003 min
Delta R.T.: -0.005 min
Response: 651820
Conc: 8.66 ng/ml




#30 AR-1254-5

R.T.: 7.498 min
Delta R.T.: -0.008 min
Response: 538790
Conc: 6.19 ng/ml



#30 AR-1254-5


R.T.: 6.457 min
Delta R.T.: -0.003 min
Response: 221195
Conc: 2.03 ng/ml



#31 AR-1260-1


R.T.: 6.908 min
Delta R.T.: -0.003 min
Response: 77985
Conc: 0.89 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 5.908 min
Delta R.T.: 0.008 min
Response: 396727
Conc: 4.95 ng/ml




#32 AR-1260-2

R.T.: 7.198 min
Delta R.T.: 0.003 min
Response: 25932
Conc: 0.27 ng/ml



#32 AR-1260-2


R.T.: 6.104 min
Delta R.T.: -0.002 min
Response: 60479
Conc: 0.61 ng/ml



#33 AR-1260-3


R.T.: 7.606 min
Delta R.T.: 0.016 min
Response: 355474
Conc: 5.48 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.262 min
Delta R.T.: -0.007 min
Response: 204338
Conc: 2.20 ng/ml




#34 AR-1260-4

R.T.: 7.829 min
Delta R.T.: -0.008 min
Response: 361931
Conc: 4.64 ng/ml



#34 AR-1260-4


R.T.: 6.781 min
Delta R.T.: -0.002 min
Response: 18181
Conc: 0.25 ng/ml



#35 AR-1260-5


R.T.: 8.171 min
Delta R.T.: -0.009 min
Response: 215368
Conc: 1.54 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.047 min
Delta R.T.: -0.003 min
Response: 75845
Conc: 0.46 ng/ml




#36 AR-1262-1

R.T.: 7.606 min
Delta R.T.: 0.015 min
Response: 355474
Conc: 3.52 ng/ml



#36 AR-1262-1


R.T.: 6.497 min
Delta R.T.: -0.005 min
Response: 37670
Conc: 0.36 ng/ml



#37 AR-1262-2


R.T.: 8.171 min
Delta R.T.: -0.009 min
Response: 215368
Conc: 1.30 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.781 min
Delta R.T.: 0.000 min
Response: 18181
Conc: 0.19 ng/ml




#38 AR-1262-3

R.T.: 8.513 min
Delta R.T.: 0.000 min
Response: 46088
Conc: 0.41 ng/ml



#38 AR-1262-3


R.T.: 7.356 min
Delta R.T.: 0.000 min
Response: 26543
Conc: 0.34 ng/ml



#39 AR-1262-4


R.T.: 8.610 min
Delta R.T.: 0.005 min
Response: 53330
Conc: 1.07 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.426 min
Delta R.T.: 0.000 min
Response: 17632
Conc: 0.12 ng/ml




#40 AR-1262-5

R.T.: 9.287 min
Delta R.T.: 0.000 min
Response: 28721
Conc: 0.50 ng/ml



#40 AR-1262-5


R.T.: 7.970 min
Delta R.T.: 0.001 min
Response: 118367
Conc: 1.65 ng/ml



#41 AR-1268-1


R.T.: 8.513 min
Delta R.T.: 0.003 min
Response: 46088
Conc: 0.24 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.356 min
Delta R.T.: 0.000 min
Response: 26543
Conc: 0.12 ng/ml




#42 AR-1268-2

R.T.: 8.610 min
Delta R.T.: 0.002 min
Response: 53330
Conc: 0.29 ng/ml



#42 AR-1268-2


R.T.: 7.426 min
Delta R.T.: -0.002 min
Response: 17632
Conc: 0.09 ng/ml



#43 AR-1268-3


R.T.: 8.850 min
Delta R.T.: 0.006 min
Response: 54409
Conc: 0.35 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.645 min
Delta R.T.: -0.004 min
Response: 58308
Conc: 0.33 ng/ml




#44 AR-1268-4

R.T.: 9.287 min
Delta R.T.: 0.000 min
Response: 28721
Conc: 0.46 ng/ml



#44 AR-1268-4


R.T.: 7.970 min
Delta R.T.: 0.000 min
Response: 118367
Conc: 1.46 ng/ml



#45 AR-1268-5

R.T.: 9.714 min
Delta R.T.: 0.003 min
Response: 40466
Conc: 0.09 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.268 min
Delta R.T.: -0.006 min
Response: 259926
Conc: 0.48 ng/ml