

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP031323\
 Data File : PP056465.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Mar 2023 23:24
 Operator : YP\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 14 04:46:00 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP030823.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Mar 08 02:03:40 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.316	3.557	26591146	23469307	17.125	16.632
2)	SA Decachlor...	10.060	8.555	36485768	20736077	18.368	18.550
Target Compounds							
3)	L1 AR-1016-1	5.488	4.650	27768	310011	0.480	7.358 #
4)	L1 AR-1016-2	5.507	4.650	110987	310011	1.296	5.115 #
5)	L1 AR-1016-3	5.585	4.844	20789	114921	0.381	3.551 #
6)	L1 AR-1016-4	5.671	4.885	13247	233019	0.305	8.303 #
7)	L1 AR-1016-5	5.963	5.094	17777	136235	0.388	3.808 #
8)	L2 AR-1221-1	4.528	3.780	43897	7946	2.191	0.457 #
9)	L2 AR-1221-2	4.604	3.856	52832	376734	3.477	29.154 #
10)	L2 AR-1221-3	4.693	3.927	50169	43316	1.079	1.068
11)	L3 AR-1232-1	4.693	3.927	50169	43316	1.294	1.316
12)	L3 AR-1232-2	5.219	4.650	16984	310011	0.840	11.181 #
13)	L3 AR-1232-3	5.507	4.844	110987	114921	2.849	8.114 #
14)	L3 AR-1232-4	5.671	4.917	13247	170611	0.677	12.012 #
15)	L3 AR-1232-5	5.769	5.094	84449	136235	5.331	8.883 #
16)	L4 AR-1242-1	5.488	4.650	27768	310011	0.570	8.767 #
17)	L4 AR-1242-2	5.507	4.650	110987	310011	1.556	6.102 #
18)	L4 AR-1242-3	5.562	4.844	343126	114921	7.537	4.259 #
19)	L4 AR-1242-4	5.671	4.917	13247	170611	0.371	5.823 #
20)	L4 AR-1242-5	6.411	5.464f	155591	1344493	3.640	41.672 #
21)	L5 AR-1248-1	5.488	4.650	27768	310011	0.780	11.940 #
22)	L5 AR-1248-2	5.769	4.885	84449	233019	1.513	5.990 #
23)	L5 AR-1248-3	5.963	4.917	17777	170611	0.292	4.184 #
24)	L5 AR-1248-4	6.375	5.094	180903	136235	2.619	2.909
25)	L5 AR-1248-5	6.411	5.464f	155591	1344493	2.290	32.557 #
26)	L6 AR-1254-1	6.349	5.464f	772742	1344493	10.238	18.735 #
27)	L6 AR-1254-2	6.565	5.588	541340	1939305	4.666	31.802 #
28)	L6 AR-1254-3	6.928	5.987	2781646	3314366	22.684	35.802 #
29)	L6 AR-1254-4	7.219	6.218	3982966	3083442	43.860	57.199 #
30)	L6 AR-1254-5	7.638	6.633	9542439	6098359	92.303	78.030
31)	L7 AR-1260-1	7.095	6.115	2967290	1893968	30.110	27.783
32)	L7 AR-1260-2	7.355	6.304	3363258	2169201	28.995	28.356
33)	L7 AR-1260-3	7.740f	0.000	61819	0	0.722	N.D. #
34)	L7 AR-1260-4	7.929f	0.000	3533004	0	35.735	N.D. #
35)	L7 AR-1260-5	8.258	7.175	1824399	4231784	9.129	33.118 #
36)	L8 AR-1262-1	7.740f	0.000	61819	0	0.518	N.D. #
37)	L8 AR-1262-2	8.258	0.000	1824399	0	8.359	N.D. #
38)	L8 AR-1262-3	8.582	0.000	1265495	0	8.283	N.D. #
39)	L8 AR-1262-4	8.651	7.524	338854	2424685	4.215	25.078 #
40)	L8 AR-1262-5	9.310	8.025	72223	185905	0.872	4.137 #
41)	L9 AR-1268-1	8.582	0.000	1265495	0	4.592	N.D. #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP031323\
 Data File : PP056465.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Mar 2023 23:24
 Operator : YP\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 14 04:46:00 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP030823.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Mar 08 02:03:40 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.651	7.524	338854	2424685	1.314	16.214 #
43) L9	AR-1268-3	8.894	7.736	239897	98040	1.046	0.722 #
44) L9	AR-1268-4	9.310	8.025	72223	185905	0.774	3.643 #
45) L9	AR-1268-5	9.722	8.311	111295	198462	0.153	0.510 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP031323\
Data File : PP056465.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Mar 2023 23:24
Operator : YP\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 14 04:46:00 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP030823.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Mar 08 02:03:40 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.316 min
Delta R.T.: -0.002 min
Response: 26591146
Conc: 17.13 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.557 min
Delta R.T.: -0.003 min
Response: 23469307
Conc: 16.63 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.060 min
Delta R.T.: -0.003 min
Response: 36485768
Conc: 18.37 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.555 min
Delta R.T.: -0.005 min
Response: 20736077
Conc: 18.55 ng/ml



#3 AR-1016-1


R.T.: 5.488 min
Delta R.T.: 0.000 min
Response: 27768
Conc: 0.48 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.650 min
Delta R.T.: 0.009 min
Response: 310011
Conc: 7.36 ng/ml




#4 AR-1016-2

R.T.: 5.507 min
Delta R.T.: -0.005 min
Response: 110987
Conc: 1.30 ng/ml



#4 AR-1016-2


R.T.: 4.650 min
Delta R.T.: -0.010 min
Response: 310011
Conc: 5.11 ng/ml



#5 AR-1016-3


R.T.: 5.585 min
Delta R.T.: 0.011 min
Response: 20789
Conc: 0.38 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.844 min
Delta R.T.: 0.008 min
Response: 114921
Conc: 3.55 ng/ml




#6 AR-1016-4

R.T.: 5.671 min
Delta R.T.: -0.002 min
Response: 13247
Conc: 0.31 ng/ml



#6 AR-1016-4


R.T.: 4.885 min
Delta R.T.: 0.007 min
Response: 233019
Conc: 8.30 ng/ml



#7 AR-1016-5


R.T.: 5.963 min
Delta R.T.: -0.005 min
Response: 17777
Conc: 0.39 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.094 min
Delta R.T.: 0.003 min
Response: 136235
Conc: 3.81 ng/ml




#8 AR-1221-1

R.T.: 4.528 min
Delta R.T.: 0.001 min
Response: 43897
Conc: 2.19 ng/ml



#8 AR-1221-1


R.T.: 3.780 min
Delta R.T.: 0.008 min
Response: 7946
Conc: 0.46 ng/ml



#9 AR-1221-2


R.T.: 4.604 min
Delta R.T.: -0.010 min
Response: 52832
Conc: 3.48 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.856 min
Delta R.T.: -0.002 min
Response: 376734
Conc: 29.15 ng/ml




#10 AR-1221-3

R.T.: 4.693 min
Delta R.T.: 0.003 min
Response: 50169
Conc: 1.08 ng/ml



#10 AR-1221-3


R.T.: 3.927 min
Delta R.T.: -0.006 min
Response: 43316
Conc: 1.07 ng/ml



#11 AR-1232-1


R.T.: 4.693 min
Delta R.T.: 0.003 min
Response: 50169
Conc: 1.29 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.927 min
Delta R.T.: -0.006 min
Response: 43316
Conc: 1.32 ng/ml




#12 AR-1232-2

R.T.: 5.219 min
Delta R.T.: 0.000 min
Response: 16984
Conc: 0.84 ng/ml



#12 AR-1232-2


R.T.: 4.650 min
Delta R.T.: -0.009 min
Response: 310011
Conc: 11.18 ng/ml



#13 AR-1232-3


R.T.: 5.507 min
Delta R.T.: -0.004 min
Response: 110987
Conc: 2.85 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.844 min
Delta R.T.: 0.009 min
Response: 114921
Conc: 8.11 ng/ml




#14 AR-1232-4

R.T.: 5.671 min
Delta R.T.: 0.000 min
Response: 13247
Conc: 0.68 ng/ml



#14 AR-1232-4


R.T.: 4.917 min
Delta R.T.: -0.001 min
Response: 170611
Conc: 12.01 ng/ml



#15 AR-1232-5


R.T.: 5.769 min
Delta R.T.: 0.006 min
Response: 84449
Conc: 5.33 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.094 min
Delta R.T.: 0.003 min
Response: 136235
Conc: 8.88 ng/ml




#16 AR-1242-1

R.T.: 5.488 min
Delta R.T.: 0.000 min
Response: 27768
Conc: 0.57 ng/ml



#16 AR-1242-1


R.T.: 4.650 min
Delta R.T.: 0.010 min
Response: 310011
Conc: 8.77 ng/ml



#17 AR-1242-2


R.T.: 5.507 min
Delta R.T.: -0.004 min
Response: 110987
Conc: 1.56 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.650 min
Delta R.T.: -0.008 min
Response: 310011
Conc: 6.10 ng/ml




#18 AR-1242-3

R.T.: 5.562 min
Delta R.T.: -0.011 min
Response: 343126
Conc: 7.54 ng/ml



#18 AR-1242-3


R.T.: 4.844 min
Delta R.T.: 0.009 min
Response: 114921
Conc: 4.26 ng/ml



#19 AR-1242-4


R.T.: 5.671 min
Delta R.T.: 0.000 min
Response: 13247
Conc: 0.37 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.917 min
Delta R.T.: -0.001 min
Response: 170611
Conc: 5.82 ng/ml




#20 AR-1242-5

R.T.: 6.411 min
Delta R.T.: 0.000 min
Response: 155591
Conc: 3.64 ng/ml



#20 AR-1242-5


R.T.: 5.464 min
Delta R.T.: 0.022 min
Response: 1344493
Conc: 41.67 ng/ml



#21 AR-1248-1


R.T.: 5.488 min
Delta R.T.: 0.000 min
Response: 27768
Conc: 0.78 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.650 min
Delta R.T.: 0.010 min
Response: 310011
Conc: 11.94 ng/ml




#22 AR-1248-2

R.T.: 5.769 min
Delta R.T.: 0.006 min
Response: 84449
Conc: 1.51 ng/ml



#22 AR-1248-2


R.T.: 4.885 min
Delta R.T.: 0.008 min
Response: 233019
Conc: 5.99 ng/ml



#23 AR-1248-3


R.T.: 5.963 min
Delta R.T.: -0.005 min
Response: 17777
Conc: 0.29 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.917 min
Delta R.T.: 0.000 min
Response: 170611
Conc: 4.18 ng/ml




#24 AR-1248-4

R.T.: 6.375 min
Delta R.T.: 0.003 min
Response: 180903
Conc: 2.62 ng/ml



#24 AR-1248-4


R.T.: 5.094 min
Delta R.T.: 0.004 min
Response: 136235
Conc: 2.91 ng/ml



#25 AR-1248-5


R.T.: 6.411 min
Delta R.T.: 0.000 min
Response: 155591
Conc: 2.29 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.464 min
Delta R.T.: -0.019 min
Response: 1344493
Conc: 32.56 ng/ml




#26 AR-1254-1

R.T.: 6.349 min
Delta R.T.: 0.002 min
Response: 772742
Conc: 10.24 ng/ml



#26 AR-1254-1


R.T.: 5.464 min
Delta R.T.: 0.022 min
Response: 1344493
Conc: 18.73 ng/ml



#27 AR-1254-2


R.T.: 6.565 min
Delta R.T.: -0.002 min
Response: 541340
Conc: 4.67 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.588 min
Delta R.T.: -0.001 min
Response: 1939305
Conc: 31.80 ng/ml




#28 AR-1254-3

R.T.: 6.928 min
Delta R.T.: -0.006 min
Response: 2781646
Conc: 22.68 ng/ml



#28 AR-1254-3


R.T.: 5.987 min
Delta R.T.: -0.007 min
Response: 3314366
Conc: 35.80 ng/ml



#29 AR-1254-4


R.T.: 7.219 min
Delta R.T.: -0.001 min
Response: 3982966
Conc: 43.86 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.218 min
Delta R.T.: -0.006 min
Response: 3083442
Conc: 57.20 ng/ml




#30 AR-1254-5

R.T.: 7.638 min
Delta R.T.: -0.004 min
Response: 9542439
Conc: 92.30 ng/ml



#30 AR-1254-5


R.T.: 6.633 min
Delta R.T.: -0.009 min
Response: 6098359
Conc: 78.03 ng/ml



#31 AR-1260-1


R.T.: 7.095 min
Delta R.T.: -0.006 min
Response: 2967290
Conc: 30.11 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.115 min
Delta R.T.: -0.011 min
Response: 1893968
Conc: 27.78 ng/ml




#32 AR-1260-2

R.T.: 7.355 min
Delta R.T.: -0.003 min
Response: 3363258
Conc: 28.99 ng/ml



#32 AR-1260-2


R.T.: 6.304 min
Delta R.T.: -0.011 min
Response: 2169201
Conc: 28.36 ng/ml



#33 AR-1260-3


R.T.: 7.740 min
Delta R.T.: 0.020 min
Response: 61819
Conc: 0.72 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 0.000 min
Exp R.T. : 6.468 min
Response: 0
Conc: N.D.




#34 AR-1260-4

R.T.: 7.929 min
Delta R.T.: -0.017 min
Response: 3533004
Conc: 35.74 ng/ml



#34 AR-1260-4


R.T.: 0.000 min
Exp R.T. : 6.940 min
Response: 0
Conc: N.D.



#35 AR-1260-5


R.T.: 8.258 min
Delta R.T.: -0.004 min
Response: 1824399
Conc: 9.13 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.175 min
Delta R.T.: -0.009 min
Response: 4231784
Conc: 33.12 ng/ml




#36 AR-1262-1

R.T.: 7.740 min
Delta R.T.: 0.022 min
Response: 61819
Conc: 0.52 ng/ml



#36 AR-1262-1


R.T.: 0.000 min
Exp R.T.: 6.733 min
Response: 0
Conc: N.D.



#37 AR-1262-2


R.T.: 8.258 min
Delta R.T.: -0.001 min
Response: 1824399
Conc: 8.36 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 0.000 min
Exp R.T. : 6.939 min
Response: 0
Conc: N.D.




#38 AR-1262-3

R.T.: 8.582 min
Delta R.T.: 0.011 min
Response: 1265495
Conc: 8.28 ng/ml



#38 AR-1262-3


R.T.: 0.000 min
Exp R.T. : 7.465 min
Response: 0
Conc: N.D.



#39 AR-1262-4


R.T.: 8.651 min
Delta R.T.: -0.007 min
Response: 338854
Conc: 4.22 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.524 min
Delta R.T.: -0.006 min
Response: 2424685
Conc: 25.08 ng/ml




#40 AR-1262-5

R.T.: 9.310 min
Delta R.T.: -0.002 min
Response: 72223
Conc: 0.87 ng/ml



#40 AR-1262-5


R.T.: 8.025 min
Delta R.T.: 0.000 min
Response: 185905
Conc: 4.14 ng/ml



#41 AR-1268-1


R.T.: 8.582 min
Delta R.T.: 0.015 min
Response: 1265495
Conc: 4.59 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 0.000 min
Exp R.T. : 7.466 min
Response: 0
Conc: N.D.




#42 AR-1268-2

R.T.: 8.651 min
Delta R.T.: -0.009 min
Response: 338854
Conc: 1.31 ng/ml



#42 AR-1268-2


R.T.: 7.524 min
Delta R.T.: -0.007 min
Response: 2424685
Conc: 16.21 ng/ml



#43 AR-1268-3


R.T.: 8.894 min
Delta R.T.: 0.005 min
Response: 239897
Conc: 1.05 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.736 min
Delta R.T.: 0.000 min
Response: 98040
Conc: 0.72 ng/ml




#44 AR-1268-4

R.T.: 9.310 min
Delta R.T.: 0.000 min
Response: 72223
Conc: 0.77 ng/ml



#44 AR-1268-4


R.T.: 8.025 min
Delta R.T.: 0.000 min
Response: 185905
Conc: 3.64 ng/ml



#45 AR-1268-5

R.T.: 9.722 min
Delta R.T.: -0.002 min
Response: 111295
Conc: 0.15 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.311 min
Delta R.T.: 0.000 min
Response: 198462
Conc: 0.51 ng/ml